

アンモニア水の濃度と密度早見表

FW : 17.03 当量 : 1

| 濃度 (質量分率%) | モル濃度 (mol/L) | 密度(20°C) (g/mL) |
|------------|--------------|-----------------|
| 1.0 | 0.58 | 0.99 |
| 2.0 | 1.2 | 0.99 |
| 3.0 | 1.7 | 0.99 |
| 4.0 | 2.3 | 0.98 |
| 5.0 | 2.9 | 0.98 |
| 6.0 | 3.4 | 0.97 |
| 7.0 | 4.0 | 0.97 |
| 8.0 | 4.5 | 0.97 |
| 9.0 | 5.1 | 0.96 |
| 10.0 | 5.6 | 0.96 |
| 11.0 | 6.2 | 0.95 |
| 12.0 | 6.7 | 0.95 |
| 13.0 | 7.2 | 0.95 |
| 14.0 | 7.8 | 0.94 |
| 15.7 | 8.7 | 0.94 |
| 16.0 | 8.8 | 0.94 |
| 17.0 | 9.3 | 0.93 |
| 18.0 | 9.8 | 0.93 |
| 19.0 | 10.3 | 0.93 |
| 20.0 | 10.8 | 0.92 |
| 21.0 | 11.3 | 0.92 |
| 22.0 | 11.8 | 0.92 |
| 23.0 | 12.3 | 0.91 |
| 24.0 | 12.8 | 0.91 |
| 25.0 | 13.3 | 0.91 |
| 26.0 | 13.8 | 0.90 |
| 27.0 | 14.3 | 0.90 |
| 28.0 | 14.8 | 0.90 |
| 29.0 | 15.2 | 0.90 |
| 30.0 | 15.7 | 0.89 |