

## Chlorfenapyr

### Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 5/25/2022 SDS code: S6-09 Version: 01

### Safety Data Sheet

### 1. Chemical product and company identification

**Product name** Chlorfenapyr SDS code S6-09

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

### 2. Hazards identification

#### **GHS** classification

Physical hazards No classification **Explosives** 

> Flammable gases No classification No classification Aerosol Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification

Flammable solids classification not possible

Self-reactive substances and

mixtures

No classification

No classification Pyrophoric liquids

Pyrophoric solids classification not possible Self-heating substances and classification not possible

mixtures

Substances and mixtures which in

contact with water emit flammable

No classification

gases

Oxidizing liquids No classification No classification Oxidizing solids Organic peroxides No classification

Corrosive to metals classification not possible Desensitized eplosives classification not possible

Health hazards Acute toxicity (oral) Category 4

> No classification Acute toxicity (dermal) Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible

Acute toxicity (inhalation:dust/mist) Category 3 No classification Skin corrosion/irritation Serious eye damage/eye irritation Category 2B

Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity No classification

Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single

exposure)

Category 2 (nervous system)

Category 2 (nervous system, liver)

Specific target organ toxicity

(repeated exposure)

Aspiration hazard classification not possible SDS code: S6-09 Version: 01

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Category 1

Hazardous to the aquatic environment, long-term (chronic)

Category 1

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS09

GHS06

GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Harmful if swallowed (H302)

Causes eye irritation (H320) Toxic if inhaled (H331)

May cause damage to organs (nervous system) (H371)

May cause damage to organs (nervous system, liver) through prolonged or

repeated exposure (H373)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Response : IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

Rinse mouth. (P330)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Collect spillage. (P391)

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

# 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

	Concentration or Concentration range	Formula	Kanpo number		040 751
Name			CSCL no	ISHL no	CAS RN
Chlorfenapyr	≧95%、≦100%	C15H11BrClF3N2O	(5)-6557	-	122453-73-0

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are mass%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

SDS code: S6-09 Version: 01

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

: May induce explosion of containers by heating.

Hazardous decomposition products in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

### 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

General measures

Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions

Avoid release to the environment.

Prevent entry to sewers and public waters.

#### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up

Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

# 7. Handling and storage

#### Handling

Technical measures

Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling

Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

riayasılı i üle Öllemicai iliü.,Etü.

**Storage** 

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

: Light shielding airtight container.

Technical measures

: Comply with applicable regulations.

Storage temperature : Refrigerate: 2-10°C

## 8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

### 9. Physical and chemical properties

Physical state : Solid
Appearance : Powder
Color : white
Odor : Odorless

pH : No data available

Melting point : 100 – 101 °C

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : 150 °C

Flammability (solid, gas)

: No data available

Vapor pressure

: <1.33x10<sup>-5</sup> Pa (25°C)

Relative density

: No data available

Density

: 1.3 g/cm³ (25°C)

Relative gas density

: No data available

Solubility : Slightly soluble in n-hexane. Soluble in methanol. Soluble in acetonitrile.

Soluble in toluene. Soluble in acetone. Soluble in dichloromethane.

Water: 0.12 mg/l (25°C)

Partition coefficient n-

octanol/water (Log Pow)

: 4.83 (25°C)

Explosive limits (vol %) : No data available
Viscosity, kinematic : No data available
Particle characteristics : No data available

### 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Decomposes relatively quickly by light. Stable to heat and in acids or alkalis.

Possibility of hazardous reactions : When heated, it decomposes to produce nitrogen oxide, hydrogen chloride

and hydrogen fluoride.

Conditions to avoid : Sunlight, Heat Incompatible materials : No data available

Hazardous decomposition : Nitrogen oxides, H

products

Nitrogen oxides, Hydrogen chloride, Hydrogen fluoride, Cyanide, Chlorine

and its compounds, Fluorine and its compounds, Bromine and its

compounds

SDS code: S6-09

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Chlorfenapyr		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	Category 3	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	Category 2B	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	No classification	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 2	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Chlorfenapyr		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	No data available	

### 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

### 14. Transport information

### **International Regulations**

### Transport by sea(IMDG)

UN-No. (IMDG) : 2811

Proper Shipping Name (IMDG) : TOXIC SOLID, ORGANIC, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 6.1 Hazard labels (IMDG) 6.1 Class (IMDG) 6.1 Division (IMDG) 6.1 Special provision (IMDG) 223, 274 5 kg Limited quantities (IMDG) Excepted quantities (IMDG) E1 Packing instructions (IMDG) P002 IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) B3 Tank instructions (IMDG) T1 Tank special provisions (IMDG) **TP33** 

Stowage category (IMDG) : A
Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.

MFAG-No : 154

SDS code: S6-09 Version: 01

Air transport(IATA)

UN-No. (IATA) 2811

Proper Shipping Name (IATA) Toxic solid, organic, n.o.s.

Packing group (IATA) Ш Transport hazard class(es) (IATA) 6.1 Hazard labels (IATA) 6.1 Class (IATA) 6.1 Division (IATA) 6.1 PCA Excepted quantities (IATA) F1 PCA Limited quantities (IATA) Y645 PCA limited quantity max net 10kg

quantity (IATA)

PCA packing instructions (IATA) 670 PCA max net quantity (IATA) 100kg CAO packing instructions (IATA) 677 CAO max net quantity (IATA) 200kg Special provision (IATA) A3, A5 ERG code (IATA) 6L

Marine pollutant Applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

MFAG-No 154

Special transport precautions When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

### 15. Regulatory information

**National law** 

Industrial Safety and Health Law Not applicable

Japanese Poisonous and

**Deleterious Substances Control Law** 

Deleterious Substances (Designated Order Art.2)

Organic cyanide compounds and preparations containing it (except

for following (1)-(169))

Water Pollution Prevention Law Hazardous Substances (Act, Art.2, Enforcement Order Art.2,

Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law Not applicable

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Toxic and infectious substances/Toxic substances (Dangerous Goods Ship Safety Act

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Toxic and infectious substances/Toxic substances (Hazardous Civil Aeronautics Law

materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

Toxic and infectious substances/Toxic substances (Article 21, Port Regulation Law

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Hazardous Substances (Act Article 4 paragraph 2), Standard for Waterworks Law

Water Quality (Ministry Order No.101 of 2003)

Substances for Water Quality Standard (Act Art.12-2 Para.2, Sewerage Law

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

[After amendment of April 2023]

Class 1 Designated Chemical Substances (Act, Art.2, Para.2,

Enforcement Order, Art.1 Appended Table 1) 4-Bromo-2-(4-chlorophenyl)-1-ethoxymethyl-5-(trifluoromethyl)pyrrole-3-carbonitrile (100%)

Soil Contamination Designated Hazardous Substances (Act Art.2 Para.3, Enforcement

Countermeasures Law Order Art.1)

## 16. Other information

Data sources

 Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.
 National Institute of Technology and Evaluation (NITE).
 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Havashi Pure Chemical Ind. Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.