

CNET-isobutylaldehyde solution

Hayashi Pure Chemical Ind.,Ltd. Date of issue: 1/14/2022

Revision date: 7/26/2022

SDS code: U8-20

Version: 02

Safety Data Sheet

1. Chemical product and company identification

•		
Product name	:	CNET-isobutylaldehyde solution
SDS code	:	U8-20
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirand Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@h URL : https://www.hpc-j.co.j	oma pc-j	nchi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use for any purpose other than research and experiment. Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc. Do not use in the environment.

2. Hazards identification

GHS classification

GHS classification		
Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	Category 2
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized eplosives	classification not possible
Health hazards	Acute toxicity (oral)	No classification
	Acute toxicity (dermal)	Category 3
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	Category 4
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	No classification
	Serious eye damage/eye irritation	Category 2
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	classification not possible
	Specific target organ toxicity (single exposure)	Category 1 (respiratory system, central nervous system)

	Specific target of	roan toxicity	Category 2 (blood system, respiratory system, central
	(repeated expos		nervous system, kidneys, liver)
	Aspiration hazar		classification not possible
Environmental hazards	Hazardous to the environment, she		classification not possible
	Hazardous to the environment, lon	e aquatic	classification not possible
	Hazardous to the	e ozone layer	classification not possible
Hazard pictograms (GHS JP)			
	GHS02	GHS06 GF	1508
Signal word (GHS JP) :	Danger	
Hazard statements (G	GHS JP) :		liquid and vapor (H225)
		Toxic in contact v	vith skin (H311) eye irritation (H319)
		Harmful if inhaled	
			to organs (respiratory system, central nervous system)
		(H370) May cause dama	ge to organs (blood system, respiratory system, central
		nervous system,	kidneys, liver) through prolonged or repeated exposure
		(H373)	
Precautionary statem	ents (GHS JP)		
Prevention	:	sources. No smol Keep container ti Ground and bonc Use explosion-pr Use only non-spa Take action to pr Do not breathe du Wash hands, fore Do not eat, drink Use only outdoor	heat, hot surfaces, sparks, open flames and other ignition king. (P210) ghtly closed. (P233) d container and receiving equipment. (P240) oof electrical/ventilating/lighting equipment. (P241) arking tools. (P242) event static discharges. (P243) ust/fume/gas/mist/vapors/spray. (P260) earms and face thoroughly after handling. (P264) or smoke when using this product. (P270) s or in a well-ventilated area. (P271) gloves/protective clothing/eye protection/face protection.
Response	:	IF ON SKIN (or h Rinse skin with w IF INHALED: Rer breathing (P304+ IF IN EYES: Rins contact lenses, if (P305+P351+P33 IF exposed or con (P308+P311) Get medical advia If eye irritation pe Take off immedia (P361+P364)	e cautiously with water for several minutes. Remove present and easy to do. Continue rinsing.
Storage	:		ntilated place. Keep cool. (P403+P235)
Disposal	:	Dispose of conter	nts/container to hazardous or special waste collection nce with local, regional, national and/or international

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or	Formula	Kanpo	CAS RN	
Name	Concentration range	Tornidia	CSCL no	ISHL no	
Acetonitrile	≧98%	CH3CN	(2)-1508	Existing Chemical Substance	75-05-8
CNET-isobutylaldehyde	About 0.0013% (as isobutylaldehyde)	C14H18N2O2	-	-	-

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact		Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Do NOT induce vomiting.
		Rinse mouth.
		Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Fire hazard	:	Extremely flammable liquid and vapor.
Explosion hazard	:	Danger of the steam explosion in indoor, outdoor, sewer.
		May induce explosion of containers by heating.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions		If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Avoid (reject) fire-fighting water to enter environment.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures	:	Before entering, ventilate the area.
		Do not let unauthorized persons come close to the area.
		Immediately place the leakage area in isolation, with taking proper distances for all directions.
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions		
Environmental precautions	:	Avoid release to the environment.
		Prevent entry to sewers and public waters.
Methods and Equipment for Conta	ainn	nent and Cleaning up
Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible.
		Wash out the spilled area with large amounts of water.
7. Handling and storage		
Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
		Take precautionary measures against static discharge.
		Use explosion-proof equipment.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Refrigerate: 2-10°C

8. Exposure controls / Personal protection equipment

Exposure limit values	
Acetonitrile	
Exposure limits (ACGIH)	TWA 20 ppm,STEL - (Skin)
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.
Protective equipment	
Respiratory protection	: Gas mask for organic gases
Hand protection	: Impervious protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Impervious aprons, Impervious work clothing, Protective long boots

9. Physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid
Color	:	No data available
Odor	:	No data available
рН	:	No data available
Melting point	:	-45 °C (as acetonitrile)
Freezing point	:	No data available
Boiling point	:	82 °C (as acetonitrile)
Flash point	:	9.5 °C (as acetonitrile, tag closed cup)
Auto-ignition temperature	:	No data available

Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	0.80 g/cm ³ (as acetonitrile)
Relative gas density	:	No data available
Solubility	:	No data available
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts with strong oxidizing agents to pose a risk of fire and explosion. Reacts with acids and bases to produce toxic gas. Corrodes plastics and rubbers.
Conditions to avoid	:	Sunlight, moisture, heat. Ignition sources such as flame, spark and static electricity. Contact with oxidizing agents, reducing agents, acids, bases. Contact with vinyl chloride resin, polystyrene, polycarbonate, etc.
Incompatible materials	:	Oxidizing agents, Reducing agents, Acids, Bases, Vinyl chloride resin, Polystyrene, Polycarbonate, etc
Hazardous decomposition products	:	Nitrogen oxides, Hydrogen cyanide

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	Category 3
Acute toxicity (inhalation)	vapors:Category 4
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure Aspiration hazard	Category 2 classification not possible
Acetonitrile	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	Category 3
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 4
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1

Acetonitrile				
STOT-repeated exposure	Category 2			
Aspiration hazard	classification not possible			
CNET-isobutylaldehyde				
Acute toxicity (oral)	No data available			
Acute toxicity (dermal)	No data available			
Acute toxicity (gas)	No data available			
Acute toxicity (vapour)	No data available			
Acute toxicity (inhalation:dust/mist)	No data available			
Skin corrosion/irritation	No data available			
Serious eye damage/irritation	No data available			
Respiratory sensitization	No data available			
Skin sensitization	No data available			
Germ cell mutagenicity	No data available			
Carcinogenicity	No data available			
Reproductive toxicity	No data available			
STOT-single exposure	No data available			
STOT-repeated exposure	No data available			
Aspiration hazard	No data available			

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product				
Hazardous to the aquatic environment, short-term (acute)	classification not possible			
Hazardous to the aquatic environment, long-term (chronic)	classification not possible			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Ozone	classification not possible			
Acetonitrile				
Hazardous to Aquatic Environment - Acute Hazard	No classification			
Hazardous to Aquatic Environment - Chronic Hazard	No classification			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	classification not possible			
CNET-isobutylaldehyde				
Hazardous to Aquatic Environment - Acute Hazard	No data available			
Hazardous to Aquatic Environment - Chronic Hazard	No data available			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	No data available			

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

0	
Transport by sea(IMDG)	
UN-No. (IMDG)	: 1992
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Packing group (IMDG) Transport hazard class(es) (IMDG)	
Hazard labels (IMDG)	: 3 (6.1) : 3,6.1
Class (IMDG)	: 3
Subsidiary hazard (IMDG)	: 6.1
Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG) Tank instructions (IMDG)	: IBC02 : T7
Tank special provisions (IMDG)	: TP2, TP13
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Flammable toxic liquid which is not specified by name in this class or,
	on account of its characteristics, in some other class. Toxic if
MFAG-No	swallowed, by skin contact or by inhalation. : 131
	. 151
Air transport(IATA)	1000
UN-No. (IATA) Proper Shipping Name (IATA)	: 1992 Elemmetria liquid toxia n.a.a.
Packing group (IATA)	 Flammable liquid, toxic, n.o.s. II
Transport hazard class(es) (IATA)	: 3 (6.1)
Hazard labels (IATA)	: 3, 6.1
Class (IATA)	: 3
Subsidiary hazards (IATA)	: 6.1
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA) Special provision (IATA)	: 60L : A3
ERG code (IATA)	: 3HP
Marine pollutant	: Not applicable
Regulations in Japan	Conform to the provisions of the Chin Cofety Low
Regulatory information by sea Regulatory information by air	 Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 131
Special transport precautions	: When transporting, load containers so that they do not tip over,
	damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information	
National law	
Chemical Substances Control Law	: Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	: Harmful Substances Whose Names Are to be Indicated on the Label
	(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,
	Attached Table No.9) Dangerous Substances - Flammable Substance (Enforcement Order
	Attached Table 1 Item 4)
	Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2
	Item 1, Item 2, Attached Table No.9)
	Acetonitrile (Ordinance number : 15)
Japanese Poisonous and Deleterious Substances Control Law	: Deleterious Substances (Designated Order Art.2)
Deletenous Substances Control Law	Organic cyanide compounds and preparations containing it (except for following (1)-(169))

Water Pollution Prevention Law

Fire Service Law	:	Group 4 - Flammable liquids - 1st Class petroleums - soluble (Law Art.2 Para.7, Attached Table 1, Group 4)
Air Pollution Control Law	:	Hazardous Air Pollutants (Central Environment Council Report No. 9) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	:	Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Sewerage Law	:	Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para. 2, Enforcement Oder Art.1 Appended Table No.1) Acetonitrile (\geq 98%)
		[After amendment of April 2023] Not applicable
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1,MHLW Nortification No.36 of 1978
Soil Contamination Countermeasures Law	:	Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1)
16. Other information		
Data sources	:	Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. · This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.