

Cyhalofop butyl

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 1/26/2022 Revision date: 7/15/2022 SDS code: RB-02 Version: 02

Safety Data Sheet

1. Chemical product and company identification

Product name : Cyhalofop butyl

SDS code : RB-02

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use for any purpose other than research and experiment. Do not use on a

human body or for animal medicines, foods, household products, cosmetics, etc.

Do not use in the environment.

2. Hazards identification

GHS classification

Health hazards

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

Oxidizing gases

Gases under pressure

Flammable liquids

No classification

No classification

No classification

Flammable solids classification not possible

Self-reactive substances and

mixtures

No classification

Pyrophoric liquids No classification

Pyrophoric solids classification not possible Self-heating substances and classification not possible

mixtures

Substances and mixtures which in

contact with water emit flammable

gases

No classification

Oxidizing liquids No classification
Oxidizing solids No classification
Organic peroxides No classification

Corrosive to metals classification not possible

Desensitized eplosives

Acute toxicity (oral)

Acute toxicity (dermal)

Acute toxicity (inhalation:gas)

No classification

No classification

No classification

Acute toxicity (inhalation:vapors) classification not possible

Acute toxicity (inhalation:dust/mist)

No classification

Skin corrosion/irritation

Category 2

Serious eye damage/eye irritation

No classification

Respiratory sensitization classification not possible

Skin sensitization No classification

Germ cell mutagenicity classification not possible

Carcinogenicity No classification Reproductive toxicity No classification

Specific target organ toxicity (single classification not possible

exposure)

Specific target organ toxicity

(repeated exposure)

Category 2 (liver, gallbladder, kidneys)

classification not possible

Aspiration hazard

Aspiration nazaru

Hazardous to the aquatic environment, short-term (acute)

Category 1

Hazardous to the aquatic

environment, long-term (chronic)

Category 1

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)

Environmental

hazards





GHS08



GHS09

GHS07

Signal word (GHS JP) : Warning

Hazard statements (GHS JP) : Causes skin irritation (H315)

May cause damage to organs (liver, gallbladder, kidneys) through

prolonged or repeated exposure (H373)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF ON SKIN: Wash with plenty of water. (P302+P352)

Get medical advice/attention if you feel unwell. (P314)

If skin irritation occurs: Get medical advice/attention. (P332+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)

Collect spillage. (P391)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

	Concentration or Concentration range	Formula	Kanpo number		
Name			CSCL no	ISHL no	CAS RN
Cyhalofop butyl	≧95% 、 ≦100%	C20H20FNO4	-	4-(7)-1745	122008-85-9

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye

contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Explosion hazard : May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Refrigerate: 2-10°C

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid

Appearance : Crystal or crystalline powder

Color : whitish
Odor : Odorless

pH : No data available
Melting point : 48 – 49 °C
Freezing point : No data available

Boiling point : 363 °C Flash point : 260 °C

No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure 8.8×10⁻⁹ mmHg (20°C) Relative density No data available Density 1.24 g/cm³ (20°C) Relative gas density No data available Solubility Water: 0.0007 g/l Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Stable against heat (150 $^{\circ}$ C). Stable

in weak acid. Decomposes in strong acid and strong alkali. Decomposes

due to light.

Possibility of hazardous reactions : No data available Conditions to avoid : Sunlight, Heat Incompatible materials : No data available

Hazardous decomposition : Nitrogen oxides, Fluorine and its compounds

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Cyhalofop butyl		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	Category 2	
Serious eye damage/irritation	No classification	

Cyhalofop butyl		
Respiratory sensitization	classification not possible	
Skin sensitization	No classification	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	classification not possible	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Cyhalofop butyl		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and : Empty the packaging completely prior to disposal.

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 3077

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9
Class (IMDG) : 9

Special provision (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP02, P002
Packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33 Stowage category (IMDG) : A MFAG-No : 171

Air transport(IATA)

UN-No. (IATA) : 3077

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9
Class (IATA) : 9
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956

PCA limited quantity max net

quantity (IATA)

PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provision (IATA) : A97, A158, A179, A197, A215

ERG code (IATA) : 9L

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

30kgG

MFAG-No : 171

Special transport precautions : When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Not applicable

Japanese Poisonous and

Deleterious Substances Control Law

Water Pollution Prevention Law

Substances Not Considered Deleterious (Designating Order Art.2)

Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law : Not applicable

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Miscellaneous dangerous substances & articles (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law : Miscellaneous dangerous substances & articles (Hazardous materials

notice Appended Table 1 Article 194 of the Enforcement Regulations)

Waste Management on Public

Cleansing Law

: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Sewerage Law : Substances for Water Quality Standard (Act Art.12-2 Para.2,

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para. 2,

Enforcement Oder Art.1 Appended Table No.1)

Butyl(R)-2-[4-(4-cyano-2-fluorophenoxy)phenoxy]propionate;

cyhalofop-butyl (≥95%)
【After amendment of April 2023】

Class 1 Designated Chemical Substances (Act, Art.2, Para.2,

Enforcement Order, Art.1 Appended Table 1)

Butyl(R)-2-[4-(4-cyano-2-fluorophenoxy)phenoxy]propionate

(synonym: Cyhalofop-butyl) (≥95%)

Soil Contamination : Designated Hazardous Substances (Act Art.2 Para.3, Enforcement

Countermeasures Law Order Art.1)

16. Other information

Data sources : Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to

Revision date: 7/15/2022

SDS code: RB-02

Version: 02

disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.