

3-Methyl-1-butanol

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 6/8/2010 Revision date: 4/1/2024 SDS code: A3-12 Version: 07

Safety Data Sheet

1. Chemical product and company identification

Product name 3-Methyl-1-butanol

SDS code A3-12

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids Category 3 Flammable solids No classification No classification

Self-reactive substances and

mixtures

No classification

Pyrophoric liquids Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

No classification

Oxidizing liquids No classification Oxidizing solids No classification Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 4

> Acute toxicity (dermal) No classification No classification Acute toxicity (inhalation:gas)

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification

Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single Category 3 (Narcosis)

exposure)

Revision date: 4/1/2024 SDS code: A3-12

Specific target organ toxicity (single

exposure)

Category 3 (Respiratory tract irritation.)

-

Specific target organ toxicity

(repeated exposure)

classification not possible

Aspiration hazard

classification not possible classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

classification not possible

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS07

GHS02

GHS05

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Flammable liquid and vapor (H226)

Harmful if swallowed (H302)

Causes serious eye damage (H318) May cause respiratory irritation (H335) May cause drowsiness or dizziness (H336)

Precautionary statements (GHS JP)

Prevention : Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Avoid breathing dust/fume/gas/mist/vapors/spray. (P261) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310)
Call a POISON CENTER or doctor if you feel unwell. (P312)

Rinse mouth. (P330)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or Concentration range	Formula	Kanpo number		010 011
			CSCL no	ISHL no	CAS RN
3-Methyl-1-butanol	≧95.0%, ≦100%	C5H12O	(2)-217	Existing Chemical Substance	123-51-3

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

: Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Fire hazard Explosion hazard

Extremely flammable liquid and vapor.

Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values		
3-Methyl-1-butanol		
Japan administration level	100ppm	
Exposure limits (JSOH)	100ppm(360mg/m3)	

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent
Odor : characteristic odor
pH : No data available

Melting point : -117 °C

Freezing point : No data available

Boiling point : 131 °C

Flash point : 45 °C (closed cup)

Auto-ignition temperature : 350 °C

Decomposition temperature : No data available Flammability : No data available

Vapor pressure: $0.4 \text{ kPa } (20^{\circ}\text{C})$ Relative density: No data availableDensity: $0.81 \text{ g/cm}^3 (20^{\circ}\text{C})$ Relative gas density: No data available

Solubility : Soluble in ethanol. Soluble in diethyl ether.

Water: 2 g/100ml (14℃)

Partition coefficient n- : 1.4

octanol/water (Log Pow)

Explosive limits (vol %) : 1.2 - 9 vol % (in air, 100° C)

Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Decomposes on heating and

generates irritating fumes and gases.

Possibility of hazardous reactions : Reacts violently with strong oxidizing agents. Reacts reducing agents.

Reacts violently with hydrogen trisulfide, poses a risk of explosion. Reacts with many kinds of alkali metals and alkaline earth metals to generate

flammable/explosive gases.

Conditions to avoid : Sunlight, heat. Ignition sources such as high-temperature, spark, flame and

static electricity. Contact with strong oxidizing agents, reducing agents,

hydrogen trisulfide, alkali metals and alkaline earth metals.

Incompatible materials : Strong oxidizing agents, Reducing agents, Hydrogen trisulfide, Alkali metals,

Alkaline earth metals

Hazardous decomposition

products

: No data available

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

3-Methyl-1-butanol		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

3-Methyl-1-butanol		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	

3-Methyl-1-butanol	
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1105

Proper Shipping Name (IMDG) : PENTANOLS

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 3 Hazard labels (IMDG) 3 Class (IMDG) 3 Special provision (IMDG) 223 Limited quantities (IMDG) 5 L Excepted quantities (IMDG) E1 Packing instructions (IMDG) P001, LP01

Packing instructions (IMDG) : P001, IBC packing instructions (IMDG) : IBC03
Tank instructions (IMDG) : T2
Tank special provisions (IMDG) : TP1
Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless liquids with a strong odour. Immiscible with

water. Explosive limits: 1.2% to 10.5%

MFAG-No : 129

Air transport(IATA)

UN-No. (IATA) : 1105
Proper Shipping Name (IATA) : Pentanols

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 3
Hazard labels (IATA) : 3
Class (IATA) : 3
PCA Excepted quantities (IATA) : E1
PCA Limited quantity max net : 10L

quantity (IATA)

PCA packing instructions (IATA) : 355
PCA max net quantity (IATA) : 60L
CAO packing instructions (IATA) : 366
CAO max net quantity (IATA) : 220L
Special provision (IATA) : A3
ERG code (IATA) : 3L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 129

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended

Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning,

Art.1. Para.1. Item 4)

Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Revision date: 4/1/2024

SDS code: A3-12 Version: 07

Industrial Safety and Health Law

Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Isopentyl alcohol

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Fire Service Law

: Group 4, Flammable Liquids, Class 2 petroleums, Water-insoluble

liquids (Act, Art.2, Para.7, Appended Table 1, Group 4)

Air Pollution Control Law

Volatile organic compounds (Article 2, Paragraph 4 of the Act) (Applicable substances in the Organic Solvent Poisoning Prevention

Regulations)

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Flammable

: Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Flammable liquids (Hazardous materials notice Appended Table 1
Article 194 of the Enforcement Regulations)

Port Regulation Law : Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13.

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law

Order Art.2-4)
: Not applicable

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Labor Standards Act

: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

No.36 of 1978)

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.