

Copper(II) sulfate

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 6/30/2009 Revision date: 4/1/2024 SDS code: A7-17 Version: 08

Safety Data Sheet

1. Chemical product and company identification

Product name : Copper(II) sulfate

SDS code : A7-17

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

Oxidizing gases

No classification

No classification

No classification

No classification

Flammable liquids

Flammable solids

No classification

No classification

No classification

No classification

No classification

No classification

mixtures

tures

Pyrophoric liquids No classification
Pyrophoric solids No classification
Self-heating substances and No classification

mixtures

Substances and mixtures which in No classification

contact with water emit flammable

gases

Oxidizing liquids No classification

Oxidizing solids classification not possible

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 3

Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible

Skin sensitization Category 1

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible

Reproductive toxicity Category 2

Specific target organ toxicity (single Category 1 (liver, nervous system, kidneys, blood

exposure) system)

Revision date: 4/1/2024 SDS code: A7-17 Version: 08

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

exposure)

Category 1 (respiratory system)

Specific target organ toxicity (repeated exposure)

Specific target organ toxicity

(repeated exposure)

Category 2 (liver)

Aspiration hazard classification not possible Category 1

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

Category 1

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS06





GHS09

GHS05

GHS08

Signal word (GHS JP) Danger

Hazard statements (GHS JP)

Toxic if swallowed (H301)

Causes severe skin burns and eye damage (H314)

May cause an allergic skin reaction (H317) May cause respiratory irritation (H335)

Suspected of damaging fertility or the unborn child (H361)

Causes damage to organs (liver, nervous system, kidneys, blood system)

(H370)

Causes damage to organs (respiratory system) through prolonged or

repeated exposure (H372)

May cause damage to organs (liver) through prolonged or repeated

exposure (H373)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Contaminated work clothing should not be allowed out of the workplace.

(P272)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response

IF SWALLOWED: Immediately call a POISON CENTER or doctor.

(P301+P310)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)

Collect spillage. (P391)

Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Revision date: 4/1/2024 SDS code: A7-17 Version: 08

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Synonyms : Copper(II) sulfate, anhydrous

Name	Concentration or Concentration range	Formula	Kanpo number		040 PM
			CSCL no	ISHL no	CAS RN
Copper(II) sulfate	≧97.5%, ≦100%	CuSO4	(1)-300	Existing Chemical Substance	7758-98-7

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Fire hazard : This product is unburnable.

Explosion hazard : May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Revision date: 4/1/2024 SDS code: A7-17 Version: 08

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Solid
Appearance : Powder

Color : white ~ gray

Odor : Odorless

pH : 3.5 − 4.5 (5%, 20°C)

Melting point : No data available

Freezing point : No data available

Boiling point : No data available

Flash point : No data available

Auto-ignition temperature : No data available

Decomposition temperature : 650 °C

Flammability : No data available Vapor pressure : $9.7 \text{ hPa } (25^{\circ}\text{C})$ Relative density : No data available

Density : 3.6 g/cm³

Revision date: 4/1/2024 SDS code: A7-17 Version: 08

Relative gas density : No data available

Solubility : Soluble in water. Soluble in glycerol. Slightly soluble in alcohol.

Partition coefficient n-

octanol/water (Log Pow)

: No data available

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Shows hygroscopicity.

Possibility of hazardous reactions : Decomposes on heating to produce sulfur trioxide. Reacts violently with

hydroxylamine, risk of fire. Reacts with magnesium to evolve

flammable/explosive gas (hydrogen). Erodes iron and zinc in the presence

of water.

Conditions to avoid : Sunlight, heat. Contact with strong oxidizing agents, strong reducing agents,

hydroxylamine and magnesium.

Incompatible materials : Strong oxidizing agents, Strong reducing agents, Hydroxylamine,

Magnesium

Hazardous decomposition

products

Sulfur oxides, Copper oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Copper(II) sulfate			
Acute toxicity (oral)	Category 3		
Acute toxicity (dermal)	classification not possible		
Acute toxicity (gas)	No classification		
Acute toxicity (vapour)	No classification		
Acute toxicity (inhalation:dust/mist)	classification not possible		
Skin corrosion/irritation	Category 1		
Serious eye damage/irritation	Category 1		
Respiratory sensitization	classification not possible		
Skin sensitization	Category 1		
Germ cell mutagenicity	classification not possible		
Carcinogenicity	classification not possible		
Reproductive toxicity	Category 2		
STOT-single exposure	Category 1 Category 3 (Respiratory tract irritation.)		
STOT-repeated exposure	Category 1 Category 2		
Aspiration hazard	classification not possible		

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Copper(II) sulfate		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

Revision date: 4/1/2024 SDS code: A7-17

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 3288

Proper Shipping Name (IMDG) : TOXIC SOLID, INORGANIC, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 6.1
Hazard labels (IMDG) : 6.1
Class (IMDG) : 6.1
Division (IMDG) : 6.1
Special provision (IMDG) : 223, 274

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : P002, LP02
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3
Tank instructions (IMDG) : T1

Tank special provisions (IMDG) : TP33
Stowage category (IMDG) : A

Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.

10kg

MFAG-No : 151

Air transport(IATA)

UN-No. (IATA) : 3288

Proper Shipping Name (IATA) : Toxic solid, inorganic, n.o.s.

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 6.1
Hazard labels (IATA) : 6.1
Class (IATA) : 6.1
Division (IATA) : 6.1
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y645

PCA limited quantity max net

quantity (IATA)
PCA packing instructions (IATA) : 670
PCA max net quantity (IATA) : 100kg
CAO packing instructions (IATA) : 677
CAO max net quantity (IATA) : 200kg
Special provision (IATA) : A3, A5
ERG code (IATA) : 6L

Marine pollutant : Applicable

Marine pollutant
Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 151

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Copper and its compounds

Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Revision date: 4/1/2024 SDS code: A7-17 Version: 08

Japanese Poisonous and

Deleterious Substances Control Law

Water Pollution Prevention Law

Deleterious Substances (Designated Order Art.2) Inorganic copper salts. (except for copper fulminate)

Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law Designation of Materials Requiring Notification (Law Art.9-3, Cabinet

Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2-

Hazardous Air Pollutants (Central Environment Council Report No. 9)

18, Ordinacne No. 2 of 1988, Art.2)

Air Pollution Control Law

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Export Trade Control Ordinance appendix 1-16

Toxic and infectious substances/Toxic substances (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Toxic and infectious substances/Toxic substances (Hazardous Civil Aeronautics Law

materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

Port Regulation Law Toxic and infectious substances/Toxic substances (Article 21,

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Hazardous Substances (Act Article 4 paragraph 2), Standard for Waterworks Law

Water Quality (Ministry Order No.101 of 2003)

Substances for Water Quality Standard (Act Art.12-2 Para.2, Sewerage Law

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Water-soluble copper salts (except for complex salts) as

copper(40%)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. Other information

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.