2-Aminoethanol

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 3/7/2008 Revision date: 4/1/2024 SDS code: A9-18 Version: 12

Safety Data Sheet

1. Chemical product and company identification

Product name 2-Aminoethanol

SDS code A9-18

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids Category 4 Flammable solids No classification No classification

Self-reactive substances and

mixtures

No classification

Pyrophoric liquids Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

No classification

Oxidizing liquids No classification Oxidizing solids No classification Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) Category 4 Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1A Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible

Skin sensitization Category 1

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single

exposure)

Category 1 (central nervous system, respiratory

system, liver)

Version: 12

Specific target organ toxicity (single Category 3 (Narcosis)

exposure)

Specific target organ toxicity

(repeated exposure)

Category 1 (central nervous system)

Specific target organ toxicity

(repeated exposure)

Category 2 (respiratory system)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic) No classification

Category 2

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS05

GHS07

Signal word (GHS JP) Danger

Combustible liquid (H227) Hazard statements (GHS JP)

Harmful in contact with skin (H312)

Causes severe skin burns and eye damage (H314)

May cause an allergic skin reaction (H317) May cause drowsiness or dizziness (H336)

Causes damage to organs (central nervous system, respiratory system,

liver) (H370)

Causes damage to organs (central nervous system) through prolonged or

repeated exposure (H372)

May cause damage to organs (respiratory system) through prolonged or

repeated exposure (H373) Toxic to aquatic life (H401)

Precautionary statements (GHS JP)

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) Take off contaminated clothing and wash it before reuse. (P362+P364) In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

Revision date: 4/1/2024 SDS code: A9-18 Version: 12

3. Composition/information on ingredients

Distinction of substance or mixture Substance

Synonyms Monoethanolamine

Na	Concentration or Concentration range	Formula	Kanpo number		040 511
Name			CSCL no	ISHL no	CAS RN
2-Aminoethanol	≥99.0%, ≤100%	C2H7NO	(2)-301	Existing Chemical Substance	141-43-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Explosion hazard

Firefighting instructions

Do not use a heavy water stream.

May induce explosion of containers by heating.

In case of fire, product may produce irritative or toxic fumes/gases. Hazardous decomposition products

in case of fire

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions Avoid release to the environment.

Prevent entry to sewers and public waters.

Revision date: 4/1/2024 SDS code: A9-18 Version: 12

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values				
2-Aminoethanol				
Exposure limits (JSOH)	3ppm(7.5mg/m3)			

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless ~ pale yellow

Odor : Ammonia odor

pH : 9.4 (25% aqueous solution)

Melting point : 10 °C

Freezing point : No data available

Boiling point : 171 °C

Flash point : 85 °C (tag closed cup)

Auto-ignition temperature : 410 °C

Decomposition temperature : No data available Flammability : No data available Vapor pressure : 53 Pa (20℃) Relative density : No data available Density : 1.02 g/cm³ (20℃)

Revision date: 4/1/2024 SDS code: A9-18 Version: 12

Relative gas density No data available

Solubility Easily soluble in water. Easily soluble in alcohol. Slightly soluble in diethyl

ether. Slightly soluble in benzene.

Partition coefficient n-

No data available

octanol/water (Log Pow)

Explosive limits (vol %) 5.5 - 17 vol % (in air) Viscosity, kinematic No data available Particle characteristics No data available

10. Stability and reactivity

Reactivity No data available

Chemical stability Stable under normal handling conditions. Hygroscopicity. Absorbs acidic

gases.

Reacts violently with strong acids and strong oxidizing agents. Reacts with Possibility of hazardous reactions

nitrocellulose posing a risk of fire and explosion.

Sunlight, moisture, heat. Ignition sources such as spark, flame and static Conditions to avoid

electricity. Avoid contact with strong oxidizing agents, strong acids, copper,

iron, aluminium and their alloys, rubbers.

Strong oxidizing agents, Strong acids, Copper, iron, aluminium and their Incompatible materials

alloys, Rubbers

Hazardous decomposition

products

Ammonia, Nitrogen oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

2-Aminoethanol		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	Category 4	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 1A	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	Category 1	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1 Category 3 (Narcosis)	
STOT-repeated exposure	Category 1 Category 2	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

2-Aminoethanol		
Hazardous to Aquatic Environment - Acute Hazard	Category 2	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	No data available	

Revision date: 4/1/2024 SDS code: A9-18 Version: 12

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 2491

Proper Shipping Name (IMDG) : ETHANOLAMINE

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG) 8 8 Class (IMDG) Special provision (IMDG) 223 Packing instructions (IMDG) P001, LP01 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T4 Tank special provisions (IMDG) TP1 Stowage category (IMDG)

Properties and observations (IMDG) : Colourless. Miscible with water. Corrosive to copper, copper

compounds, copper alloys and rubber. Reacts violently with acids. Liquid and vapour cause burns to skin, eyes and mucous

membranes.

MFAG-No : 153

Air transport(IATA)

UN-No. (IATA) : 2491

Proper Shipping Name (IATA) : Ethanolamine

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y841
PCA limited quantity max net : 1L

quantity (IATA)

PCA packing instructions (IATA) : 852

PCA max net quantity (IATA) : 5L

CAO packing instructions (IATA) : 856

CAO max net quantity (IATA) : 60L

Special provision (IATA) : A3, A803

ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 153

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law Industrial Safety and Health Law

: Priority Assessment Chemical Substances (Law Article 2, Para.5)

Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

2-Aminoethanol

Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Revision date: 4/1/2024 SDS code: A9-18 Version: 12

Japanese Poisonous and

Deleterious Substances Control Law

Deleterious Substances (Designated Order Art.2) 2-Aminoethanol and preparations containing it (except for preparations which contain 20% or less of 2-aminoethanol)

Group 4 - Flammable liquids - 3rd Class petroleums - soluble (Law Fire Service Law

Art.2 Para.7, Attached Table 1, Group 4)

Volatile organic compounds (Article 2, Paragraph 4 of the Act) (2002 Air Pollution Control Law

VOC emission survey report)

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 2)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Export Trade Control Ordinance appendix 1-16

Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Corrosive substances (Hazardous materials notice Appended Table 1 Civil Aeronautics Law

Article 194 of the Enforcement Regulations)

Port Regulation Law Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Road Act

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

2-Aminoethanol (100%)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.