

Copper(II) sulfate standard solution (S.G=1.057)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 5/12/2021 Revision date: 4/1/2024 SDS cod

SDS code: AA-03

Version: 04

Safety Data Sheet

1. Chemical product and company identification

Product name SDS code	:	Copper(II) sulfate standard solution (S.G=1.057) AA-03
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirano Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@hp URL : https://www.hpc-j.co.jj	ma oc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	classification not possible
-	Flammable gases	No classification
	Aerosol	classification not possible
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	classification not possible
	Flammable solids	No classification
	Self-reactive substances and mixtures	classification not possible
	Pyrophoric liquids	classification not possible
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	classification not possible
	Oxidizing solids	No classification
	Organic peroxides	classification not possible
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	No classification
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	classification not possible
	Skin sensitization	Category 1
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	Category 2
	Specific target organ toxicity (single exposure)	Category 2 (liver, nervous system, kidneys, blood system)

Environmental hazards	Specific target organ toxicity (repeated exposure) Aspiration hazard Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Hazardous to the ozone layer		classification n Category 1 Category 2			
Hazard pictograms (GHS JP)						
	GHS05	GHS07	GHS08 G	HS09		
Signal word (GHS JF		: Danger				
Hazard statements (May cause an Suspected of c May cause dar system) (H371 May cause dar repeated expo Very toxic to ac	skin burns and eye allergic skin reaction amaging fertility or nage to organs (live) nage to organs (res	n (H317) the unborn child (H361) er, nervous system, kidneys, blood spiratory system) through prolonged or		
Precautionary statem	nents (GHS JP)					
Prevention		Do not handle (P202) Do not breathe Wash hands, f Do not eat, drin Contaminated (P272) Avoid release f	dust/fume/gas/mis prearms and face th k or smoke when to work clothing shoul o the environment.	autions have been read and understood. t/vapors/spray. (P260) horoughly after handling. (P264) using this product. (P270) Id not be allowed out of the workplace.		
Response		(P301+P312) IF SWALLOWI (P301+P330+F IF ON SKIN (o Rinse skin with IF INHALED: F breathing (P30) IF IN EYES: R contact lenses (P305+P351+F IF exposed or (P308+P311) Immediately ca Get medical ac If skin irritation	ED: Rinse mouth. D 2331) r hair): Take off imr water . (P303+P36 temove person to fi 4+P340) nse cautiously with if present and eas 2338) concerned: Call a F lvice/attention if you or rash occurs: Ge ninated clothing an	CENTER or doctor if you feel unwell. Do NOT induce vomiting. Inediately all contaminated clothing. 51+P353) resh air and keep comfortable for water for several minutes. Remove y to do. Continue rinsing. POISON CENTER or doctor. TER or doctor. (P310) u feel unwell. (P314) t medical advice/attention. (P333+P313) d wash it before reuse. (P362+P364)		
Storage		: Store locked u				
Disposal			lance with local, re	azardous or special waste collection gional, national and/or international		

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration	Formula	Kanpo	CAS RN	
Name	range	Formula	CSCL no	ISHL no	CAS KN
Copper(II) sulfate	About 5.8%	CuSO4	(1)-300	Existing Chemical Substance	7758-98-7
Water	About 94.2%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.		
First-aid measures after skin	:	Remove/Take off immediately all contaminated clothing.		
contact		Gently wash with plenty of soap and water.		
		Get immediate medical advice/attention.		
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.		
		Get immediate medical advice/attention.		
First-aid measures after ingestion	:	Rinse mouth.		
		Get immediate medical advice/attention.		
5. Fire fighting measures				
Suitable extinguishing media	:	Water spray, Foam, Dry powder, Carbon dioxide, Sand.		
Unsuitable extinguishing media	:	Do not use a heavy water stream.		
Explosion hazard	:	May induce explosion of containers by heating.		
Hazardous decomposition products	:	In case of fire, product may produce irritative or toxic fumes/gases.		

in case of fire	
Firefighting instructions	: If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
	In the case of peripheral fire, quickly remove movable containers to safe places.
	If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
	Avoid (reject) fire-fighting water to enter environment.
	Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	 Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equ	uipment and Emergency Procedures		
General measures :	: Before entering, ventilate the area.		
	Do not let unauthorized persons come close to the area.		
	Immediately place the leakage area in isolation, with taking proper distances for all directions.		
	Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.		
Environmental precautions			
Environmental precautions :	Avoid release to the environment.		
	Prevent entry to sewers and public waters.		

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it. Collect leaking and spilled liquid in sealable containers as far as possible. Wash out the spilled area with large amounts of water.
7. Handling and storage		
Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation

i echnical measures		or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install loc exhaust equipment or overall ventilation equipment. Install safety shower and eye-fountains near a handling place. Clearly indicate the location.	
Protective equipment		
Respiratory protection	: Protective mask	
Hand protection	: Impervious protective gloves	
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)	
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots	

9. Physical and chemical properties

-	-	•
Physical state	:	Liquid
Appearance	:	Liquid
Color	:	blue
Odor	:	Odorless
рН	:	No data available
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	No data available
Relative gas density	:	No data available
Solubility	:	No data available

Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Corrodes many metals and generates flammable/explosive gas (hydrogen).
Conditions to avoid	:	Sunlight, heat. Contact with metals.
Incompatible materials	:	Metals
Hazardous decomposition products	:	Sulfur oxides, Copper compounds, Hydrogen

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (inhalation)	vapors:No classification	
	Gases:No classification	
Skin corrosion/irritation	dust, mist:classification not possible Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	Category 1	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	Category 2	
STOT-single exposure	Category 2	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	
Copper(II) sulfate		
Acute toxicity (oral)	Category 3	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	Category 1	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	Category 2	
STOT-single exposure	Category 1 Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	Category 1 Category 2	
Aspiration hazard	classification not possible	
Water		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	

Water		
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	No classification	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Hazardous to the aquatic environment, short-term (acute)	Category 1	
Hazardous to the aquatic environment, long-term (chronic)	Category 2	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Copper(II) sulfate		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG)	:	3082
Proper Shipping Name (IMDG)	:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Packing group (IMDG)	:	III
Transport hazard class(es) (IMDG)	:	9
Hazard labels (IMDG)	:	9
Class (IMDG)	:	9
Special provision (IMDG)	:	274, 335, 969
Limited quantities (IMDG)	:	5 L

Excepted quantities (IMDG) Packing instructions (IMDG) Packing provisions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG) MFAG-No		E1 LP01, P001 PP1 IBC03 T4 TP2, TP29 A 171
Air transport(IATA)		
UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA) Class (IATA)	:	3082 Environmentally hazardous substance, liquid, n.o.s. III 9 9 9
PCA Excepted quantities (IATA)	:	E1
PCA Limited quantities (IATA)	:	Y964
PCA limited quantity max net	:	30kgG
quantity (IATA) PCA packing instructions (IATA)		964
PCA max net quantity (IATA)	÷	450L
CAO packing instructions (IATA)	:	964
CAO max net quantity (IATA)	:	450L
Special provision (IATA) ERG code (IATA)	÷	A97, A158, A197 9L
	÷	-
Marine pollutant	•	Applicable
Regulations in Japan		Conform to the provisions of the Ship Sofaty Low
Regulatory information by sea Regulatory information by air	:	Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	÷	171
Special transport precautions	:	When transporting, load containers so that they do not tip over,
		damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information		
National law		
	:	Harmful Substances Whose Names Are to be Indicated on the Label
Industrial Safety and Health Law		(Law Art.57, Para.1, Enforcement Order Art.18) Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2) Copper and its compounds Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1, 4 based on July 4, 2023)
Japanese Poisonous and	:	Not applicable
Deleterious Substances Control Law		
Water Pollution Prevention Law	:	Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	:	Not applicable
Air Pollution Control Law	:	Hazardous Air Pollutants (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Miscellaneous dangerous substances & articles (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Miscellaneous dangerous substances & articles (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Waterworks Law	:	Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)
Sewerage Law	:	Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1) Water-soluble copper salts (except for complex salts) as copper(2.3%)

16. Other information

Data sources :	Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information :	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.