

Formic acid (88)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 7/15/2008 Revision date: 4/1/2024 SDS code: B2-01 Version: 12

Safety Data Sheet

1. Chemical product and company identification

Product name : Formic acid (88)

SDS code : B2-01

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases

Gases under pressure

Flammable liquids

Flammable solids

No classification

Category 4

No classification

Self-reactive substances and

mixtures

classification not possible

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in cla contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 4

Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

Category 4

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible

Skin sensitization No classification

Germ cell mutagenicity classification not possible

Carcinogenicity No classification

Reproductive toxicity classification not possible

Specific target organ toxicity (single Category 1 (central nervous system, respiratory

exposure) system, blood system, kidneys)

Revision date: 4/1/2024 SDS code: B2-01

Category 2 (respiratory system)

Specific target organ toxicity

(repeated exposure)

Aspiration hazard

classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic) No classification

Category 3

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS05

GHS07

GHS08

Signal word (GHS JP) Danger

Hazard statements (GHS JP) Combustible liquid (H227)

May be corrosive to metals (H290)

Harmful if swallowed or if inhaled (H302+H332) Causes severe skin burns and eye damage (H314)

Causes damage to organs (central nervous system, respiratory system,

blood system, kidneys) (H370)

May cause damage to organs (respiratory system) through prolonged or

repeated exposure (H373) Harmful to aquatic life (H402)

Precautionary statements (GHS JP)

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water. (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314) Wash contaminated clothing before reuse. (P363)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Absorb spillage to prevent material-damage. (P390)

Store in a well-ventilated place. (P403)

Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

Storage

Disposal

Formic acid (88)

Revision date: 4/1/2024 SDS code: B2-01 Version: 12

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Synonyms : Methanoic acid

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CASINI
Formic acid	88-90%	НСООН	(2)-670	Existing Chemical Substance	64-18-6
Water	10-12%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

Firefighting instructions

: May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Revision date: 4/1/2024 SDS code: B2-01 Version: 12

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)	
Component name	Administration level (Millett)	Standard Value	JSOH OEL C
	-	9.4 mg/m³	_
Formic acid		5 ppm	_

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid Appearance : Liquid

Color : colorless transparent

Odor : Irritating odor
pH : Strong acidic
Melting point : No data available
Freezing point : No data available

Boiling point : 107 °C

Flash point : ≈ 70 °C (tag closed cup)

Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : No data available

Revision date: 4/1/2024 SDS code: B2-01 Version: 12

Vapor pressure : No data available
Relative density : No data available
Density : 1.20 g/cm³ (20°C)
Relative gas density : No data available
Solubility : No data available
Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available
Viscosity, kinematic : No data available
Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Decomposes when heating or contact with strong acids. Reacts violently

with oxidizing agents. Reacts with strong bases to pose a risk of fire and

explosion. Erodes many kinds of plastics and metals.

Conditions to avoid : Sunlight, heat. Ignition sources such as spark, flame and static electricity.

Contact with strong acids, oxidizing agents, strong bases and metals.

Incompatible materials : Strong acids, Oxidizing agents, Strong bases, Metals

No data available

Hazardous decomposition :

products

As a product

Aspiration hazard

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:Category 4
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	No classification
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible
Formic acid	
Acute toxicity (oral)	Category 4
A auta taviaitu (damaal)	1 141 1
Acute toxicity (dermal)	classification not possible
Acute toxicity (dermai) Acute toxicity (gas)	Classification not possible No classification
, ,	
Acute toxicity (gas)	No classification
Acute toxicity (gas) Acute toxicity (vapour)	No classification Category 4
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist)	No classification Category 4 classification not possible
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist) Skin corrosion/irritation	No classification Category 4 classification not possible Category 1
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist) Skin corrosion/irritation Serious eye damage/irritation	No classification Category 4 classification not possible Category 1 Category 1
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory sensitization	No classification Category 4 classification not possible Category 1 Category 1 classification not possible
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory sensitization Skin sensitization	No classification Category 4 classification not possible Category 1 Category 1 classification not possible No classification
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity	No classification Category 4 classification not possible Category 1 Category 1 classification not possible No classification classification not possible
Acute toxicity (gas) Acute toxicity (vapour) Acute toxicity (inhalation:dust/mist) Skin corrosion/irritation Serious eye damage/irritation Respiratory sensitization Skin sensitization Germ cell mutagenicity Carcinogenicity	No classification Category 4 classification not possible Category 1 Category 1 classification not possible No classification classification classification not possible No classification

classification not possible

Revision date: 4/1/2024 SDS code: B2-01

Water		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	No classification	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

The information in this section is based on the GHS Classification Results by NTTE.		
As a product		
Hazardous to the aquatic environment,	Category 3	
short-term (acute)		
Hazardous to the aquatic environment,	No classification	
long-term (chronic)		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Formic acid		
Hazardous to Aquatic Environment -	Category 3	
Acute Hazard		
Hazardous to Aquatic Environment -	No classification	
Chronic Hazard		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment -	No classification	
Acute Hazard		
Hazardous to Aquatic Environment -	No classification	
Chronic Hazard		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone laver	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and : Empty the packaging completely prior to disposal.

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

Revision date: 4/1/2024 SDS code: B2-01 Version: 12

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1779

Proper Shipping Name (IMDG) : FORMIC ACID

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 (3) Hazard labels (IMDG) 8,3 Class (IMDG) 8 Subsidiary hazard (IMDG) 3 Limited quantities (IMDG) 1 L Excepted quantities (IMDG) E2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02

Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2
Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless flammable liquid with a pungent odour. Pure FORMIC

ACID: flashpoint 42°C c.c. Corrosive to most metals. Causes burns to

skin, eyes and mucous membranes.

MFAG-No : 153

Air transport(IATA)

UN-No. (IATA) : 1779
Proper Shipping Name (IATA) : Formic acid

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 8 (3)
Hazard labels (IATA) : 8, 3
Class (IATA) : 8
Subsidiary hazards (IATA) : 3
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840

quantity (IATA)

PCA limited quantity max net

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8F

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

0.5L

MFAG-No : 153

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law

Industrial Safety and Health Law

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Formic acid

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Japanese Poisonous and Deleterious Substances Control Law

Not applicable

Version: 12

Revision date: 4/1/2024 SDS code: B2-01

Fire Service Law Group 4 - Flammable liquids - 2nd Class petroleums - soluble (Law

Art.2 Para.7, Attached Table 1, Group 4)

Air Pollution Control Law Volatile organic compounds (Article 2, Paragraph 4 of the Act) (2002

VOC emission survey report)

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Civil Aeronautics Law

Port Regulation Law

Road Act

Waste Management on Public Cleansing Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 2)

Export Trade Control Ordinance appendix 1-16

Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Not applicable

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.