

Heptane

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 10/19/2009 Revision date: 2/6/2023 SDS code: B2-09 Version: 12

Safety Data Sheet

1. Chemical product and company identification

Product name Heptane SDS code B2-09

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids Category 2 Flammable solids No classification No classification

Self-reactive substances and

mixtures

No classification

Pyrophoric liquids Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

No classification

Oxidizing liquids No classification Oxidizing solids No classification Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) No classification No classification Acute toxicity (inhalation:gas) Acute toxicity (inhalation:vapors) No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 2

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single

exposure)

Category 3 (Narcosis)

exposure)

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

Specific target organ toxicity

(repeated exposure)

Category 1 (nervous system)

Category 1 Aspiration hazard Hazardous to the aquatic Category 1

environment, short-term (acute) Hazardous to the aquatic

environment, long-term (chronic)

Category 1

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)

Environmental

hazards





GHS07





GHS09

GHS02

GHS08

Signal word (GHS JP)

Hazard statements (GHS JP)

Danger

Highly flammable liquid and vapor (H225)

May be fatal if swallowed and enters airways (H304)

Causes skin irritation (H315) Causes serious eye irritation (H319) May cause respiratory irritation (H335) May cause drowsiness or dizziness (H336)

Causes damage to organs (nervous system) through prolonged or

repeated exposure (H372)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Response

(P301+P310)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water. (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Get medical advice/attention if you feel unwell. (P314)

Do NOT induce vomiting. (P331)

If skin irritation occurs: Get medical advice/attention. (P332+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) Take off contaminated clothing and wash it before reuse. (P362+P364) In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Collect spillage. (P391)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

Heptane

Revision date: 2/6/2023 SDS code: B2-09 Version: 12

3. Composition/information on ingredients

Distinction of substance or mixture : Substance Synonyms : n-Heptane

Name	Concentration or Concentration range	Formula	Kanpo number		040.00
			CSCL no	ISHL no	CAS RN
Heptane	≧97.0%, ≦100%	C7H16	(2)-7	Existing Chemical Substance	142-82-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Foam, Dry powder, Carbon dioxide, Sand. Do not use a heavy water stream.

Unsuitable extinguishing media Fire hazard

Extremely flammable liquid and vapor.

Explosion hazard

Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Revision date: 2/6/2023 SDS code: B2-09

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values			
Heptane			
Exposure limits (JSOH)	200ppm(820mg/m3)		
Exposure limits (ACGIH)	TWA 400 ppm,STEL 500 ppm		

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent

Odor : Irritating odor
pH : No data available
Melting point : No data available
Freezing point : No data available

Boiling point : 98.4 °C

Flash point : -4 °C (tag closed cup)
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available

Revision date: 2/6/2023 SDS code: B2-09

Vapor pressure : No data available Relative density : No data available

Density : $0.68 - 0.69 \text{ g/cm}^3 (20^{\circ}\text{C})$

Relative gas density : No data available
Solubility : Insoluble in water.
Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : 1-7 vol %

Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts violently with strong oxidizing agents. Pose a risk of fire or explosion.

Reacts with many plastics.

Conditions to avoid : Sunlight, heat. Ignition sources such as spark, flame and static electricity.

Contact with strong oxidizing agents.

Incompatible materials : Strong oxidizing agents Hazardous decomposition : No data available

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Heptane		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 2	
Serious eye damage/irritation	Category 2	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	Category 1	
Aspiration hazard	Category 1	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Heptane		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

Revision date: 2/6/2023 SDS code: B2-09

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 1206 Proper Shipping Name (IMDG) **HEPTANES**

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 3 Hazard labels (IMDG) 3 Class (IMDG) 3 Limited quantities (IMDG) 1 L Excepted quantities (IMDG) E2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T4 TP2 Tank special provisions (IMDG) Stowage category (IMDG) В

Properties and observations (IMDG) Colourless, volatile liquids. Explosive limits: 1.1% to 6.7% n-

HEPTANE: flashpoint -4°C c.c. Immiscible with water. Irritating to skin,

eyes and mucous membranes.

MFAG-No 128

Air transport(IATA)

UN-No. (IATA) 1206 Proper Shipping Name (IATA) Heptanes Ш

Packing group (IATA) Transport hazard class(es) (IATA) 3 Hazard labels (IATA) 3 Class (IATA) 3 PCA Excepted quantities (IATA) E2 PCA Limited quantities (IATA) Y341 PCA limited quantity max net 1L

quantity (IATA)

PCA packing instructions (IATA) 353 PCA max net quantity (IATA) 5L CAO packing instructions (IATA) 364 CAO max net quantity (IATA) 60L ERG code (IATA) 3Н Marine pollutant **Applicable**

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

MFAG-No 128

When transporting, load containers so that they do not tip over, Special transport precautions damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Heptane (Ordinance number: 526)

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Revision date: 2/6/2023 SDS code: B2-09

Fire Service Law Group 4 - Flammable liquids - 1st Class petroleums - Insoluble (Law

Art.2 Para.7, Attached Table 1, Group 4)

Air Pollution Control Law Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Marine Pollutants for Non-Bulk Shipment (Ordinance Art.30-2-3, MLIT

Notification)

Noxious Liquid Substances - Category X (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 1)

Foreign Exchange and Foreign

Trade Control Act

Ship Safety Act

Civil Aeronautics Law

Port Regulation Law

Road Act

Waste Management on Public Cleansing Law

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Export Trade Control Ordinance appendix 1-16

Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)

Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)

Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

[After amendment of April 2023]

Class 1 Designated Chemical Substances (Act, Art.2, Para.2,

Enforcement Order, Art.1 Appended Table 1)

Heptane (100%)

16. Other information

Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd. Data sources

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. Other information This Safety Data Sheet is intended to be provided for business

> operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance. the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.