lodine



Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 2/22/2008 Revision date: 4/1/2024 SDS code: B3-20 Version: 12

Safety Data Sheet

1. Chemical product and company identification

Product name : lodine SDS code : B3-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

Oxidizing gases

No classification

No classification

No classification

No classification

Flammable liquids

Flammable solids

No classification

No classification

No classification

No classification

No classification

No classification

mixtures

Pyrophoric liquids No classification
Pyrophoric solids No classification
Self-heating substances and No classification

mixtures

Substances and mixtures which in contact with water emit flammable

gases

No classification

Oxidizing liquids No classification

Oxidizing solids classification not possible

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 4

Acute toxicity (dermal)

Acute toxicity (inhalation:gas)

Acute toxicity (inhalation:vapors)

No classification

Category 1

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2

Respiratory sensitization classification not possible

Skin sensitization Category 1

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

exposure)

Category 1 (thyroid gland)

classification not possible

Category 1

Category 1

Revision date: 4/1/2024 Version: 12

Specific target organ toxicity

(repeated exposure)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer

Hazard pictograms (GHS JP)

Response







GHS06

GHS08

GHS09

Signal word (GHS JP) Danger

Hazard statements (GHS JP) Harmful if swallowed (H302)

Causes skin irritation (H315)

May cause an allergic skin reaction (H317) Causes serious eye irritation (H319) Fatal if inhaled (H330)

May cause respiratory irritation (H335)

Causes damage to organs (thyroid gland) through prolonged or repeated

exposure (H372)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

> Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Contaminated work clothing should not be allowed out of the workplace.

(P272)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection. (P284) IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF ON SKIN: Wash with plenty of water. (P302+P352)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

Rinse mouth. (P330)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)

Collect spillage. (P391)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

Revision date: 4/1/2024 SDS code: B3-20 Version: 12

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|--------|--------------------------------------|---------|--------------------|---------|-----------|
| Name | | | CSCL no | ISHL no | OAO KIV |
| lodine | ≧99.0%, ≦100% | 1 | Excluded (element) | - | 7553-56-2 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

Do not use a heavy water stream.

This product is unburnable.

5. Fire fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Fire hazard

Explosion hazard

in case of fire

Hazardous decomposition products

Firefighting instructions

May induce explosion of containers by heating.

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

nlaces

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in : Light shielding airtight container.

packaging/containers

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

| Component | ot namo | Administration level (MHLW) | Exposure limits (JSOH) | | |
|----------------|---------|-------------------------------|------------------------|------------|--|
| Component name | | Administration level (WITLVV) | Standard Value | JSOH OEL C | |
| lodine | | _ | 1 mg/m³ | _ | |
| | | - | 0.1 ppm | - | |

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for halogen gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Solid

Appearance : Flakes ∼ Granular crystals

Color : black purple
Odor : characteristic odor
pH : No data available

Melting point : 113.5 °C

Freezing point : No data available

Boiling point : 184.4 °C

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability : No data available
Vapor pressure : 0.04 kPa (25℃)
Relative density : No data available
Density : 4.93 g/cm³

Relative gas density : 4.93 g/cm² : 8.8 (air=1)

Solubility : Slightly soluble in water. Easily soluble in alcohol. Easily soluble in diethyl

2.49

ether. Easily soluble in benzene. Easily soluble in chloroform.

Partition coefficient n-

octanol/water (Log Pow)

Revision date: 4/1/2024 SDS code: B3-20 Version: 12

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Sublimate.

Possibility of hazardous reactions : Reacts with combustible substances, reducing substances, metal powders,

antimony, ammonia, acetaldehyde and acetylene.

Conditions to avoid : Sunlight, heat. Contact with combustible substances, reducing substances,

metal powders, antimony, ammonia, acetaldehyde and acetylene.

Incompatible materials : Combustible substances, Reducing substances, Metal powders, Antimony,

Ammonia, Acetaldehyde, Acetylene

Hazardous decomposition : No data available

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| lodine | | |
|---------------------------------------|--|--|
| Acute toxicity (oral) | Category 4 | |
| Acute toxicity (dermal) | No classification | |
| Acute toxicity (gas) | No classification | |
| Acute toxicity (vapour) | Category 1 | |
| Acute toxicity (inhalation:dust/mist) | classification not possible | |
| Skin corrosion/irritation | Category 2 | |
| Serious eye damage/irritation | Category 2 | |
| Respiratory sensitization | classification not possible | |
| Skin sensitization | Category 1 | |
| Germ cell mutagenicity | classification not possible | |
| Carcinogenicity | classification not possible | |
| Reproductive toxicity | classification not possible | |
| STOT-single exposure | Category 3 (Respiratory tract irritation.) | |
| STOT-repeated exposure | Category 1 | |
| Aspiration hazard | classification not possible | |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| lodine | | |
|--|-----------------------------|--|
| Hazardous to Aquatic Environment - Acute Hazard | Category 1 | |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 1 | |
| Persistence and degradability | No data available | |
| Bioaccumulative potential | No data available | |
| Mobility in soil | No data available | |
| Hazardous to the ozone layer | classification not possible | |

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

Version: 12

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 3495 Proper Shipping Name (IMDG) **IODINE** Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 (6.1) Hazard labels (IMDG) 8,6.1 Class (IMDG) 8 Subsidiary hazard (IMDG) 6.1 Special provision (IMDG) 279 Limited quantities (IMDG) 5 kg Excepted quantities (IMDG) E1 Packing instructions (IMDG) P002 IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) В3 Tank instructions (IMDG) T1 Tank special provisions (IMDG) **TP33** Stowage category (IMDG) В

Properties and observations (IMDG) : Bluish-black solid with a metallic lustre and a pungent odour. Melting

point: 114°C. Below its melting point, may evolve vapours which are irritating to skin, eyes and mucous membranes. Slightly soluble in water

but soluble in most organic solvents. Corrosive to most metals.

MFAG-No : 154

Air transport(IATA)

UN-No. (IATA) 3495 Proper Shipping Name (IATA) lodine Packing group (IATA) Ш Transport hazard class(es) (IATA) 8 (6.1) Hazard labels (IATA) 8, 6.1 Class (IATA) 8 Subsidiary hazards (IATA) 6.1 PCA Excepted quantities (IATA) F1 PCA Limited quantities (IATA) Y845 PCA limited quantity max net 5kg quantity (IATA)

quantity (IATA)
PCA packing instructions (IATA) : 860
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 864
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A113, A803
ERG code (IATA) : 8P

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.

Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

lodine and its compounds

Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Japanese Poisonous and

Deleterious Substances Control Law

: Deleterious Substances (Law Art.2, Attached Table 2) lodine

Fire Service Law : Designation of Materials Requiring Notification (Law Art.9-3, Cabinet

Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2)

Revision date: 4/1/2024 SDS code: B3-20

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act Corrosive substances (Dangerous Goods Notification Schedule first

Civil Aeronautics Law Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, Port Regulation Law

notice attached table that defines the type of dangerous goods)

second and third Article Dangerous Goods Regulations)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Not applicable

Labor Standards Act

Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. Other information

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.