

Hydrogen hexachloroplatinate(IV) hexahydrate

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 5/15/2009 Revision date: 4/1/2024 SDS code: B4-20 Version: 07

Safety Data Sheet

1. Chemical product and company identification

Product name Hydrogen hexachloroplatinate(IV) hexahydrate

SDS code B4-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Health hazards

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification Flammable solids No classification Self-reactive substances and No classification

mixtures

Pyrophoric liquids No classification Pyrophoric solids No classification No classification

Self-heating substances and

mixtures

Substances and mixtures which in

contact with water emit flammable

gases

Oxidizing liquids No classification

Oxidizing solids classification not possible

No classification

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible Skin corrosion/irritation classification not possible

Serious eye damage/eye irritation Category 1 Respiratory sensitization Category 1 Skin sensitization Category 1

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single classification not possible

exposure)

1/7

Revision date: 4/1/2024 SDS code: B4-20 Version: 07

Specific target organ toxicity

(repeated exposure)

classification not possible

Aspiration hazard

Hazardous to the aquatic

classification not possible classification not possible

Environmental hazards

environment, short-term (acute)

Hazardous to the aquatic classification not possible

environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS05

GHS08

Signal word (GHS JP) Danger

Hazard statements (GHS JP) May cause an allergic skin reaction (H317)

Causes serious eye damage (H318)

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(H334)

Precautionary statements (GHS JP)

Prevention Avoid breathing dust/fume/gas/mist/vapors/spray. (P261)

Contaminated work clothing should not be allowed out of the workplace.

(P272)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

[In case of inadequate ventilation] wear respiratory protection. (P284)

IF ON SKIN: Wash with plenty of water. (P302+P352) Response

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

(P342+P311)

Take off contaminated clothing and wash it before reuse. (P362+P364)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Substance

Synonyms Platinum(IV) chloride hexahydrate

Name	Concentration or	Formula	Kanpo number		CAS RN
Concentration range		Tormula	CSCL no	ISHL no	OAO KIT
Hydrogen hexachloroplatinate(IV) hexahydrate	≧98.5%、≦100%	H2PtCl6+6H2O	(1)-223	Existing Chemical Substance	18497-13-7

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

....,

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

Explosion hazard : May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

Light shielding airtight container.

Revision date: 4/1/2024 SDS code: B4-20 Version: 07

Technical measures Comply with applicable regulations.

Storage temperature Refrigerate

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)		
Component name	Administration level (Milett)	Standard Value	JSOH OEL C	
Hydrogen hexachloroplatinate(IV)	-	0.001 mg/m³ (Platinum, Soluble salts、as Pt)	-	

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

> exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles) : Impervious aprons, Impervious work clothing, Impervious long boots Skin and body protection

9. Physical and chemical properties

Physical state

Appearance Crystals ~ Mass Color reddish brown Odor No data available рΗ No data available

60 °C Melting point

Freezing point No data available Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available Density 2.43 g/cm³ (20°C) Relative gas density No data available

Solubility Easily soluble in water. Soluble in ethanol. Soluble in diethyl ether.

Partition coefficient n-

octanol/water (Log Pow)

No data available

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

10. Stability and reactivity

Reactivity No data available

Chemical stability Stable under normal handling conditions. Deliquescent.

Decomposes when strongly heated, evolving toxic hydrogen chloride gas. Possibility of hazardous reactions

Aqueous solutions corrode metals.

Conditions to avoid Sunlight, Heat, Moisture No data available Incompatible materials Hazardous decomposition

products

Hydrogen chloride

Revision date: 4/1/2024 SDS code: B4-20 Version: 07

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Hydrogen hexachloroplatinate(IV)		
Acute toxicity (oral)	classification not possible	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	classification not possible	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	Category 1	
Skin sensitization	Category 1	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	classification not possible	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Hydrogen hexachloroplatinate(IV)	
Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	No data available

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 2507

Proper Shipping Name (IMDG) CHLOROPLATINIC ACID, SOLID

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG) 8 Class (IMDG) 8

Packing instructions (IMDG) P002, LP02 IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) В3 Tank instructions (IMDG) T1 Tank special provisions (IMDG) **TP33** Stowage category (IMDG) Α

Properties and observations (IMDG) Red-brown crystals. Soluble in water.

MFAG-No 154 ii Fule Chemical ind.,Ltd.

Air transport(IATA)

UN-No. (IATA) : 2507

Proper Shipping Name (IATA) : Chloroplatinic acid, solid

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y845
PCA limited quantity max net : 5kg

quantity (IATA)

PCA packing instructions (IATA) : 860
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 864
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A803
ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law. Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

Special transport precautions: When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Chemical substances that damage the skin, etc. Harmful substances

that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Japanese Poisonous and

Deleterious Substances Control Law

: Not applicable: Not applicable

Faraira Fyahanaa and Farair

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Civil Aeronautics Law

Fire Service Law

Export Trade Control Ordinance appendix 1-16

: Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)

Port Regulation Law : Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Not applicable

Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

Sensitizers (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4,

Labor Standard Bureau Notice No.182 of 1996)

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the

Revision date: 4/1/2024 SDS code: B4-20

user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.