# Lactic acid



## Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 11/20/2009 Revision date: 4/1/2024 SDS code: B5-04 Version: 05

### Safety Data Sheet

### 1. Chemical product and company identification

**Product name** Lactic acid SDS code B5-04

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

### 2. Hazards identification

#### **GHS** classification

Physical hazards **Explosives** classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible

Skin sensitization No classification

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single classification not possible

exposure)

1/7

Revision date: 4/1/2024 SDS code: B5-04

Specific target organ toxicity

(repeated exposure)

classification not possible

Aspiration hazard

classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute) No classification

Hazardous to the aquatic

environment, long-term (chronic)

No classification

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)



GHS05

Signal word (GHS JP) Danger

Hazard statements (GHS JP) Causes severe skin burns and eye damage (H314)

Precautionary statements (GHS JP)

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

> Wash hands, forearms and face thoroughly after handling. (P264) Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363)

Storage Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

## 3. Composition/information on ingredients

Distinction of substance or mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	OAO KII
Lactic acid	85.0-92.0%	C3H6O3	(2)-1369	Existing Chemical Substance	50-21-5
Water	8.0-15.0%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

Lactic acid

Revision date: 4/1/2024 SDS code: B5-04 Version: 05

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion Rinse mouth.

Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

May induce explosion of containers by heating.

Hazardous decomposition products in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

## 6. Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions Avoid release to the environment.

Prevent entry to sewers and public waters.

#### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

## 7. Handling and storage

#### Handling

Technical measures Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

#### Storage

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Revision date: 4/1/2024 SDS code: B5-04 Version: 05

Material used in : Light shielding airtight container.

packaging/containers

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

### 8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Protective mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

### 9. Physical and chemical properties

Physical state : Liquid Appearance : Liquid

Color : colorless ~ slightly yellow

Odor : Odorless

pΗ No data available No data available Melting point Freezing point No data available Boiling point 122 °C (2kPa) Flash point Not inflammable No data available Auto-ignition temperature Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available Density 1.21 g/cm³ (20°C) Relative gas density No data available

Solubility : Easily soluble in water. Soluble in ethanol. Soluble in diethyl ether. Insoluble

in chloroform.

-0.62

Partition coefficient n-

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

### 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts violently with strong bases. Erodes metals in the presence of water.

Conditions to avoid : Sunlight, heat. Contact with strong bases and metals.

Incompatible materials : Strong bases, Metals Hazardous decomposition : No data available

products

### 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible
	Gases:No classification
	dust, mist:classification not possible

Revision date: 4/1/2024 SDS code: B5-04 Version: 05

As a product	
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure STOT-repeated exposure	classification not possible classification not possible
Aspiration hazard	classification not possible
Lactic acid	- Glassification not possible
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (definal)  Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE

The information in this section is based on the Grib Classification results by Mile.		
As a product		
Hazardous to the aquatic environment, short-term (acute)	No classification	
Hazardous to the aquatic environment, long-term (chronic)	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	

Revision date: 4/1/2024 SDS code: B5-04

Lactic acid		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	

### 13. Disposal considerations

Hazardous to the ozone layer

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

classification not possible

waste disposer authorized by a Prefectural Governor.

Contaminated container and : Empty the packaging completely prior to disposal.

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

## 14. Transport information

## International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 3265

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.

Packing group (IMDG) : III

Transport hazard class(es) (IMDG) : 8

Hazard labels (IMDG) : 8

Class (IMDG) : 8

Special provision (IMDG) : 223, 274

Limited quantities (IMDG) : 5 L

Excepted quantities (IMDG) : E1

Packing instructions (IMDG) : P001, LP01

IBC packing instructions (IMDG) : IBC03

Tank instructions (IMDG) : T7

Tank special provisions (IMDG) : TP1, TP28

Stowage category (IMDG) : A

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

Y841

1L

MFAG-No : 153

Air transport(IATA)

UN-No. (IATA) : 3265

Proper Shipping Name (IATA) : Corrosive liquid, acidic, organic, n.o.s.

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E1

PCA limited quantity max net

PCA Limited quantities (IATA)

quantity (IATA)

PCA packing instructions (IATA) : 852

PCA max net quantity (IATA) : 5L

CAO packing instructions (IATA) : 856

CAO max net quantity (IATA) : 60L

Special provision (IATA) : A3, A803

Revision date: 4/1/2024 SDS code: B5-04 Version: 05

ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law. Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 153

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

#### **National law**

Industrial Safety and Health Law

Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

[Date of enforcement: April 1, 2025]

Dangerous or Harmful Substances for Labeling of Chemical Name

etc. (Act Art.57 Para.1, Enforcement Order, Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Act, Art.57-2, Enforcement Order, Art.18-2)

Lactic acid

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Fire Service Law

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Not applicable

Noxious Liquid Substances - Category Z (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 3)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Civil Aeronautics Law

: Export Trade Control Ordinance appendix 1-16

Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)

Port Regulation Law : Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Not applicable

#### 16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.