

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 3/24/2011

Revision date: 11/2/2022 SDS code: B6-12

Version: 06

Safety Data Sheet

1. Chemical product and company identification

Product name	:	Mercury
SDS code	:	B6-12
Company/undertaking identification HAYASHI PURE CHEMIC/ Address : 3-2-12 Uchihira Telephone : 06-6910-730 E-mail : shiyaku_kikaku@ URL : https://www.hpc-j.c	inoma 5 2hpc-j	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	No classification
-	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	No classification
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	No classification
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized eplosives	classification not possible
Health hazards	Acute toxicity (oral)	classification not possible
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	Category 1
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	classification not possible
	Serious eye damage/eye irritation	Category 2
	Respiratory sensitization	classification not possible
	Skin sensitization	Category 1
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	Category 1A
	Specific target organ toxicity (single exposure)	Category 1 (respiratory system, liver, kidneys, central nervous system, cardiovascular system)

Revision date: 11/2/2022

SDS code: B6-12 Mercury Version: 06

Environmental hazards Hazard pictograms (GHS JP)	Hazardous to th	sure) rd he aquatic hort-term (acute) he aquatic ng-term (chronic)	Category 1 (liver, cardiovascular system, gingiva, blood, nervous system) classification not possible Category 1 Category 1 classification not possible
	1790 T		
	GHS06	GHS08 GF	1509
Signal word (GHS JP		: Danger	
Hazard statements (C	-	Causes serious e Fatal if inhaled (H May damage ferti Causes damage nervous system, Causes damage nervous system)	ergic skin reaction (H317) eye irritation (H319) 1330) ility or the unborn child (H360) to organs (respiratory system, liver, kidneys, central cardiovascular system) (H370) to organs (liver, cardiovascular system, gingiva, blood, through prolonged or repeated exposure (H372) atic life with long lasting effects (H410)
Precautionary statem	ents (GHS JP)		
Prevention		Do not handle un (P202) Do not breathe du Wash hands, fore Do not eat, drink Use only outdoor Contaminated wo (P272) Avoid release to t Wear protective o (P280)	structions before use. (P201) til all safety precautions have been read and understood. ust/fume/gas/mist/vapors/spray. (P260) earms and face thoroughly after handling. (P264) or smoke when using this product. (P270) s or in a well-ventilated area. (P271) ork clothing should not be allowed out of the workplace. the environment. (P273) gloves/protective clothing/eye protection/face protection. protection. (P284)
Response		IF INHALED: Rer breathing (P304+ IF IN EYES: Rins contact lenses, if (P305+P351+P33 IF exposed or con (P308+P311) Immediately call a Get medical advid If skin irritation or If eye irritation pe	e cautiously with water for several minutes. Remove present and easy to do. Continue rinsing. 38) Incerned: Call a POISON CENTER or doctor. a POISON CENTER or doctor. (P310) ce/attention if you feel unwell. (P314) rash occurs: Get medical advice/attention. (P333+P313) rsists: Get medical advice/attention. (P337+P313) nated clothing and wash it before reuse. (P362+P364)
Storage			ntilated place. Keep container tightly closed.
Disposal		: Dispose of conter	nts/container to hazardous or special waste collection nee with local, regional, national and/or international

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or	Formula	Kanpo	CAS RN	
Name	Concentration range	i officia	CSCL no	CSCL no ISHL no	
Mercury	≧99.5%、≦100%	Hg	Excluded (element)	-	7439-97-6

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures		
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
		Get immediate medical advice/attention.
First-aid measures after skin	:	Remove/Take off immediately all contaminated clothing.
contact		Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth.
		Get immediate medical advice/attention.
5. Fire fighting measures		
Suitable extinguishing media	:	Use proper extinguishing media depending on peripheral fire.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Fire hazard	:	This product is unburnable.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Drotaction during firefighting		Wear appropriate fire registent elething including celf contained

Protection during firefighting : Wear appropriate fire-resistant clothing including self containedcompressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

· · · · · · · · · · · · · · · · · · ·		
General measures	:	Before entering, ventilate the area.
		Do not let unauthorized persons come close to the area.
		Immediately place the leakage area in isolation, with taking proper distances for all directions.
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.
Environmental precautions		
Environmental precautions	:	Avoid release to the environment.
		Prevent entry to sewers and public waters.
Methods and Equipment for Conta	inm	nent and Cleaning up
Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible.
		Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values				
Mercury				
Japan administration level	0.025mg/m3(as Hg)			
Exposure limits (JSOH)	0.025mg/m3			
Exposure limits (ACGIH)	TWA 0.025 mg/m3,STEL - (Skin) (Elemental and inorganic forms)			
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.			
Protective equipment				
Respiratory protection	: Gas mask for mercury			
Hand protection	: Impervious protective gloves			
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)			
Skin and body protection	: Impervious aprons, Impervious work clothing, Protective long boots			

9. Physical and chemical properties

-	-	-
Physical state	:	Liquid
Appearance	:	Liquid
Color	:	silver white
Odor	:	Odorless
рН	:	No data available
Melting point	:	-38.9 °C
Freezing point	:	No data available
Boiling point	:	356.72 °C
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	0.002 mm Hg (25°C)
Relative density	:	No data available
Density	:	13.6 g/cm ³
Relative gas density	:	No data available
Solubility	:	Water: 0.06 mg/l (25°C)
Partition coefficient n- octanol/water (Log Pow)	:	0.62

Revision date: 11/2/2022

Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts violently with ammonia and halogens, poses a risk of fire and explosion. Corrodes many kinds of metals such as aluminium to produce amalgam.
Conditions to avoid	:	Sunlight, heat. Contact with ammonia, halogens, and metals.
Incompatible materials	:	Ammonia, Halogens, Metals
Hazardous decomposition products	:	No data available

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Mercury	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 1
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	Category 1
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1A
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Mercury		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in
		accordance with local regulation.

Revision date: 11/2/2022

SDS code: B6-12 Mercury Version: 06

14. Transport information

International Regulations

International Regulations	
Transport by sea(IMDG)	
UN-No. (IMDG)	: 2809
Proper Shipping Name (IMDG) Packing group (IMDG)	: MERCURY : III
Transport hazard class(es) (IMDG)	: 8 (6.1)
Hazard labels (IMDG)	: 8,6.1
Class (IMDG)	: 8
Subsidiary hazard (IMDG)	: 6.1
Special provision (IMDG)	: 365
Packing instructions (IMDG)	: P800
Stowage category (IMDG) Properties and observations (IMDG)	: B . A silvery metallic element ecourring in the liquid state at normal
Froperties and observations (INDO)	: A silvery metallic element occurring in the liquid state at normal temperatures. Relative Density: 13.546. Melting point:-39°C . Highly
	corrosive to aluminium. Toxic if swallowed, by skin contact or by
	inhalation. Special care should be taken if a leakage occurs during
	transport, especially when carried in breakable packages and in aluminium freight containers. Carriage should be prohibited in
	hovercraft and other ships constructed from aluminium.
MFAG-No	: 172
Air transport(IATA)	
UN-No. (IATA)	: 2809
Proper Shipping Name (IATA)	: Mercury
Packing group (IATA)	: 11
Transport hazard class(es) (IATA)	: 8 (6.1)
Hazard labels (IATA) Class (IATA)	: 8, 6.1 : 8
Subsidiary hazards (IATA)	: 6.1
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net	: Forbidden
quantity (IATA)	
PCA packing instructions (IATA) PCA max net quantity (IATA)	: 868 : 35kg
CA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA)	: 868
	: 35kg
Special provision (IATA)	: A804
ERG code (IATA)	: 8L
Marine pollutant	: Applicable
Regulations in Japan	
Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air MFAG-No	 Conform to the provisions of the Civil Aeronautics Law. 172
Special transport precautions	: When transporting, load containers so that they do not tip over,
	damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information	
National law	
Industrial Safety and Health Law	: Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5)
	Working Environment Evaluation Standards, Administrative Control
	Levels (Law Art.65-2, Para.1)
	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,
	Attached Table No.9)
	Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2
	Item 1, Item 2, Attached Table No.9)
	Mercury and its inorganic compounds (Ordinance number : 315) Substances on Special medical examination, Current handling
	workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
Japanese Poisonous and	: Poisonous Substances (Law Art.2, Attached Table 1)
Deleterious Substances Control Law	Mercury

Hayashi Pure Chemical Ind.,Ltd.		Mercury Revision date: 11/2/2022 SDS code: B6-12 Version: 06
Water Pollution Prevention Law	:	Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)
Fire Service Law	:	Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 5, Attached Table No.1
Air Pollution Control Law	:	Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16 Export Approval (Export Trade Control Order, Attached Table 2)
Ship Safety Act	:	Corrosive substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	:	Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Waterworks Law	:	Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)
Sewerage Law	:	Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para. 2, Enforcement Oder Art.1 Appended Table No.1) Mercury and its compounds as mercury(100%) [After amendment of April 2023] Class 1 Designated Chemical Substances (Act, Art.2, Para.2, Enforcement Order, Art.1 Appended Table 1) Mercury and its compounds as mercury(100%)
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1,MHLW Nortification No.36 of 1978
Soil Contamination Countermeasures Law	:	Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1)

16. Other information

16. Other Information	
Data sources	 Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	: The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.