

Nickel(II) carbonate basic

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 12/11/2009 Revision date: 4/1/2024 SDS code: B7-20 Version: 10

Safety Data Sheet

1. Chemical product and company identification

Product name : Nickel(II) carbonate basic

SDS code : B7-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

Oxidizing gases

No classification

No classification

No classification

No classification

Flammable liquids

Flammable solids

No classification

No classification

No classification

No classification

No classification

No classification

mixtures

Pyrophoric liquids
Pyrophoric solids
No classification
No classification
No classification
No classification

mixtures

Substances and mixtures which in on the classification contact with water emit flammable

30000

Oxidizing liquids

gases

Oxidizing solids classification not possible

No classification

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

No classification

Acute toxicity (inhalation:dust/mist) classification not possible Skin corrosion/irritation classification not possible Serious eye damage/eye irritation classification not possible

Respiratory sensitization Category 1
Skin sensitization Category 1

Germ cell mutagenicity classification not possible

Carcinogenicity Category 1A

Reproductive toxicity classification not possible Specific target organ toxicity (single classification not possible

exposure)

Specific target organ toxicity

(repeated exposure)

classification not possible classification not possible

Aspiration hazard

Category 1

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic) Category 1

Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)





GHS09

Signal word (GHS JP)

Hazard statements (GHS JP)

May cause an allergic skin reaction (H317)

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

(H334)

Danger

May cause cancer (H350)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Avoid breathing dust/fume/gas/mist/vapors/spray. (P261)

Contaminated work clothing should not be allowed out of the workplace.

(P272)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

[In case of inadequate ventilation] wear respiratory protection. (P284)

Response IF ON SKIN: Wash with plenty of water. (P302+P352)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF exposed or concerned: Get medical advice/attention. (P308+P313) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

(P342+P311)

Take off contaminated clothing and wash it before reuse. (P362+P364)

Collect spillage. (P391)

Storage Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Substance

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	OAO KI
Nickel(II) carbonate basic	≧42.0%(as Ni)	NiCO3·2Ni(OH)2· 4H2O	(1)-167	Existing Chemical Substance	39430-27-8

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard Hazardous decomposition products

Firefighting instructions

May induce explosion of containers by heating.

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoi

Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Solid
Appearance : Powder
Color : light green
Odor : Odorless

рΗ No data available Melting point No data available No data available Freezing point Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available

Density : 2.6 g/cm³

Relative gas density : No data available
Solubility : Soluble in acids.
Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : May react with oxidizing agents.

Conditions to avoid : Sunlight, heat. Contact with oxidizing agents.

Incompatible materials : Oxidizing agents
Hazardous decomposition : Nickel oxide

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Nickel(II) carbonate basic		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	classification not possible	
Serious eye damage/irritation	classification not possible	
Respiratory sensitization	Category 1	
Skin sensitization	Category 1	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	Category 1A	
Reproductive toxicity	classification not possible	
STOT-single exposure	classification not possible	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Nickel(II) carbonate basic		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 3077

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Packing group (IMDG) : III
Transport hazard class(es) (IMDG) : 9
Hazard labels (IMDG) : 9
Class (IMDG) : 9

Special provision (IMDG) : 274, 335, 966, 967, 969

Limited quantities (IMDG) : 5 kg
Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP02, P002
Packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33 Stowage category (IMDG) : A MFAG-No : 171 Air transport(IATA)

UN-No. (IATA) : 3077

Proper Shipping Name (IATA) : Environmentally hazardous substance, solid, n.o.s.

30kgG

Packing group (IATA) : III
Transport hazard class(es) (IATA) : 9
Hazard labels (IATA) : 9
Class (IATA) : 9
PCA Excepted quantities (IATA) : E1
PCA Limited quantities (IATA) : Y956

quantity (IATA)

PCA limited quantity max net

PCA packing instructions (IATA) : 956
PCA max net quantity (IATA) : 400kg
CAO packing instructions (IATA) : 956
CAO max net quantity (IATA) : 400kg

Special provision (IATA) : A97, A158, A179, A197

ERG code (IATA) : 9I

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 171

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Group 2 Specified Chemical Substance, Group 2 Substance Under

Supervision (Ordinance on Prevention of Hazards Due to Specified

Chemical Substances Art.2 Para.1, Item 2,5)

Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Nickel and its compounds

Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical

Substances Art.38-3)

Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on Special medical examination, Past handling workers

(Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2)

Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No.

0704 Item 1, 4 based on July 4, 2023)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law : Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law : Not applicable

Air Pollution Control Law : Hazardous Air Pollutants (Central Environment Council Report No. 9)

Hazardous Air Pollutants, Priority Substances (Central Environment

Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Miscellaneous dangerous substances & articles (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law : Miscellaneous dangerous substances & articles (Hazardous materials

notice Appended Table 1 Article 194 of the Enforcement Regulations)

Class 1 Designated Chemical Substances, Specified Class 1

Japanese Pollutant Release and

Transfer Register Law (PRTR Law)

Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4)

Nickel compounds as nickel(47%)

Labor Standards Act

Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)

16. Other information

Data sources

Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.
 International Chemical Safety Cards.
 National Institute of Technology and Evaluation (NITE).
 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.