
Safety Data Sheet

1. Chemical product and company identification

Product name : Nickel(II) sulfate hexahydrate

SDS code : B8-04

Company/undertaking identification :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	No classification	
	Flammable gases	No classification	
	Aerosol	No classification	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	No classification	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	No classification	
	Pyrophoric liquids	No classification	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	No classification	
	Substances and mixtures which in contact with water emit flammable gases	No classification	
	Oxidizing liquids	No classification	
	Oxidizing solids	classification not possible	
	Organic peroxides	No classification	
	Corrosive to metals	classification not possible	
	Desensitized explosives	classification not possible	
	Health hazards	Acute toxicity (oral)	Category 3
		Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation:gas)		No classification	
Acute toxicity (inhalation:vapors)		No classification	
Acute toxicity (inhalation:dust/mist)		classification not possible	
Skin corrosion/irritation		classification not possible	
Serious eye damage/eye irritation		classification not possible	
Respiratory sensitization		Category 1	
Skin sensitization		Category 1	
Germ cell mutagenicity		classification not possible	
Carcinogenicity	Category 1A		
Reproductive toxicity	classification not possible		
Specific target organ toxicity (single exposure)	classification not possible		

Environmental hazards	Specific target organ toxicity (repeated exposure)	Category 1 (respiratory system)
	Specific target organ toxicity (repeated exposure)	Category 2 (liver, testis)
	Aspiration hazard	classification not possible
	Hazardous to the aquatic environment, short-term (acute)	classification not possible
	Hazardous to the aquatic environment, long-term (chronic)	classification not possible
	Hazardous to the ozone layer	classification not possible

Hazard pictograms (GHS JP)



GHS06



GHS08

Signal word (GHS JP)	: Danger
Hazard statements (GHS JP)	: Toxic if swallowed (H301) May cause an allergic skin reaction (H317) May cause allergy or asthma symptoms or breathing difficulties if inhaled. (H334) May cause cancer (H350) Causes damage to organs (respiratory system) through prolonged or repeated exposure (H372) May cause damage to organs (liver, testis) through prolonged or repeated exposure (H373)
Precautionary statements (GHS JP)	
Prevention	: Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Contaminated work clothing should not be allowed out of the workplace. (P272) Wear protective gloves/protective clothing/eye protection/face protection. (P280) [In case of inadequate ventilation] wear respiratory protection. (P284)
Response	: IF SWALLOWED: Immediately call a POISON CENTER or doctor. (P301+P310) IF ON SKIN: Wash with plenty of water. (P302+P352) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF exposed or concerned: Get medical advice/attention. (P308+P313) Get medical advice/attention if you feel unwell. (P314) Rinse mouth. (P330) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311) Take off contaminated clothing and wash it before reuse. (P362+P364)
Storage	: Store locked up. (P405)
Disposal	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Nickel(II) sulfate hexahydrate	98.0-103.0%	NiSO ₄ ·6H ₂ O	(1)-813	Existing Chemical Substance	10101-97-0

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : This product is unburnable.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Avoid (reject) fire-fighting water to enter environment.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.
Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

- Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)	
		Standard Value	JSOH OEL C
Nickel(II) sulfate hexahydrate	0.1 mg/m ³ as Ni	0.01 mg/m ³ as Ni, except Nickel carbonyl and Nickel smelting dust	-

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

- Respiratory protection : Dustproof mask
- Hand protection : Impervious protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

- Physical state : Solid
- Appearance : Crystals ~ Crystalline powder
- Color : blue green ~ green
- Odor : Odorless
- pH : No data available
- Melting point : 53 °C
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Density : 2.07 g/cm³
- Relative gas density : No data available
- Solubility : Easily soluble in water. Insoluble in ethanol.

Partition coefficient n-octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions. Shows hygroscopicity. Dissolves in crystallization water at 53°C.
Possibility of hazardous reactions	:	Reacts with strong oxidizing agents.
Conditions to avoid	:	Sunlight, heat, moisture. Contact with strong oxidizing agents.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Sulfur oxides, Nickel oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Nickel(II) sulfate hexahydrate	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 1A
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Nickel(II) sulfate hexahydrate	
Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG)	: 3288
Proper Shipping Name (IMDG)	: TOXIC SOLID, INORGANIC, N.O.S.
Packing group (IMDG)	: III
Transport hazard class(es) (IMDG)	: 6.1
Hazard labels (IMDG)	: 6.1
Class (IMDG)	: 6.1
Division (IMDG)	: 6.1
Special provision (IMDG)	: 223, 274
Limited quantities (IMDG)	: 5 kg
Excepted quantities (IMDG)	: E1
Packing instructions (IMDG)	: P002, LP02
IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: Toxic if swallowed, by skin contact or by inhalation.
MFAG-No	: 151

Air transport(IATA)

UN-No. (IATA)	: 3288
Proper Shipping Name (IATA)	: Toxic solid, inorganic, n.o.s.
Packing group (IATA)	: III
Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1
Class (IATA)	: 6.1
Division (IATA)	: 6.1
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y645
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 670
PCA max net quantity (IATA)	: 100kg
CAO packing instructions (IATA)	: 677
CAO max net quantity (IATA)	: 200kg
Special provision (IATA)	: A3, A5
ERG code (IATA)	: 6L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 151

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law	: Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	: Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18) Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2) Nickel and its compounds Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)

Industrial Safety and Health Law	:	Substances on Special medical examination, Past handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2) Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No. 0704 Item 1, 4 based on July 4, 2023)
Japanese Poisonous and Deleterious Substances Control Law	:	Not applicable
Water Pollution Prevention Law	:	Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	:	Not applicable
Air Pollution Control Law	:	Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9) Hazardous Air Pollutants, Substances on Voluntary Management Guideline (Environment Agency Notice No.205 of Oct 18, 1996, Environment Agency Notice No.2210181 of Oct 18, 2022)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Toxic and infectious substances/Toxic substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Toxic and infectious substances/Toxic substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances, Specified Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4) Nickel compounds as nickel(22%)
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

16. Other information

Data sources	:	Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	:	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.