
Safety Data Sheet**1. Chemical product and company identification****Product name** : Potassium permanganate**SDS code** : C1-09**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.**2. Hazards identification****GHS classification**

Physical hazards	Explosives	No classification	
	Flammable gases	No classification	
	Aerosol	No classification	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	No classification	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	No classification	
	Pyrophoric liquids	No classification	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	No classification	
	Substances and mixtures which in contact with water emit flammable gases	No classification	
	Oxidizing liquids	No classification	
	Oxidizing solids	Category 2	
	Organic peroxides	No classification	
	Corrosive to metals	classification not possible	
	Desensitized explosives	classification not possible	
	Health hazards	Acute toxicity (oral)	Category 4
		Acute toxicity (dermal)	classification not possible
		Acute toxicity (inhalation:gas)	No classification
Acute toxicity (inhalation:vapors)		No classification	
Acute toxicity (inhalation:dust/mist)		classification not possible	
Skin corrosion/irritation		Category 1	
Serious eye damage/eye irritation		Category 1	
Respiratory sensitization		classification not possible	
Skin sensitization		classification not possible	
Germ cell mutagenicity		Category 2	
Carcinogenicity	classification not possible		
Reproductive toxicity	Category 2		
Specific target organ toxicity (single exposure)	Category 3 (Respiratory tract irritation.)		

Environmental hazards	Specific target organ toxicity (repeated exposure)	Category 1 (nervous system, respiratory system)
	Aspiration hazard	classification not possible
	Hazardous to the aquatic environment, short-term (acute)	Category 1
	Hazardous to the aquatic environment, long-term (chronic)	Category 1
	Hazardous to the ozone layer	classification not possible

Hazard pictograms (GHS JP)



GHS03



GHS05



GHS07



GHS08



GHS09

Signal word (GHS JP)

: Danger

Hazard statements (GHS JP)

: May intensify fire; oxidizer (H272)
 Harmful if swallowed (H302)
 Causes severe skin burns and eye damage (H314)
 May cause respiratory irritation (H335)
 Suspected of causing genetic defects (H341)
 Suspected of damaging fertility or the unborn child (H361)
 Causes damage to organs (nervous system, respiratory system) through prolonged or repeated exposure (H372)
 Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention

: Obtain special instructions before use. (P201)
 Do not handle until all safety precautions have been read and understood. (P202)
 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)
 Keep away from clothing and other combustible materials. (P220)
 Do not breathe dust/fume/gas/mist/vapors/spray. (P260)
 Wash hands, forearms and face thoroughly after handling. (P264)
 Do not eat, drink or smoke when using this product. (P270)
 Use only outdoors or in a well-ventilated area. (P271)
 Avoid release to the environment. (P273)
 Wear protective gloves/protective clothing/eye protection/face protection. (P280)

Response

: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. (P301+P312)
 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)
 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)
 IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340)
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)
 IF exposed or concerned: Get medical advice/attention. (P308+P313)
 Immediately call a POISON CENTER or doctor. (P310)
 Get medical advice/attention if you feel unwell. (P314)
 Wash contaminated clothing before reuse. (P363)
 In case of fire: Use specify appropriate media to extinguish. (P370+P378)
 Collect spillage. (P391)

Storage

: Store in a well-ventilated place. Keep container tightly closed. (P403+P233)
 Store locked up. (P405)

Disposal

: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Potassium permanganate	$\geq 99.3\%$, $\leq 100\%$	KMnO ₄	(1)-446	Existing Chemical Substance	7722-64-7

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Water spray
- Unsuitable extinguishing media : Foam, Dry powder, Do not use a heavy water stream.
- Fire hazard : This product is unburnable.
May intensify fire; oxidizer.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.
Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

- Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Light shielding airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Potassium permanganate	
Japan administration level	0.2mg/m ³ (as Mn)
Exposure limits (JSOH)	0.2mg/m ³ (as Mn, except Organic compounds)
Exposure limits (ACGIH)	TWA 0.02 mg/m ³ (R) ·0.1 mg/m ³ (I),STEL - (as Mn)

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

- Respiratory protection : Dustproof mask
- Hand protection : Protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

- Physical state : Solid
- Appearance : Crystals
- Color : greenish black ~ purplish black
- Odor : Odorless
- pH : No data available
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : 240 °C
- Flammability (solid, gas) : No data available
- Vapor pressure : Almost zero (20°C)
- Relative density : No data available
- Density : 2.7 g/cm³ (20°C)
- Relative gas density : No data available
- Solubility : Soluble in methanol. Soluble in acetic acid. Soluble in acetone.
Water: 6.4 g/100ml (20°C)

Partition coefficient n-octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	When heated, decomposes to produce manganese oxides and potassium oxides, and evolve oxygen which accelerates combustion. Decomposes explosively on contact with strong acids. Contact with hydrochloric acid evolves toxic chlorine gas. Contact with alkalis evolves oxygen. It is a strong oxidizing agent and reacts with organic compounds, combustible substances and reducing substances causing fire and explosion hazard. Reacts violently with metal powder causing fire hazard.
Conditions to avoid	:	Sunlight, heat. Contact with acids, bases, organic compounds, combustible substances, reducing substances and metal powder.
Incompatible materials	:	Acids, Bases, Organic compounds, Combustible substances, Reducing substances, Metal powder
Hazardous decomposition products	:	Manganese oxides, Potassium oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Potassium permanganate	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	classification not possible
Reproductive toxicity	Category 2
STOT-single exposure	Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Potassium permanganate	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
---------------------------	---	--

Contaminated container and packaging : Empty the packaging completely prior to disposal.
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1490
 Proper Shipping Name (IMDG) : POTASSIUM PERMANGANATE
 Packing group (IMDG) : II
 Transport hazard class(es) (IMDG) : 5.1
 Hazard labels (IMDG) : 5.1
 Class (IMDG) : 5.1
 Division (IMDG) : 5.1
 Limited quantities (IMDG) : 1 kg
 Excepted quantities (IMDG) : E2
 Packing instructions (IMDG) : P002
 IBC packing instructions (IMDG) : IBC08
 IBC special provisions (IMDG) : B21, B4
 Tank instructions (IMDG) : T3
 Tank special provisions (IMDG) : TP33
 Stowage category (IMDG) : D
 Properties and observations (IMDG) : Dark purple crystals or powder. Soluble in water. Reacts vigorously with sulphuric acid and hydrogen peroxide. Reacts fiercely with cyanides when heated or by friction. May form explosive mixtures with combustible material, powdered metals or ammonium compounds. These mixtures are sensitive to friction and are liable to ignite. When involved in a fire, may cause an explosion.

MFAG-No : 140

Air transport(IATA)

UN-No. (IATA) : 1490
 Proper Shipping Name (IATA) : Potassium permanganate
 Packing group (IATA) : II
 Transport hazard class(es) (IATA) : 5.1
 Hazard labels (IATA) : 5.1
 Class (IATA) : 5.1
 Division (IATA) : 5.1
 PCA Excepted quantities (IATA) : E2
 PCA Limited quantities (IATA) : Y544
 PCA limited quantity max net quantity (IATA) : 2.5kg
 PCA packing instructions (IATA) : 558
 PCA max net quantity (IATA) : 5kg
 CAO packing instructions (IATA) : 562
 CAO max net quantity (IATA) : 25kg
 ERG code (IATA) : 5L

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
 Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.
 MFAG-No : 140

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5)
 Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
 Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9)
 Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2)

	Item 1, Item 2, Attached Table No.9)
	Manganese and its inorganic compounds (Ordinance number : 550)
	Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Water Pollution Prevention Law	: Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Narcotics and Psychotropics Control Act	: Raw Materials (Law Art.2 (7), Attached Table Art.4 (9), Designating Order Art. 4) Specified Raw Materials for Specified Narcotics and Psychotropics (Law Art.2 (40), Enforcement Order Art. 1)
Fire Service Law	: Group 1 - Oxidizing solids - Permanganates (Law Art.2 Para.7, Attached Table 1, Group 1)
Air Pollution Control Law	: Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16 Export Approval (Export Trade Control Order, Attached Table 2)
Ship Safety Act	: Oxidizing substances and organic peroxides/Oxidizing substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Oxidizing substances and organic peroxides/Oxidizing substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Oxidizing substances and organic peroxides/Oxidizing substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	: Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.)
Waterworks Law	: Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)
Sewerage Law	: Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Class 1 Designated Chemical Substances (Act Art.2 para. 2, Enforcement Oder Art.1 Appended Table No.1) Manganese and its compounds as manganese(35%)
Labor Standards Act	: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)

16. Other information

Data sources	: Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	: The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.