

# Silica gel, blue (Medium granular)

#### Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 4/30/2010 Revision date: 2/20/2023 SDS code: C2-19 Version: 12

## Safety Data Sheet

## 1. Chemical product and company identification

**Product name** Silica gel, blue (Medium granular)

SDS code C2-19

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

#### 2. Hazards identification

#### **GHS** classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification Flammable solids No classification No classification

Self-reactive substances and

mixtures

Pyrophoric liquids No classification Pyrophoric solids No classification

No classification

Self-heating substances and

mixtures

Substances and mixtures which in No classification

contact with water emit flammable

gases

Oxidizing liquids No classification

Oxidizing solids classification not possible

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification Acute toxicity (inhalation:vapors) No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification Serious eye damage/eye irritation Category 2 Respiratory sensitization Category 1

Skin sensitization Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Reproductive toxicity Category 1B

Specific target organ toxicity (single Category 2 (central nervous system, digestive tract,

exposure) liver, kidneys)

1/7

Revision date: 2/20/2023

Category 3

SDS code: C2-19

exposure)

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

Specific target organ toxicity

(repeated exposure)

Category 2 (nervous system, respiratory system, cardiovascular system, thyroid gland, blood system)

Aspiration hazard

classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

classification not possible

environment, long-term (chronic) Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)





Danger

GHS07

Signal word (GHS JP)

Hazard statements (GHS JP)

May cause an allergic skin reaction (H317)

Causes serious eye irritation (H319)

May cause an allergy or asthma symptoms or breathing difficulties if

inhaled (H334)

May cause respiratory irritation (H335) Suspected of causing genetic defects (H341)

Suspected of causing cancer (H351)

May damage fertility or the unborn child (H360)

May cause damage to organs (central nervous system, digestive tract,

liver, kidneys) (H371)

May cause damage to organs (nervous system, respiratory system, cardiovascular system, thyroid gland, blood system) through prolonged or

repeated exposure (H373) Harmful to aquatic life (H402)

Precautionary statements (GHS JP)

Prevention Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Contaminated work clothing should not be allowed out of the workplace.

(P272)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Wear respiratory protection. (P284)

Response IF ON SKIN: Wash with plenty of water. (P302+P352)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

(P342+P311)

Take off contaminated clothing and wash it before reuse. (P362+P364)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Dispose of contents/container to hazardous or special waste collection Disposal

point, in accordance with local, regional, national and/or international

regulation. (P501)

Revision date: 2/20/2023 SDS code: C2-19 Version: 12

## 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CAS KIN
Amorphous silica	About 99%	SiO2·nH2O	-	-	112926-00-8
Cobalt(II) chloride	About 1%	CoCl2	(1)-207	Existing Chemical Substance	7646-79-9

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

#### 4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

## 5. Fire fighting measures

Suitable extinguishing media

Use proper extinguishing media depending on peripheral fire.

Unsuitable extinguishing media

Do not use a heavy water stream. This product is unburnable.

Hazardous decomposition products

Fire hazard

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

#### 6. Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

Revision date: 2/20/2023 SDS code: C2-19 Version: 12

### 7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

**Storage** 

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers Technical measures

Comply with applicable regulations.

Airtight container.

Storage temperature : Cool and dark place

## 8. Exposure controls / Personal protection equipment

Exposure limit values		
Cobalt(II) chloride		
Japan administration level	0.02mg/m3(as Co)	
Exposure limits (JSOH)	0.05mg/m3(as Co)	

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment** 

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

#### 9. Physical and chemical properties

Physical state : Solid

Appearance : Amorphous granular

Color : blue

Odor : No data available pH : No data available

Melting point :  $> 1000 \, ^{\circ}\text{C}$ 

Freezing point No data available **Boiling point** No data available Flash point Non-flammable Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 2.1 g/cm³ (20°C) No data available Relative gas density Solubility Insoluble in water. Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available

Revision date: 2/20/2023 SDS code: C2-19 Version: 12

Viscosity, kinematic : No data available
Particle characteristics : No data available

# 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Shows hygroscopicity. When dry it

is in blue and it becomes red through purple when absorb water.

Possibility of hazardous reactions : Reacts with hydrogen fluoride to generate the silicon fluoride (gas). May

react with oxidizing agents.

Conditions to avoid : Sunlight, moisture. Contact with oxidizing agents and hydrogen fluoride.

Incompatible materials : Oxidizing agents, Hydrogen fluoride
Hazardous decomposition : Silicon oxides, Chlorine, Cobalt oxides

products

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product			
Acute toxicity (oral)	No classification		
Acute toxicity (dermal)	classification not possible		
Acute toxicity (inhalation)	vapors:No classification		
Troute terminy (minimum min)	Gases:No classification		
	dust, mist:classification not possible		
Skin corrosion/irritation	No classification		
Serious eye damage/irritation	Category 2		
Respiratory sensitization	Category 1		
Skin sensitization	Category 1		
Germ cell mutagenicity	Category 2		
Carcinogenicity  Reproductive toxicity	Category 2 Category 1B		
STOT-single exposure	Category 2 Category 3 (Respiratory tract irritation.)		
STOT-repeated exposure	Category 2		
Aspiration hazard	classification not possible		
Amorphous silica			
Acute toxicity (oral)	No classification		
Acute toxicity (dermal)	No classification		
Acute toxicity (gas)	No classification		
Acute toxicity (vapour)	No classification		
Acute toxicity (inhalation:dust/mist)	classification not possible		
Skin corrosion/irritation	No classification		
Serious eye damage/irritation	Category 2B		
Respiratory sensitization	classification not possible		
Skin sensitization	classification not possible		
Germ cell mutagenicity	classification not possible		
Carcinogenicity	classification not possible		
Reproductive toxicity	classification not possible		
STOT-single exposure	Category 3 (Respiratory tract irritation.)		
STOT-repeated exposure	classification not possible		
Aspiration hazard	classification not possible		
Cobalt(II) chloride			
Acute toxicity (oral)	Category 3		
Acute toxicity (dermal)	classification not possible		
Acute toxicity (gas)	No classification		
Acute toxicity (vapour)	No classification		
Acute toxicity (inhalation:dust/mist)	classification not possible		
Skin corrosion/irritation	Category 2		
Serious eye damage/irritation	Category 2		
Respiratory sensitization	Category 1		
Skin sensitization	Category 1		

Revision date: 2/20/2023 SDS code: C2-19

Cobalt(II) chloride		
Germ cell mutagenicity	Category 2	
Carcinogenicity	Category 2	
Reproductive toxicity	Category 1B	
STOT-single exposure	Category 1 Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	Category 1 Category 2	
Aspiration hazard	classification not possible	

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.			
As a product			
Hazardous to the aquatic environment, short-term (acute)	Category 3		
Hazardous to the aquatic environment, long-term (chronic)	classification not possible		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Ozone	classification not possible		
Amorphous silica			
Hazardous to Aquatic Environment - Acute Hazard	No classification		
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Hazardous to the ozone layer	classification not possible		
Cobalt(II) chloride			
Hazardous to Aquatic Environment - Acute Hazard	Category 1		
Hazardous to Aquatic Environment - Chronic Hazard	Category 1		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Hazardous to the ozone layer	classification not possible		

### 13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

## 14. Transport information

## **International Regulations**

### Transport by sea(IMDG)

UN-No. (IMDG) Not applicable Proper Shipping Name (IMDG) Not applicable Packing group (IMDG) Not applicable Transport hazard class(es) (IMDG) Not applicable

Air transport(IATA)

UN-No. (IATA) Not applicable Proper Shipping Name (IATA) Not applicable Packing group (IATA) Not applicable Transport hazard class(es) (IATA) Not applicable Marine pollutant Not applicable

Revision date: 2/20/2023 SDS code: C2-19 Version: 12

#### Regulations in Japan

Regulatory information by sea Not applicable Regulatory information by air Not applicable

Special transport precautions When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

#### **National law**

Industrial Safety and Health Law

Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5)

Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Cobalt and its compounds (Ordinance number: 172) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical

Substances Art.38-3)

Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on Special medical examination, Past handling workers

(Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Fire Service Law

Not applicable Air Pollution Control Law Hazardous Air Pollutants (Central Environment Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Labor Standards Act

Not applicable

Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

Sensitizers (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4,

Labor Standard Bureau Notice No.182 of 1996)

#### 16. Other information

Data sources

Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.