

Silicon dioxide

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 4/23/2008 Revision date: 4/13/2023 SDS code: C2-20 Version: 07

Safety Data Sheet

1. Chemical product and company identification

Product name : Silicon dioxide

SDS code : C2-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

Oxidizing gases

No classification

No classification

No classification

No classification

Flammable liquids

Flammable solids

No classification

No classification

No classification

No classification

No classification

No classification

mixtures

Pyrophoric liquids No classification

Pyrophoric solids No classification
Self-heating substances and No classification

mixtures

Substances and mixtures which in No classification

contact with water emit flammable

gases

Oxidizing liquids No classification

Oxidizing solids classification not possible

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

Acute toxicity (dermal)

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification
Serious eye damage/eye irritation Category 2

Respiratory sensitization classification not possible
Skin sensitization classification not possible
Germ cell mutagenicity classification not possible

Carcinogenicity Category 1A

Reproductive toxicity classification not possible

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

exposure)

Revision date: 4/13/2023 SDS code: C2-20 Version: 07

Specific target organ toxicity

(repeated exposure)

Category 1 (respiratory system, immune system,

kidneys)

Aspiration hazard

I Hazardous to the aquatic

classification not possible classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

classification not possible

Hazardous to the ozone layer

classification not possible

Hazard pictograms (GHS JP)





GHS07

GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Causes serious eye irritation (H319)

May cause respiratory irritation (H335)

May cause cancer (H350)

Causes damage to organs (respiratory system, immune system, kidneys)

through prolonged or repeated exposure (H372)

Precautionary statements (GHS JP)

Prevention : Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Get medical advice/attention. (P308+P313)

Get medical advice/attention if you feel unwell. (P314)

If eye irritation persists: Get medical advice/attention. (P337+P313)

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance Synonyms : Silicic anhydride

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CAS KN
Silicon dioxide	≧99%, ≦100%	SiO2	(1)-548	Existing Chemical Substance	7631-86-9

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

Revision date: 4/13/2023 SDS code: C2-20 Version: 07

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Use proper extinguishing media depending on peripheral fire.

Unsuitable extinguishing media

Do not use a heavy water stream.

Fire hazard

This product is unburnable.

Hazardous decomposition products

in case of fire Firefighting instructions In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions

Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up

Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures

Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate. Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

Precautions for safe handling

substances or mixtures

Avoid prolonged or repeated exposure.

Store locked up.

Storage

Storage conditions

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Revision date: 4/13/2023 SDS code: C2-20 Version: 07

Material used in : Airtight container.

packaging/containers

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid

Appearance : Granular ∼ Powder

Color : white

Odor : No data available pH : No data available

Melting point : 1610 °C

Freezing point : No data available

Boiling point : 2503 °C

Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density $2.2 - 2.7 \text{ g/cm}^3$ Relative gas density No data available

Solubility : Sparingly soluble in water. Soluble in hydrofluoric acid. Soluble in hot

sodium hydroxide solution.

Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts with strong acids.

Conditions to avoid : Sunlight, heat. Contact with strong acids.

Incompatible materials : Strong acids
Hazardous decomposition : Silicon compounds

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Silicon dioxide		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	

Revision date: 4/13/2023 SDS code: C2-20 Version: 07

Silicon dioxide		
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	Category 2	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	Category 1A	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Silicon dioxide		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Packing group (IMDG) : Not applicable
Transport hazard class(es) (IMDG) : Not applicable

Air transport(IATA)

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Packing group (IATA) : Not applicable
Transport hazard class(es) (IATA) : Not applicable

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Not applicable Regulatory information by air : Not applicable

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Revision date: 4/13/2023 SDS code: C2-20 Version: 07

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Crystalline silica (Ordinance number: 165-2)

Carcinogenic Substances (Ordinance on Industrial Safety and Health,

Art.577-2 Para.3, Public Notification No. 371 of Dec 26, 2022)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Fire Service Law

Not applicable

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Japanese Pollutant Release and

Not applicable

Transfer Register Law (PRTR Law) Pneumoconiosis Law

Dust Work (Act Art.2, Rule for Enforcement Art.2 Attached Table)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. Other information

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.