

Sodium nitrate

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 5/15/2009 Revision date: 7/3/2020 SDS code: C4-12 Version: 05.1

Safety Data Sheet

1. Chemical product and company identification

Product name Sodium nitrate

SDS code C4-12

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Responsible department : Planning Group, Reagent & Chemical Product Department

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

2. Hazards identification

GHS classification

Physical hazards Desensitized eplosives classification not possible

> No classification **Explosives** Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification Flammable solids No classification

Self-reactive substances and

mixtures

No classification

Pyrophoric liquids No classification Pyrophoric solids No classification Self-heating substances and

mixtures

No classification

Substances and mixtures which in contact with water emit flammable

gases

No classification

No classification Oxidizing liquids Oxidizing solids Category 3 Organic peroxides No classification

Corrosive to metals classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification Acute toxicity (inhalation:vapors) No classification

classification not possible Acute toxicity (inhalation:dust/mist)

Skin corrosion/irritation No classification Serious eye damage/eye irritation Category 2B

Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity Category 2

Carcinogenicity classification not possible classification not possible Reproductive toxicity

Specific target organ toxicity (single

exposure)

Category 1 (blood)

Category 1 (blood)

Specific target organ toxicity

(repeated exposure)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic

environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

No classification

No classification

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS03

S03 GHS0

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : May intensify fire; oxidizer (H272)

Causes eye irritation (H320)

Suspected of causing genetic defects (H341) Causes damage to organs (blood) (H370)

Causes damage to organs (blood) through prolonged or repeated

exposure (H372)

Precautionary statements (GHS JP)

Prevention : Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Keep away from clothing and other combustible materials. (P220)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

If eye irritation persists: Get medical advice/attention. (P337+P313)

In case of fire: Use specify appropriate media to extinguish. (P370+P378)

Storage : Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance Synonyms : Nitratine

	Concentration or Concentration range	Formula	Kanpo number		040 011
Name			CSCL no	ISHL no	CAS RN
Sodium nitrate	≧98.5%、≦100%	NaNO3	(1)-484	Existing Chemical Substance	7631-99-4

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are mass%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

: Water spray

Unsuitable extinguishing media

Foam, Dry powder, Do not use a heavy water stream.

Fire hazard : This product is unburnable.

May intensify fire; oxidizer.

Explosion hazard

Hazardous decomposition products

in case of fire

May induce explosion of containers by heating.

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care no

Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures

Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

: Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid

Appearance : Crystals ~ Crystalline powder

Color : colorless ~ white

Odor : Odorless

pH : $5.0 - 8.0 (50g/L, 25^{\circ}C)$

Melting point : 308 °C

Freezing point : No data available
Boiling point : No data available
Flash point : Not inflammable
Auto-ignition temperature : No data available

Decomposition temperature : 380 °C

Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative density : No data available
Density : 2.27 g/cm³ (20°C)
Relative gas density : No data available

Solubility : Easily soluble in water. Soluble in glycerol. Sparingly soluble in ethanol.

Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Shows hygroscopicity.

Possibility of hazardous reactions : Be strong oxidizing agent, it reacts with flammable and reducing substances

and poses a risk of fire or explosion. When mixed with combustible substances or organic compounds, it easily ignites and may explode due to heating or impact. Ignite when mixed with red phosphorus, aluminium,

magnesium, etc.

Conditions to avoid : Sunlight, moisture, heat. Contact with combustible substances, reducing

substances, organic compounds, red phosphorus, aluminium, magnesium,

etc.

Incompatible materials : Combustible substances, Reducing substances, Organic compounds, Red

phosphorus, Aluminium, Magnesium

Hazardous decomposition

products

: Nitrogen oxides, Sodium oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Sodium nitrate		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	Category 2B	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	Category 2	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Sodium nitrate		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and :

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

Excepted quantities (IMDG)

UN-No. (IMDG) : 1498

Proper Shipping Name (IMDG) : SODIUM NITRATE

E1

Packing group (IMDG) : III

Transport hazard class(es) (IMDG) : 5.1

Hazard labels (IMDG) : 5.1

Class (IMDG) : 5.1

Division (IMDG) : 5.1

Special provision (IMDG) : 964, 967

Limited quantities (IMDG) : 5 kg

Packing instructions (IMDG) : P002, LP02 IBC packing instructions (IMDG) : IBC08 IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : T1, BK2, BK3

Tank special provisions (IMDG) : TP33 Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless deliquescent solid. Soluble in water. Mixtures with

combustible material are readily ignited and may burn fiercely. Harmful if swallowed. This substance in the impure form is known as Chile

Saltpetre.

MFAG-No : 140

Air transport(IATA)

UN-No. (IATA) : 1498

Proper Shipping Name (IATA) : Sodium nitrate

Packing group (IATA) Ш Transport hazard class(es) (IATA) 5 1 Hazard labels (IATA) 5.1 Class (IATA) 5.1 Division (IATA) 5.1 PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y546 PCA limited quantity max net 10kg

quantity (IATA)

PCA packing instructions (IATA) : 559
PCA max net quantity (IATA) : 25kg
CAO packing instructions (IATA) : 563
CAO max net quantity (IATA) : 100kg
Special provision (IATA) : A803
ERG code (IATA) : 5L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 140

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Dangerous Substances - Oxidizing Substance (Enforcement Order

Attached Table 1 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Water Pollution Prevention Law

: Hazardous Substances (Act, Art.2, Enforcement Order Art.2,

Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law : Group 1 - Oxidizing solids - Nitrates (Law Art.2 Para.7, Attached

Table 1, Group 1)

Not applicable

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Oxidizing substances and organic peroxides/Oxidizing substances

(Dangerous Goods Notification Schedule first second and third Article

Dangerous Goods Regulations)

Civil Aeronautics Law : Oxidizing substances and organic peroxides/Oxidizing substances

(Hazardous materials notice Appended Table 1 Article 194 of the

Enforcement Regulations)

Port Regulation Law : Oxidizing substances and organic peroxides/Oxidizing substances

(Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table

that defines the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Not applicable

16. Other information

Data sources

 Handbook of 17120 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.
 National Institute of Technology and Evaluation (NITE).
 2016 Emergency Response Guidebook (ERG 2016).

Other information

The SDS is copyrighted material of Havashi Pure Chemical Ind. Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.