

---

## Safety Data Sheet

### 1. Chemical product and company identification

**Product name** : Sodium peroxide

**SDS code** : C4-18

**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku\_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

**Emergency number** : 06-6910-7305

**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

### 2. Hazards identification

#### GHS classification

Physical hazards	Desensitized explosives	No classification	
	Explosives	No classification	
	Flammable gases	No classification	
	Aerosol	No classification	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	No classification	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	No classification	
	Pyrophoric liquids	No classification	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	No classification	
	Substances and mixtures which in contact with water emit flammable gases	No classification	
	Oxidizing liquids	No classification	
	Oxidizing solids	Category 1	
	Organic peroxides	No classification	
	Corrosive to metals	classification not possible	
	Health hazards	Acute toxicity (oral)	classification not possible
		Acute toxicity (dermal)	classification not possible
		Acute toxicity (inhalation:gas)	No classification
Acute toxicity (inhalation:vapors)		No classification	
Acute toxicity (inhalation:dust/mist)		classification not possible	
Skin corrosion/irritation		Category 1	
Serious eye damage/eye irritation		Category 1	
Respiratory sensitization		classification not possible	
Skin sensitization		classification not possible	
Germ cell mutagenicity		classification not possible	
Carcinogenicity	classification not possible		
Reproductive toxicity	classification not possible		
Specific target organ toxicity (single exposure)	Category 3 (Respiratory tract irritation.)		

	Specific target organ toxicity (repeated exposure)	classification not possible
	Aspiration hazard	classification not possible
Environmental hazards	Hazardous to the aquatic environment, short-term (acute)	classification not possible
	Hazardous to the aquatic environment, long-term (chronic)	classification not possible
	Hazardous to the ozone layer	classification not possible

Hazard pictograms (GHS JP)



GHS03



GHS05



GHS07

Signal word (GHS JP)	:	Danger
Hazard statements (GHS JP)	:	May cause fire or explosion; strong oxidizer (H271) Causes severe skin burns and eye damage (H314) May cause respiratory irritation (H335)
Precautionary statements (GHS JP)	:	
Prevention	:	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Keep away from clothing and other combustible materials. (P220) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Use only outdoors or in a well-ventilated area. (P271) Wear protective gloves/protective clothing/eye protection/face protection. (P280) Wear fire resistant or flame retardant clothing. (P283)
Response	:	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) IF ON CLOTHING: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. (P306+P360) Immediately call a POISON CENTER or doctor. (P310) Call a POISON CENTER or doctor if you feel unwell. (P312) Wash contaminated clothing before reuse. (P363) In case of fire: Use specify appropriate media to extinguish. (P370+P378) In case of major fire and large quantities: Evacuate area. Fight fire remotely due to the risk of explosion. (P371+P380+P375)
Storage	:	Store in a well-ventilated place. Keep container tightly closed. (P403+P233) Store locked up. (P405) Store separately. (P420)
Disposal	:	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Sodium peroxide	≥95.0%, ≤100%	Na <sub>2</sub> O <sub>2</sub>	(1)-496	Existing Chemical Substance	1313-60-6

The above concentration or concentration range are not product specification.  
All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

## 4. First aid measures

### First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.  
Gently wash with plenty of soap and water.  
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.  
Get immediate medical advice/attention.

## 5. Fire fighting measures

- Suitable extinguishing media : Dry powder, Sand.
- Unsuitable extinguishing media : Water, Foam.
- Fire hazard : This product is unburnable.  
May intensify fire; oxidizer.
- Explosion hazard : May induce explosion of containers by heating.
- Reactivity in case of fire : Reacts violently with water.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.  
Wash out the spilled area with large amounts of water.

## 7. Handling and storage

### Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.

Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

**Storage**

Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.

Material used in packaging/containers : Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

**8. Exposure controls / Personal protection equipment**

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment**

Respiratory protection : Dustproof mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

**9. Physical and chemical properties**

Physical state : Solid

Appearance : Powder ~ Granular

Color : light yellow

Odor : No data available

pH : No data available

Melting point : 460 °C

Freezing point : No data available

Boiling point : 657 °C

Flash point : Not inflammable

Auto-ignition temperature : No data available

Decomposition temperature : No data available

Flammability : No data available

Vapor pressure : No data available

Relative density : No data available

Density : 2.81 g/cm<sup>3</sup> (20°C)

Relative gas density : No data available

Solubility : Easily soluble in water.

Partition coefficient n-octanol/water (Log Pow) : No data available

Explosive limits (vol %) : No data available

Viscosity, kinematic : No data available

Particle characteristics : No data available

**10. Stability and reactivity**

Reactivity : No data available

Chemical stability : When contact with water, it reacts violently and decomposes to produce sodium hydroxide, hydrogen peroxide and oxygen.

Possibility of hazardous reactions : Reacts with organic compounds and metal powder, and poses a risk of fire and explosion. This reaction may cause the container to burst. Be strong oxidizing agents, it corrodes metals. Do not heat, cause friction or shock.

Conditions to avoid : Sunlight, moisture, heat. Contact with water, organic compounds, metals, strong reducing agents, combustible substances and acids.

Incompatible materials : Water, Organic compounds, Metals, Strong reducing agents, Combustible substances, Acids

Hazardous decomposition products : Sodium hydroxide, Hydrogen peroxide, Oxygen

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Sodium peroxide	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Sodium peroxide	
Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

## 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.

Contaminated container and packaging : Empty the packaging completely prior to disposal.  
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

### International Regulations

#### Transport by sea(IMDG)

UN-No. (IMDG) : 1504  
 Proper Shipping Name (IMDG) : SODIUM PEROXIDE  
 Packing group (IMDG) : I  
 Transport hazard class(es) (IMDG) : 5.1  
 Hazard labels (IMDG) : 5.1  
 Class (IMDG) : 5.1  
 Division (IMDG) : 5.1  
 Limited quantities (IMDG) : 0  
 Excepted quantities (IMDG) : E0  
 Packing instructions (IMDG) : P503  
 IBC packing instructions (IMDG) : IBC05  
 IBC special provisions (IMDG) : B1

Stowage category (IMDG)	: C
Properties and observations (IMDG)	: Pale yellow coarse powder or granules. Particularly if wetted with small quantities of water, a mixture with combustible material may ignite, following impact or friction. When involved in a fire, or in contact with water or acids, decomposes, evolving oxygen. Highly irritating to skin, eyes and mucous membranes.
MFAG-No	: 144
<b>Air transport(IATA)</b>	
UN-No. (IATA)	: 1504
Proper Shipping Name (IATA)	: Sodium peroxide
Packing group (IATA)	: I
Transport hazard class(es) (IATA)	: 5.1
Hazard labels (IATA)	: 5.1
Class (IATA)	: 5.1
Division (IATA)	: 5.1
PCA Excepted quantities (IATA)	: E0
PCA Limited quantities (IATA)	: Forbidden
PCA limited quantity max net quantity (IATA)	: Forbidden
PCA packing instructions (IATA)	: Forbidden
PCA max net quantity (IATA)	: Forbidden
CAO packing instructions (IATA)	: 561
CAO max net quantity (IATA)	: 15kg
Special provision (IATA)	: A1
ERG code (IATA)	: 5L
<b>Marine pollutant</b>	: Not applicable
<b>Regulations in Japan</b>	
Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 144
<b>Special transport precautions</b>	: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

### National law

Industrial Safety and Health Law	: Dangerous Substances - Oxidizing Substance (Enforcement Order Attached Table 1 Item 3) Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1, 4 based on July 4, 2023) 【Date of enforcement: April 1, 2025】 Dangerous or Harmful Substances for Labeling of Chemical Name etc. (Act Art.57 Para.1, Enforcement Order, Art.18) Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Act, Art.57-2, Enforcement Order, Art.18-2) Sodium peroxide
Japanese Poisonous and Deleterious Substances Control Law	: Deleterious Substances (Designated Order Art.2) Preparations containing sodium peroxide. (except for substances which contain 5% or less of sodium peroxide)
Fire Service Law	: Group 1 - Oxidizing solids - Inorganic peroxides (Law Art.2 Para.7, Attached Table 1, Group 1)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Oxidizing substances and organic peroxides/Oxidizing substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Oxidizing substances and organic peroxides/Oxidizing substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Oxidizing substances and organic peroxides/Oxidizing substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Waterworks Law	: Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) : Not applicable

## 16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.  
International Chemical Safety Cards.  
National Institute of Technology and Evaluation (NITE).  
2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.