

---

## Safety Data Sheet

### 1. Chemical product and company identification

**Product name** : Triethylamine

**SDS code** : C8-08

**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku\_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

**Emergency number** : 06-6910-7305





**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

### 2. Hazards identification

#### GHS classification

|  |  |                                 |                   |
|--|--|---------------------------------|-------------------|
| Physical hazards                                 | Explosives   | No classification               |                   |
|  | Flammable gases  | No classification               |                   |
|  | Aerosol  | No classification               |                   |
|  | Oxidizing gases  | No classification               |                   |
|  | Gases under pressure   | No classification               |                   |
|  | Flammable liquids  | Category 2                      |                   |
|  | Flammable solids   | No classification               |                   |
|  | Self-reactive substances and mixtures                                    | No classification               |                   |
|  | Pyrophoric liquids   | No classification               |                   |
|  | Pyrophoric solids  | No classification               |                   |
|  | Self-heating substances and mixtures                                     | classification not possible     |                   |
|  | Substances and mixtures which in contact with water emit flammable gases | No classification               |                   |
|  | Oxidizing liquids  | No classification               |                   |
|  | Oxidizing solids   | No classification               |                   |
|  | Organic peroxides  | No classification               |                   |
|  | Corrosive to metals  | classification not possible     |                   |
|  | Desensitized explosives  | classification not possible     |                   |
|  | Health hazards   | Acute toxicity (oral)           | Category 4        |
|  |  | Acute toxicity (dermal)         | Category 3        |
|  |  | Acute toxicity (inhalation:gas) | No classification |
| Acute toxicity (inhalation:vapors)               |  | Category 4                      |                   |
| Acute toxicity (inhalation:dust/mist)            |  | classification not possible     |                   |
| Skin corrosion/irritation                        |  | Category 1                      |                   |
| Serious eye damage/eye irritation                |  | Category 1                      |                   |
| Respiratory sensitization                        |  | classification not possible     |                   |
| Skin sensitization                               |  | No classification               |                   |
| Germ cell mutagenicity                           |  | classification not possible     |                   |
| Carcinogenicity                                  | classification not possible  |                                 |                   |
| Reproductive toxicity                            | classification not possible  |                                 |                   |
| Specific target organ toxicity (single exposure) | Category 1 (central nervous system)                                      |                                 |                   |

|                                   |  |  |
|-----------------------------------|--|--|
|                                   | Specific target organ toxicity (single exposure)                                   | Category 3 (Respiratory tract irritation.)   |
|                                   | Specific target organ toxicity (repeated exposure)                                 | Category 2 (respiratory system)  |
|                                   | Aspiration hazard  | classification not possible  |
| Environmental hazards             | Hazardous to the aquatic environment, short-term (acute)                           | Category 2   |
|                                   | Hazardous to the aquatic environment, long-term (chronic)                          | Category 3   |
|                                   | Hazardous to the ozone layer   | classification not possible  |
| Hazard pictograms (GHS JP)        |   |  |
|                                   |   |  |
|                                   |   |  |
|                                   |  |  |
|                                   | GHS02  | GHS05  |
|                                   | GHS06  | GHS08  |
| Signal word (GHS JP)              | :  | Danger   |
| Hazard statements (GHS JP)        | :  | Highly flammable liquid and vapor (H225)<br>Harmful if swallowed or if inhaled (H302+H332)<br>Toxic in contact with skin (H311)<br>Causes severe skin burns and eye damage (H314)<br>May cause respiratory irritation (H335)<br>Causes damage to organs (central nervous system) (H370)<br>May cause damage to organs (respiratory system) through prolonged or repeated exposure (H373)<br>Toxic to aquatic life (H401)<br>Harmful to aquatic life with long lasting effects (H412)   |
| Precautionary statements (GHS JP) | :  |  |
| Prevention                        | :  | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)<br>Ground and bond container and receiving equipment. (P240)<br>Use explosion-proof electrical/ventilating/lighting equipment. (P241)<br>Use only non-sparking tools. (P242)<br>Take action to prevent static discharges. (P243)<br>Do not breathe dust/fume/gas/mist/vapors/spray. (P260)<br>Wash hands, forearms and face thoroughly after handling. (P264)<br>Do not eat, drink or smoke when using this product. (P270)<br>Use only outdoors or in a well-ventilated area. (P271)<br>Avoid release to the environment. (P273)<br>Wear protective gloves/protective clothing/eye protection/face protection. (P280)   |
| Response                          | :  | IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. (P301+P312)<br>IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331)<br>IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353)<br>IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340)<br>IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)<br>IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311)<br>Immediately call a POISON CENTER or doctor. (P310)<br>Get medical advice/attention if you feel unwell. (P314)<br>Take off immediately all contaminated clothing and wash it before reuse. (P361+P364)<br>In case of fire: Use specify appropriate media to extinguish. (P370+P378) |
| Storage                           | :  | Store in a well-ventilated place. Keep container tightly closed. (P403+P233)<br>Store in a well-ventilated place. Keep cool. (P403+P235)<br>Store locked up. (P405)  |
| Disposal                          | :  | Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)   |

### 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

| Name          | Concentration or Concentration range | Formula | Kanpo number |                             | CAS RN   |
|---------------|--------------------------------------|---------|--------------|-----------------------------|----------|
|               |                                      |         | CSCL no      | ISHL no                     |          |
| Triethylamine | ≥98%, ≤100%                          | C6H15N  | (2)-141      | Existing Chemical Substance | 121-44-8 |

The above concentration or concentration range are not product specification.  
All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.  
Gently wash with plenty of soap and water.  
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting.  
Rinse mouth.  
Get immediate medical advice/attention.

### 5. Fire fighting measures

- Suitable extinguishing media : Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Danger of the steam explosion in indoor, outdoor, sewer.  
May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.  
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

### 6. Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

#### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

**Methods and Equipment for Containment and Cleaning up**

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.  
Collect leaking and spilled liquid in sealable containers as far as possible.  
Wash out the spilled area with large amounts of water.

**7. Handling and storage****Handling**

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.  
Take precautionary measures against static discharge.  
Use explosion-proof equipment.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

**Storage**

- Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Light shielding airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

**8. Exposure controls / Personal protection equipment**

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment**

- Respiratory protection : Gas mask for organic gases
- Hand protection : Impervious protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

**9. Physical and chemical properties**

- Physical state : Liquid
- Appearance : Liquid
- Color : colorless transparent
- Odor : Ammonia odor
- pH : No data available
- Melting point : -115 °C
- Freezing point : No data available
- Boiling point : 90 °C
- Flash point : -8.8 °C
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability : No data available
- Vapor pressure : No data available
- Relative density : No data available
- Density : 0.73 g/cm<sup>3</sup> (20°C)
- Relative gas density : No data available

|   |   |   |
|---|---|---|
| Solubility                                      | : | Soluble in many organic solvents.<br>Water: 80 g/l (25°C) |
| Partition coefficient n-octanol/water (Log Pow) | : | No data available   |
| Explosive limits (vol %)                        | : | 1.2 – 8 vol %   |
| Viscosity, kinematic                            | : | No data available   |
| Particle characteristics                        | : | No data available   |

## 10. Stability and reactivity

|                                    |   |   |
|------------------------------------|---|---|
| Reactivity                         | : | No data available   |
| Chemical stability                 | : | Stable under normal handling conditions.  |
| Possibility of hazardous reactions | : | Reacts violently with acids. In the presence of water, it is corrosive to aluminium, zinc, copper and alloys thereof. Reacts violently with strong oxidizing agents to pose a risk of fire and explosion. Corrodes some kinds of plastics, rubber and coating agents. |
| Conditions to avoid                | : | Sunlight, moisture, heat. Ignition sources such as flame, spark and static electricity. Contact with acids, strong oxidizing agents and metals.   |
| Incompatible materials             | : | Acids, Strong oxidizing agents, Metals  |
| Hazardous decomposition products   | : | Nitrogen oxides   |

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Triethylamine                         |   |
|---------------------------------------|---|
| Acute toxicity (oral)                 | Category 4  |
| Acute toxicity (dermal)               | Category 3  |
| Acute toxicity (gas)                  | No classification                                     |
| Acute toxicity (vapour)               | Category 4  |
| Acute toxicity (inhalation:dust/mist) | classification not possible                           |
| Skin corrosion/irritation             | Category 1  |
| Serious eye damage/irritation         | Category 1  |
| Respiratory sensitization             | classification not possible                           |
| Skin sensitization                    | No classification                                     |
| Germ cell mutagenicity                | classification not possible                           |
| Carcinogenicity                       | classification not possible                           |
| Reproductive toxicity                 | classification not possible                           |
| STOT-single exposure                  | Category 1 Category 3 (Respiratory tract irritation.) |
| STOT-repeated exposure                | Category 2  |
| Aspiration hazard                     | classification not possible                           |

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Triethylamine                                     |                             |
|---|-----------------------------|
| Hazardous to Aquatic Environment - Acute Hazard   | Category 2                  |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 3                  |
| Persistence and degradability                     | No data available           |
| Bioaccumulative potential                         | No data available           |
| Mobility in soil                                  | No data available           |
| Hazardous to the ozone layer                      | classification not possible |

## 13. Disposal considerations

|                           |   |  |
|---------------------------|---|--|
| Ecology - waste materials | : | With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor. |
|---------------------------|---|--|

Contaminated container and packaging : Empty the packaging completely prior to disposal.  
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

### International Regulations

#### Transport by sea(IMDG)

UN-No. (IMDG) : 1296  
 Proper Shipping Name (IMDG) : TRIETHYLAMINE  
 Packing group (IMDG) : II  
 Transport hazard class(es) (IMDG) : 3 (8)  
 Hazard labels (IMDG) : 3,8  
 Class (IMDG) : 3  
 Subsidiary hazard (IMDG) : 8  
 Limited quantities (IMDG) : 1 L  
 Excepted quantities (IMDG) : E2  
 Packing instructions (IMDG) : P001  
 IBC packing instructions (IMDG) : IBC02  
 Tank instructions (IMDG) : T7  
 Tank special provisions (IMDG) : TP1  
 Stowage category (IMDG) : B  
 Flash point (IMDG) : -11°C c.c.  
 Properties and observations (IMDG) : Colourless liquid with a strong ammonia-like odour. Flashpoint: -11°C c.c. Explosive limits: 1.2% to 8%. Miscible with water. Harmful by inhalation. Causes burns to skin and eyes. Irritating to mucous membranes.

MFAG-No : 132

#### Air transport(IATA)

UN-No. (IATA) : 1296  
 Proper Shipping Name (IATA) : Triethylamine  
 Packing group (IATA) : II  
 Transport hazard class(es) (IATA) : 3 (8)  
 Hazard labels (IATA) : 3, 8  
 Class (IATA) : 3  
 Subsidiary hazards (IATA) : 8  
 PCA Excepted quantities (IATA) : E2  
 PCA Limited quantities (IATA) : Y340  
 PCA limited quantity max net quantity (IATA) : 0.5L  
 PCA packing instructions (IATA) : 352  
 PCA max net quantity (IATA) : 1L  
 CAO packing instructions (IATA) : 363  
 CAO max net quantity (IATA) : 5L  
 ERG code (IATA) : 3CH

Marine pollutant : Not applicable

#### Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.  
 Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.  
 MFAG-No : 132

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

### National law

Chemical Substances Control Law : Priority Assessment Chemical Substances (Law Article 2, Para.5)  
 Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18)  
 Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)  
 Triethylamine  
 Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4)

|   |   |  |
|---|---|--|
| Industrial Safety and Health Law                                      | : | Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1, 4 based on July 4, 2023)<br>Chemical substances that cause skin damage, skin-absorbable harmful substances (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1, 4 based on July 4, 2023) |
| Japanese Poisonous and Deleterious Substances Control Law             | : | Not applicable   |
| Fire Service Law  | : | Group 4 - Flammable liquids - 1st Class petroleums - Insoluble (Law Art.2 Para.7, Attached Table 1, Group 4)   |
| Air Pollution Control Law   | : | Hazardous Air Pollutants (Central Environment Council Report No. 9) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)   |
| Law Relating to Prevention of Marine Pollution and Maritime Disasters | : | Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 2)  |
| Foreign Exchange and Foreign Trade Control Act                        | : | Export Trade Control Ordinance appendix 1-16   |
| Ship Safety Act   | : | Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)   |
| Civil Aeronautics Law   | : | Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)   |
| Port Regulation Law   | : | Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)  |
| Road Act  | : | Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.)   |
| Waste Management on Public Cleansing Law                              | : | Specially Controlled Industrial Wastes (Act Art.2, para 5, Enforcement Order Art.2-4)  |
| Japanese Pollutant Release and Transfer Register Law (PRTR Law)       | : | Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1)<br>Triethylamine (100%)   |

## 16. Other information

|                   |   |  |
|-------------------|---|--|
| Data sources      | : | Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.<br>National Institute of Technology and Evaluation (NITE).<br>2020 Emergency Response Guidebook (ERG 2020).  |
| Other information | : | The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references. |