
Safety Data Sheet**1. Chemical product and company identification****Product name** : 2,2',2''-Nitrilotriethanol**SDS code** : C9-18**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.**2. Hazards identification****GHS classification**

| | | | |
|--|--|-----------------------------|-------------------|
| Physical hazards | Explosives | No classification | |
| | Flammable gases | No classification | |
| | Aerosol | No classification | |
| | Oxidizing gases | No classification | |
| | Gases under pressure | No classification | |
| | Flammable liquids | No classification | |
| | Flammable solids | No classification | |
| | Self-reactive substances and mixtures | No classification | |
| | Pyrophoric liquids | No classification | |
| | Pyrophoric solids | No classification | |
| | Self-heating substances and mixtures | classification not possible | |
| | Substances and mixtures which in contact with water emit flammable gases | No classification | |
| | Oxidizing liquids | No classification | |
| | Oxidizing solids | No classification | |
| | Organic peroxides | No classification | |
| | Corrosive to metals | classification not possible | |
| | Desensitized explosives | classification not possible | |
| | Health hazards | Acute toxicity (oral) | No classification |
| | | Acute toxicity (dermal) | No classification |
| Acute toxicity (inhalation:gas) | | No classification | |
| Acute toxicity (inhalation:vapors) | | classification not possible | |
| Acute toxicity (inhalation:dust/mist) | | classification not possible | |
| Skin corrosion/irritation | | Category 2 | |
| Serious eye damage/eye irritation | | Category 2A | |
| Respiratory sensitization | | classification not possible | |
| Skin sensitization | | Category 1 | |
| Germ cell mutagenicity | | classification not possible | |
| Carcinogenicity | classification not possible | | |
| Reproductive toxicity | classification not possible | | |
| Specific target organ toxicity (single exposure) | Category 3 (Respiratory tract irritation.) | | |

| | | |
|-----------------------|---|-----------------------------|
| | Specific target organ toxicity (repeated exposure) | No classification |
| | Aspiration hazard | classification not possible |
| Environmental hazards | Hazardous to the aquatic environment, short-term (acute) | No classification |
| | Hazardous to the aquatic environment, long-term (chronic) | No classification |
| | Hazardous to the ozone layer | classification not possible |

Hazard pictograms (GHS JP)



GHS07

| | | |
|-----------------------------------|---|--|
| Signal word (GHS JP) | : | Warning |
| Hazard statements (GHS JP) | : | Causes skin irritation (H315) May cause an allergic skin reaction (H317) Causes serious eye irritation (H319) May cause respiratory irritation (H335) |
| Precautionary statements (GHS JP) | : | |
| Prevention | : | Avoid breathing dust/fume/gas/mist/vapors/spray. (P261) Wash hands, forearms and face thoroughly after handling. (P264) Use only outdoors or in a well-ventilated area. (P271) Contaminated work clothing should not be allowed out of the workplace. (P272) Wear protective gloves/protective clothing/eye protection/face protection. (P280) |
| Response | : | IF ON SKIN: Wash with plenty of water. (P302+P352) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) Call a POISON CENTER or doctor if you feel unwell. (P312) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) Take off contaminated clothing and wash it before reuse. (P362+P364) |
| Storage | : | Store in a well-ventilated place. Keep container tightly closed. (P403+P233) Store locked up. (P405) |
| Disposal | : | Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501) |

3. Composition/information on ingredients

| | | |
|-------------------------------------|---|-----------------|
| Distinction of substance or mixture | : | Substance |
| Synonyms | : | Triethanolamine |

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|-----------------|--------------------------------------|----------|-----------------|-----------------------------|----------|
| | | | CSCL no | ISHL no | |
| Triethanolamine | ≥ 98.0%, ≤ 100% | C6H15NO3 | (2)-308,(2)-353 | Existing Chemical Substance | 102-71-6 |

The above concentration or concentration range are not product specification.
All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

| | | |
|-------------------------------------|---|---|
| First-aid measures after inhalation | : | Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention. |
|-------------------------------------|---|---|

- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting.
Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Use proper extinguishing media depending on peripheral fire, Water spray, Alcohol-resistant foam, Carbon dioxide, Dry powder, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.
Collect leaking and spilled liquid in sealable containers as far as possible.
Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

- Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Light shielding airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

| Exposure limit values | |
|-------------------------|---------------------------------|
| Triethanolamine | |
| Exposure limits (ACGIH) | TWA 5 mg/m ³ ,STEL - |

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

- Respiratory protection : Gas mask for organic gases
- Hand protection : Impervious protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

- Physical state : Liquid
- Appearance : Viscous liquid
- Color : colorless ~ pale yellow transparent
- Odor : Weak ammonia odor
- pH : Aqueous solution is alkaline.
- Melting point : 20 – 21 °C
- Freezing point : No data available
- Boiling point : 360 °C (101.3kPa)
- Flash point : 179 °C (seta closed cup)
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapor pressure : 1.33 Pa (20°C)
- Relative density : No data available
- Density : 1.12 g/cm³ (25°C)
- Relative gas density : 5.1 (air=1)
- Solubility : Easily soluble in water. Easily soluble in ethanol.
- Partition coefficient n-octanol/water (Log Pow) : -1.59
- Explosive limits (vol %) : 1.3 – 8.5 vol % (in air)
- Viscosity, kinematic : No data available
- Particle characteristics : No data available

10. Stability and reactivity

- Reactivity : No data available
- Chemical stability : Stable under normal handling conditions. Shows hygroscopicity. Absorbs carbon dioxide in the air. It turns brown when exposed to air or light.
- Possibility of hazardous reactions : Reacts with oxidizing agents.
- Conditions to avoid : Sunlight, heat, moisture. Ignition sources such as spark, flame and static electricity. Contact with oxidizing agents.
- Incompatible materials : Oxidizing agents
- Hazardous decomposition products : Nitrogen oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Triethanolamine | |
|---------------------------------------|--|
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | classification not possible |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/irritation | Category 2A |
| Respiratory sensitization | classification not possible |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | classification not possible |
| Carcinogenicity | classification not possible |
| Reproductive toxicity | classification not possible |
| STOT-single exposure | Category 3 (Respiratory tract irritation.) |
| STOT-repeated exposure | No classification |
| Aspiration hazard | classification not possible |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Triethanolamine | |
|---|-----------------------------|
| Hazardous to Aquatic Environment - Acute Hazard | No classification |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |

13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

- UN-No. (IMDG) : Not applicable
 Proper Shipping Name (IMDG) : Not applicable
 Packing group (IMDG) : Not applicable
 Transport hazard class(es) (IMDG) : Not applicable

Air transport(IATA)

- UN-No. (IATA) : Not applicable
 Proper Shipping Name (IATA) : Not applicable
 Packing group (IATA) : Not applicable
 Transport hazard class(es) (IATA) : Not applicable

- Marine pollutant : Not applicable

Regulations in Japan

- Regulatory information by sea : Not applicable
 Regulatory information by air : Not applicable

- Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

| | | |
|---|---|--|
| Chemical Substances Control Law | : | Priority Assessment Chemical Substances (Law Article 2, Para.5) |
| Industrial Safety and Health Law | : | Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Triethanolamine (Ordinance number : 381) |
| Japanese Poisonous and Deleterious Substances Control Law | : | Not applicable |
| Act on the Prohibition of Chemical Weapons and Control, of Specific Chemicals | : | Class 2 Designated Substances, Raw Materials (Enforcement Order, Art.3, Appended Table 3, Column 4) |
| Fire Service Law | : | Group 4 - Flammable liquids - 3rd Class petroleums - soluble (Law Art.2 Para.7, Attached Table 1, Group 4) |
| Law Relating to Prevention of Marine Pollution and Maritime Disasters | : | Noxious Liquid Substances - Category Z (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 3) |
| Foreign Exchange and Foreign Trade Control Act | : | Export Trade Control Order, Attached Table 1 Para.3 Export Trade Control Ordinance appendix 1-16 |
| Japanese Pollutant Release and Transfer Register Law (PRTR Law) | : | Not applicable |

16. Other information

| | | |
|-------------------|---|--|
| Data sources | : | Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020). |
| Other information | : | The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references. |