

---

**Safety Data Sheet**

---

**1. Chemical product and company identification****Product name** : Antimony(III) oxide**SDS code** : E1-02**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku\_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.**2. Hazards identification****GHS classification**

Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	No classification
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	No classification
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	classification not possible
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	classification not possible
	Serious eye damage/eye irritation	No classification
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	No classification
	Carcinogenicity	Category 1B
	Reproductive toxicity	classification not possible
	Specific target organ toxicity (single exposure)	Category 2 (respiratory system)

Environmental hazards	Specific target organ toxicity (repeated exposure)	Category 1 (respiratory system)
	Aspiration hazard	classification not possible
	Hazardous to the aquatic environment, short-term (acute)	No classification
	Hazardous to the aquatic environment, long-term (chronic)	No classification
	Hazardous to the ozone layer	classification not possible

Hazard pictograms (GHS JP)



GHS07



GHS08

Signal word (GHS JP)	: Danger
Hazard statements (GHS JP)	: Harmful if swallowed (H302) May cause cancer (H350) May cause damage to organs (respiratory system) (H371) Causes damage to organs (respiratory system) through prolonged or repeated exposure (H372)
Precautionary statements (GHS JP)	
Prevention	: Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Wear protective gloves/protective clothing/eye protection/face protection. (P280)
Response	: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. (P301+P312) IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311) Get medical advice/attention if you feel unwell. (P314) Rinse mouth. (P330)
Storage	: Store locked up. (P405)
Disposal	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture	: Substance
Synonyms	: Antimony trioxide, Diantimony trioxide

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Antimony(III) oxide	≥98.0%, ≤100%	Sb <sub>2</sub> O <sub>3</sub>	(1)-543	Existing Chemical Substance	1309-64-4

The above concentration or concentration range are not product specification.  
All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Get immediate medical advice/attention.

- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.  
Get immediate medical advice/attention.

## 5. Fire fighting measures

- Suitable extinguishing media : Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : This product is unburnable.
- Explosion hazard : May induce explosion of containers by heating.  
May induce explosion of containers by water contamination.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.  
Avoid (reject) fire-fighting water to enter environment.  
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.  
Wash out the spilled area with large amounts of water.

## 7. Handling and storage

### Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

**Storage**

- Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

**8. Exposure controls / Personal protection equipment**

Exposure limit values	
Antimony(III) oxide	
Japan administration level	0.1mg/m3(as Sb)
Exposure limits (JSOH)	0.1mg/m3(as Sb, except Stibine)
Exposure limits (ACGIH)	TWA 0.5 mg/m3,STEL - (as Sb);TWA 0.02 mg/m3(l),STEL -

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment**

- Respiratory protection : Dustproof mask
- Hand protection : Protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Protective clothing, Protective boots, Protective apron

**9. Physical and chemical properties**

- Physical state : Solid
- Appearance : Powder
- Color : white
- Odor : Odorless
- pH : No data available
- Melting point : 656 °C
- Freezing point : No data available
- Boiling point : 1550 °C (Partially sublimated)
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability (solid, gas) : No data available
- Vapor pressure : 130 Pa (574°C)
- Relative density : No data available
- Density : 5.2 – 5.7 g/cm<sup>3</sup> (20°C)
- Relative gas density : No data available
- Solubility : Sparingly soluble in water. Insoluble in ethanol. Soluble in hydrochloric acid.
- Partition coefficient n-octanol/water (Log Pow) : No data available
- Explosive limits (vol %) : No data available
- Viscosity, kinematic : No data available
- Particle characteristics : No data available

**10. Stability and reactivity**

- Reactivity : No data available
- Chemical stability : Stable under normal handling conditions.
- Possibility of hazardous reactions : When heated, it decomposes to produce toxic gas. When contacted or mixed with bromine trifluoride, a violent reaction occurs. The mixture with rubber chloride reacts violently and explosively at a temperature of about 216°C or higher with or without chlorinated hydrocarbons or hydrocarbons. Mixtures with perchloric acid have explosive properties when warmed.

Conditions to avoid	: Sunlight, heat, moisture. Contact with bromine trifluoride, rubber chloride and perchloric acid.
Incompatible materials	: Bromine trifluoride, Rubber chloride, Perchloric acid
Hazardous decomposition products	: Antimony oxides

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Antimony(III) oxide	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	No classification
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	No classification
Carcinogenicity	Category 1B
Reproductive toxicity	classification not possible
STOT-single exposure	Category 2
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Antimony(III) oxide	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

## 13. Disposal considerations

Ecology - waste materials	: With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	: Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

### International Regulations

#### Transport by sea(IMDG)

UN-No. (IMDG)	: 1549
Proper Shipping Name (IMDG)	: ANTIMONY COMPOUND, INORGANIC, SOLID, N.O.S.
Packing group (IMDG)	: III
Transport hazard class(es) (IMDG)	: 6.1
Hazard labels (IMDG)	: 6.1
Class (IMDG)	: 6.1
Division (IMDG)	: 6.1
Special provision (IMDG)	: 45, 274
Packing instructions (IMDG)	: P002, LP02

IBC packing instructions (IMDG)	: IBC08
IBC special provisions (IMDG)	: B3
Tank instructions (IMDG)	: T1
Tank special provisions (IMDG)	: TP33
Stowage category (IMDG)	: A
Properties and observations (IMDG)	: A wide range of toxic solids. Toxic if swallowed, by skin contact or by inhalation.
MFAG-No	: 157
<b>Air transport(IATA)</b>	
UN-No. (IATA)	: 1549
Proper Shipping Name (IATA)	: Antimony compound, inorganic, solid, n.o.s.
Packing group (IATA)	: III
Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1
Class (IATA)	: 6.1
Division (IATA)	: 6.1
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y645
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 670
PCA max net quantity (IATA)	: 100kg
CAO packing instructions (IATA)	: 677
CAO max net quantity (IATA)	: 200kg
Special provision (IATA)	: A12
ERG code (IATA)	: 6L
<b>Marine pollutant</b>	: Not applicable
<b>Regulations in Japan</b>	
Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 157
<b>Special transport precautions</b>	: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

### National law

Industrial Safety and Health Law	: Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Antimony and its compounds (Ordinance number : 38) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on Special medical examination, Past handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2)
Japanese Poisonous and Deleterious Substances Control Law	: Deleterious Substances (Designated Order Art.2) Antimony compounds and preparations containing it. (except for the following substances; i)4-acetoxypheylidimethylsulfonium hexafluoroantimonate and preparations containing it, ii)sodium antimonate and preparations containing it, iii)antimony(III) oxide and preparations containing it, iv)antimony(V) oxide and preparations containing it, v)antimony sulfide and preparations containing it)
Water Pollution Prevention Law	: Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	: Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2-18, Ordinance No. 2 of 1988, Art.2)
Air Pollution Control Law	: Hazardous Air Pollutants (Central Environment Council Report No. 9)

Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Toxic and infectious substances/Toxic substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Toxic and infectious substances/Toxic substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1) Antimony and its compounds as antimony(84%)
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

## 16. Other information

Data sources	:	Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	:	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.