

Barium hydroxide octahydrate

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 12/7/2010 Revision date: 8/2/2023 SDS code: E1-11 Version: 06

Safety Data Sheet

1. Chemical product and company identification

Product name Barium hydroxide octahydrate

SDS code E1-11

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification Flammable solids No classification Self-reactive substances and No classification

mixtures

Pyrophoric liquids No classification Pyrophoric solids No classification Self-heating substances and No classification

mixtures

Substances and mixtures which in contact with water emit flammable

gases

No classification

Oxidizing liquids No classification

Oxidizing solids classification not possible

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 4

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Category 2 (systemic toxicity)

Specific target organ toxicity (single

exposure)

Revision date: 8/2/2023

Specific target organ toxicity classification not possible

(repeated exposure)

Aspiration hazard classification not possible Hazardous to the aquatic classification not possible

Environmental Hazardous to the aquatic hazards environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS05

GHS07 GH

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Harmful if swallowed (H302)

Causes severe skin burns and eye damage (H314) May cause damage to organs (systemic toxicity) (H371)

Precautionary statements (GHS JP)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

classification not possible

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363)

Storage : Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

	Concentration or Concentration range	Formula	Kanpo number		040 511
Name			CSCL no	ISHL no	CAS RN
Barium hydroxide octahydrate	≧98.0%, ≦100%	Ba(OH)2•8H2O	(1)-83	Existing Chemical Substance	12230-71-6

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

Revision date: 8/2/2023 SDS code: E1-11 Version: 06

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Fire hazard Explosion hazard

May induce explosion of containers by heating.

Hazardous decomposition products

In access of five area durat recovering

This product is unburnable.

in case of fire
Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Revision date: 8/2/2023 SDS code: E1-11 Version: 06

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values				
Barium hydroxide octahydrate				
Exposure limits (ACGIH)	TWA 0.5 mg/m3,STEL - (as Ba)			

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid
Appearance : Crystals
Color : white
Odor : Odorless

pH : No data available

Melting point : 78 °C

Freezing point : No data available

Boiling point : 95 °C

Flash point : No data available
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative density : No data available
Density : 2.18 g/cm³

Solubility : Soluble in water. Insoluble in ethanol.

No data available

Partition coefficient n- : No data available

octanol/water (Log Pow)

Relative gas density

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. It absorbs carbon dioxide in the air

and easily becomes barium carbonate. Crystallization water is liberated at

 78° C to become an aqueous solution.

Possibility of hazardous reactions : May react with oxidizing agents.

Conditions to avoid : Sunlight, heat, moisture. Contact with oxidizing agents and metals such as

aluminium, tin and zinc.

Incompatible materials : Oxidizing agents, Metals

Revision date: 8/2/2023 SDS code: E1-11 Version: 06

Hazardous decomposition

products

Barium oxide

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Barium hydroxide octahydrate		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 2	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Barium hydroxide octahydrate		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	No data available	

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 1564

Proper Shipping Name (IMDG) BARIUM COMPOUND, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 6.1 Hazard labels (IMDG) 6.1 Class (IMDG) 6.1 Division (IMDG)

Special provision (IMDG) 177, 223, 274 Packing instructions (IMDG) P002, LP02 IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) B3 Tank instructions (IMDG) T1 Tank special provisions (IMDG) TP33

Revision date: 8/2/2023 SDS code: E1-11 Version: 06

Stowage category (IMDG) Α

Properties and observations (IMDG) White powder, lumps or crystals. Toxic if swallowed, by skin contact or

by inhalation.

10kg

MFAG-No 154

Air transport(IATA)

UN-No. (IATA) 1564

Proper Shipping Name (IATA) Barium compound, n.o.s.

Packing group (IATA) Ш Transport hazard class(es) (IATA) 6.1 Hazard labels (IATA) 6.1 Class (IATA) 6.1 6.1 Division (IATA) PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y645 PCA limited quantity max net

quantity (IATA)

PCA packing instructions (IATA) 670 PCA max net quantity (IATA) 100kg CAO packing instructions (IATA) 677 CAO max net quantity (IATA) 200kg Special provision (IATA) A3, A82 ERG code (IATA) 6L

Marine pollutant Not applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

154 MFAG-No

Special transport precautions When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Harmful Substances Whose Names Are to be Indicated on the Label Industrial Safety and Health Law

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Barium and its soluble compounds (Ordinance number: 449)

Japanese Poisonous and

Deleterious Substances Control Law

Deleterious Substances (Designated Order Art.2)

Barium compounds. (except for the following substances; i)barium 4-(5-chloro-4-methyl-2-sulfonatophenylazo)-3-hydroxy-2-naphthoate,

ii)barium sulfate)

Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Fire Service Law

Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2-

18, Ordinacne No. 2 of 1988, Art.2)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Export Trade Control Ordinance appendix 1-16

Toxic and infectious substances/Toxic substances (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law Toxic and infectious substances/Toxic substances (Hazardous

materials notice Appended Table 1 Article 194 of the Enforcement

Toxic and infectious substances/Toxic substances (Article 21, Port Regulation Law

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Not applicable

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Revision date: 8/2/2023 SDS code: E1-11 Version: 06

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.