

Chloroacetic acid

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 6/10/2011 Revision date: 10/23/2023 SDS code: E3-06 Version: 07

Safety Data Sheet

1. Chemical product and company identification

Product name Chloroacetic acid

SDS code F3-06

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification

classification not possible Flammable solids

Self-reactive substances and

mixtures

No classification

No classification

Pyrophoric liquids Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

No classification

Oxidizing liquids No classification Oxidizing solids No classification Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 3

> Acute toxicity (dermal) Category 2 Acute toxicity (inhalation:gas) No classification Acute toxicity (inhalation:vapors) No classification Acute toxicity (inhalation:dust/mist) Category 2 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single

exposure)

Category 1 (nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys)

Specific target organ toxicity

(repeated exposure)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)



GHS05



GHS06





GHS09

Category 2 (heart, liver, kidneys)

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Toxic if swallowed (H301)

Fatal in contact with skin or if inhaled (H310+H330) Causes severe skin burns and eye damage (H314)

Category 1

Category 1

Causes damage to organs (nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys) (H370)

May cause damage to organs (heart, liver, kidneys) through prolonged or

repeated exposure (H373)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Do not get in eyes, on skin, or on clothing. (P262)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

[In case of inadequate ventilation] wear respiratory protection. (P284)

Response : IF SWALLOWED: Immediately call a POISON CENTER or doctor.

(P301+P310)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

Take off immediately all contaminated clothing and wash it before reuse.

(P361+P364)

Collect spillage. (P391)

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Substance

	Concentration or Concentration range	Formula	Kanpo number		
Name			CSCL no	ISHL no	CAS RN
Chloroacetic acid	≧97.0%, ≦100%	CH2CICOOH	(2)-1145	Existing Chemical Substance	79-11-8

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Rinse mouth.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

May induce explosion of containers by heating.

Hazardous decomposition products in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places. If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

Before entering, ventilate the area. General measures

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in : Light shielding airtight container.

packaging/containers

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values			
Chloroacetic acid			
Exposure limits (ACGIH)	TWA 0.5 ppm(IFV),STEL - (Skin)		

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid
Appearance : Crystals

Color : colorless ∼ light yellow

Odor : Irritating odor

pH : ≤ 1 (80% aqueous solution, 20°C)

Boiling point : 189 °C

Flash point : 126 °C (closed cup)
Auto-ignition temperature : No data available
Decomposition temperature : No data available
Flammability (solid, gas) : No data available
Vapor pressure : 0.2 hPa (20°C)
Relative density : No data available
Density : 1.58 g/cm³ (20°C)

Relative gas density : 3.3 (air=1)

Solubility : Easily soluble in water. Soluble in alcohol. Soluble in benzene. Soluble in

chloroform. Soluble in diethyl ether.

Partition coefficient n-

octanol/water (Log Pow) Explosive limits (vol %)

: ≥ 8 vol %

0.2

Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Deliquescent.

Possibility of hazardous reactions : When burned, it decomposes to produce toxic fume such as hydrogen

chloride and phosgene. Reacts with bases, oxidizing agents and reducing

agents. Corrodes metals.

Conditions to avoid : Sunlight, moisture, heat. Ignition sources such as spark, flame and static

electricity. Contact with bases, oxidizing agents, reducing agents and

metals.

Incompatible materials : Bases, Oxidizing agents, Reducing agents, Metals

Hazardous decomposition

products

: Hydrogen chloride, Phosgene

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Chloroacetic acid	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	Category 2
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1A
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Chloroacetic acid		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1751

Proper Shipping Name (IMDG) : CHLOROACETIC ACID, SOLID

Packing group (IMDG) : II

Transport hazard class(es) (IMDG) : 6.1 (8)

Hazard labels (IMDG) : 6.1,8

Class (IMDG) : 6.1

Subsidiary hazard (IMDG) : 8

Subsidiary hazard (IMDG) 8 Division (IMDG) 6.1 Packing instructions (IMDG) P002 IBC packing instructions (IMDG) IBC08 IBC special provisions (IMDG) B21, B4 Tank instructions (IMDG) T3 TP33 Tank special provisions (IMDG) Stowage category (IMDG) C

Properties and observations (IMDG) : Colourless, very deliquescent crystals. Melting point may be as low as

50°C. In the presence of moisture, corrosive to most metals. Toxic if swallowed, by skin contact or by dust inhalation. Causes burns to skin,

eyes and mucous membranes.

MFAG-No : 153

Air transport(IATA)

UN-No. (IATA) : 1751

Proper Shipping Name (IATA) : Chloroacetic acid, solid

Packing group (IATA) : Chloroac Packing group (IATA) : II Transport hazard class(es) (IATA) : 6.1 (8) Hazard labels (IATA) : 6.1, 8 Class (IATA) : 6.1 Subsidiary hazards (IATA) : 8

Subsidiary hazards (IATA) : 8

Division (IATA) : 6.1

PCA Excepted quantities (IATA) : E4

PCA Limited quantities (IATA) : Y644

PCA limited quantity max net : 1kg

quantity (IATA)

PCA packing instructions (IATA) : 668
PCA max net quantity (IATA) : 15kg
CAO packing instructions (IATA) : 675
CAO max net quantity (IATA) : 50kg
ERG code (IATA) : 6C

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 153

Special transport precautions: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law : Priority Assessment Chemical Substances (Law Article 2, Para.5)

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Chloroacetic acid (Ordinance number: 148-2, After April 2024: 148-

4)

Japanese Poisonous and

Deleterious Substances Control Law

Deleterious Substances (Law Art.2, Attached Table 2)

Monochloroacetic acid

Fire Service Law : Designation of Materials Requiring Notification (Law Art.9-3, Cabinet

Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2)

Air Pollution Control Law : Hazardous Air Pollutants (Central Environment Council Report No. 9)

Volatile organic compounds (Article 2, Paragraph 4 of the Act) (2002

VOC emission survey report)

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Toxic and infectious substances/Toxic substances (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law : Toxic and infectious substances/Toxic substances (Hazardous

materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

Port Regulation Law : Toxic and infectious substances/Toxic substances (Article 21,

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Chloroacetic acid (100%)

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.