

Copper(II) acetate monohydrate

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 4/24/2009 Revision date: 8/4/2023 SDS code: E3-14 Version: 10

Safety Data Sheet

1. Chemical product and company identification

Product name : Copper(II) acetate monohydrate

SDS code : E3-14

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

No classification

No classification

Oxidizing gases

No classification

No classification

Flammable liquids

Flammable solids

No classification

No classification

No classification

No classification

No classification

No classification

mixtures

Pyrophoric liquids No classification
Pyrophoric solids No classification
Self-heating substances and No classification

mixtures

Substances and mixtures which in one contact with water emit flammable

gases

Oxidizing liquids No classification

Oxidizing solids classification not possible

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 4

Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible classification not possible

Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single Category 1 (liver, kidneys, blood)

exposure)

Revision date: 8/4/2023 SDS code: E3-14 Version: 10

Specific target organ toxicity (single Category 3 (Respiratory tract irritation.)

exposure)

Specific target organ toxicity Category 1 (liver)

(repeated exposure)

Aspiration hazard classification not possible

Environmental Hazardous to the aquatic Category 1 hazards environment, short-term (acute)

Hazardous to the aquatic Category 1

environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS09

GHS07

GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Harmful if swallowed (H302)

May cause respiratory irritation (H335)

Causes damage to organs (liver, kidneys, blood) (H370)

Causes damage to organs (liver) through prolonged or repeated exposure

(H372)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention : Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Response : IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

Rinse mouth. (P330) Collect spillage. (P391)

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

| Name | Concentration or Concentration range | Formula | Kanpo number | | 040 PM |
|--------------------------------|--|-----------------|--------------|-----------------------------------|-----------|
| | | | CSCL no | ISHL no | CAS RN |
| Copper(II) acetate monohydrate | ≧98.0%, ≦100% | (CH3COO)2Cu·H2O | (2)-693 | Existing Chemical Substance | 6046-93-1 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

Revision date: 8/4/2023 SDS code: E3-14 Version: 10

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

Firefighting instructions

May induce explosion of containers by heating.

in case of fire

Hazardous decomposition products :

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures

Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions

Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up

Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures

Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling

Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Revision date: 8/4/2023 SDS code: E3-14 Version: 10

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid

Appearance : Crystals ~ Crystalline powder

Color : blue green

Odor : Slightly acetic acid odor

pH : Aqueous solution shows acidic.

Melting point : 115 °C

Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available

Decomposition temperature : 240 °C

Flammability (solid, gas)

Vapor pressure

Relative density

Density

Relative gas density

No data available

1.88 g/cm³ (20°C)

Relative gas density

No data available

Solubility : Soluble in water. Sparingly soluble in diethyl ether.

Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. It is slightly efflorescent in air and

has an acetic acid odor.

Possibility of hazardous reactions : Reacts with oxidizing agents and bases.

Conditions to avoid : Sunlight, heat. Contact with oxidizing agents and bases.

Incompatible materials : Oxidizing agents, Bases

Hazardous decomposition

products

Copper oxide

Revision date: 8/4/2023

SDS code: E3-14 Version: 10

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Copper(II) acetate | | | |
|---------------------------------------|---|--|--|
| Acute toxicity (oral) | Category 4 | | |
| Acute toxicity (dermal) | classification not possible | | |
| Acute toxicity (gas) | No classification | | |
| Acute toxicity (vapour) | classification not possible | | |
| Acute toxicity (inhalation:dust/mist) | classification not possible | | |
| Skin corrosion/irritation | classification not possible | | |
| Serious eye damage/irritation | classification not possible | | |
| Respiratory sensitization | classification not possible | | |
| Skin sensitization | classification not possible | | |
| Germ cell mutagenicity | classification not possible | | |
| Carcinogenicity | classification not possible | | |
| Reproductive toxicity | classification not possible | | |
| STOT-single exposure | Category 1 Category 3 (Respiratory tract irritation.) | | |
| STOT-repeated exposure | Category 1 | | |
| Aspiration hazard | classification not possible | | |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Copper(II) acetate | | |
|--|-----------------------------|--|
| Hazardous to Aquatic Environment - Acute Hazard | Category 1 | |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 1 | |
| Persistence and degradability | No data available | |
| Bioaccumulative potential | No data available | |
| Mobility in soil | No data available | |
| Hazardous to the ozone layer | classification not possible | |

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Class (IMDG)

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 3077

Proper Shipping Name (IMDG) : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.

Packing group (IMDG)

: III : 9 : 9

Transport hazard class(es) (IMDG) Hazard labels (IMDG)

274, 335, 966, 967, 969

Special provision (IMDG) : 274, Limited quantities (IMDG) : 5 kg

Excepted quantities (IMDG) : E1
Packing instructions (IMDG) : LP02, P002
Packing provisions (IMDG) : PP12
IBC packing instructions (IMDG) : IBC08
IBC special provisions (IMDG) : B3

Tank instructions (IMDG) : BK1, BK2, BK3, T1

Tank special provisions (IMDG) : TP33 Stowage category (IMDG) : A Revision date: 8/4/2023 SDS code: E3-14 Version: 10

MFAG-No 171

Air transport(IATA)

UN-No. (IATA) 3077

Proper Shipping Name (IATA) Environmentally hazardous substance, solid, n.o.s.

30kgG

Packing group (IATA) Ш Transport hazard class(es) (IATA) 9 Hazard labels (IATA) 9 Class (IATA) 9 PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y956

PCA limited quantity max net

quantity (IATA)

PCA packing instructions (IATA) 956 PCA max net quantity (IATA) 400kg CAO packing instructions (IATA) 956 CAO max net quantity (IATA) 400kg

Special provision (IATA) A97, A158, A179, A197

ERG code (IATA) 9L Marine pollutant Applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

MFAG-No 171

When transporting, load containers so that they do not tip over, Special transport precautions

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Copper and its compounds (Ordinance number: 379) Deleterious Substances (Designated Order Art.2)

Water Pollution Prevention Law

Japanese Poisonous and

Deleterious Substances Control Law Inorganic copper salts. (except for copper fulminate) Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law

Air Pollution Control Law Hazardous Air Pollutants (Central Environment Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act Miscellaneous dangerous substances & articles (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Miscellaneous dangerous substances & articles (Hazardous materials Civil Aeronautics Law

notice Appended Table 1 Article 194 of the Enforcement Regulations)

Hazardous Substances (Act Article 4 paragraph 2), Standard for Waterworks Law

Water Quality (Ministry Order No.101 of 2003)

Sewerage Law Substances for Water Quality Standard (Act Art.12-2 Para.2,

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Water-soluble copper salts (except for complex salts) as

copper(32%)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business

Revision date: 8/4/2023

SDS code: E3-14 Version: 10

operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.