

## Safety Data Sheet

### 1. Chemical product and company identification

**Product name** : Lead(II) oxide  
**SDS code** : E7-05  
**Company/undertaking identification** :  
 HAYASHI PURE CHEMICAL IND.,LTD.  
 Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan  
 Telephone : 06-6910-7305  
 E-mail : shiyaku\_kikaku@hpc-j.co.jp  
 URL : <https://www.hpc-j.co.jp/>  
**Emergency number** : 06-6910-7305  
**Recommended use** : For research and experimental use only.  
**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

### 2. Hazards identification

#### GHS classification

Physical hazards	Explosives	No classification	
	Flammable gases	No classification	
	Aerosol	No classification	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	No classification	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	No classification	
	Pyrophoric liquids	No classification	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	No classification	
	Substances and mixtures which in contact with water emit flammable gases	No classification	
	Oxidizing liquids	No classification	
	Oxidizing solids	classification not possible	
	Organic peroxides	No classification	
	Corrosive to metals	classification not possible	
	Desensitized explosives	classification not possible	
	Health hazards	Acute toxicity (oral)	No classification
		Acute toxicity (dermal)	No classification
		Acute toxicity (inhalation:gas)	No classification
Acute toxicity (inhalation:vapors)		No classification	
Acute toxicity (inhalation:dust/mist)		No classification	
Skin corrosion/irritation		No classification	
Serious eye damage/eye irritation		No classification	
Respiratory sensitization		classification not possible	
Skin sensitization		classification not possible	
Germ cell mutagenicity		Category 2	
Carcinogenicity	Category 2		
Reproductive toxicity	Category 1A		
Specific target organ toxicity (single exposure)	Category 1 (central nervous system, kidneys)		

Environmental hazards	Specific target organ toxicity (repeated exposure)	Category 1 (blood system, nervous system, cardiovascular system, kidneys)
	Aspiration hazard	classification not possible
	Hazardous to the aquatic environment, short-term (acute)	classification not possible
	Hazardous to the aquatic environment, long-term (chronic)	classification not possible
	Hazardous to the ozone layer	classification not possible

Hazard pictograms (GHS JP)



GHS08

Signal word (GHS JP)	: Danger
Hazard statements (GHS JP)	: Suspected of causing genetic defects (H341) Suspected of causing cancer (H351) May damage fertility or the unborn child (H360) Causes damage to organs (central nervous system, kidneys) (H370) Causes damage to organs (blood system, nervous system, cardiovascular system, kidneys) through prolonged or repeated exposure (H372)
Precautionary statements (GHS JP)	
Prevention	: Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Wear protective gloves/protective clothing/eye protection/face protection. (P280)
Response	: IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311) Get medical advice/attention if you feel unwell. (P314)
Storage	: Store locked up. (P405)
Disposal	: Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture	: Substance
Synonyms	: Lead monoxide, Litharge

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Lead(II) oxide	$\geq 98.0\%$ , $\leq 100\%$	PbO	(1)-527	Existing Chemical Substance	1317-36-8

The above concentration or concentration range are not product specification.  
All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation	: Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	: Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Get immediate medical advice/attention.

- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.  
Get immediate medical advice/attention.

## 5. Fire fighting measures

- Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : This product is unburnable.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.  
Avoid (reject) fire-fighting water to enter environment.  
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.  
Wash out the spilled area with large amounts of water.

## 7. Handling and storage

### Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

### Storage

- Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.

Material used in packaging/containers : Light shielding airtight container.  
 Technical measures : Comply with applicable regulations.  
 Storage temperature : Cool and dark place

## 8. Exposure controls / Personal protection equipment

Exposure limit values	
Lead(II) oxide	
Japan administration level	0.05mg/m <sup>3</sup> (as Pb)
Exposure limits (JSOH)	0.03mg/m <sup>3</sup> (as Pb, except Alkyllead compounds)
Exposure limits (ACGIH)	TWA 0.05 mg/m <sup>3</sup> ,STEL - (as Pb)

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

### Protective equipment

Respiratory protection : Dustproof mask  
 Hand protection : Protective gloves  
 Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)  
 Skin and body protection : Protective clothing, Protective boots, Protective apron

## 9. Physical and chemical properties

Physical state : Solid  
 Appearance : Powder  
 Color : yellow ~ reddish yellow  
 Odor : Odorless  
 pH : No data available  
 Melting point : 888 °C  
 Freezing point : No data available  
 Boiling point : 1470 °C  
 Flash point : No data available  
 Auto-ignition temperature : No data available  
 Decomposition temperature : No data available  
 Flammability (solid, gas) : No data available  
 Vapor pressure : No data available  
 Relative density : No data available  
 Density : 9.5 g/cm<sup>3</sup> (20°C)  
 Relative gas density : No data available  
 Solubility : Insoluble in water. Soluble in sodium hydroxide solution. Soluble in dilute nitric acid.  
 Partition coefficient n-octanol/water (Log Pow) : No data available  
 Explosive limits (vol %) : No data available  
 Viscosity, kinematic : No data available  
 Particle characteristics : No data available

## 10. Stability and reactivity

Reactivity : No data available  
 Chemical stability : Stable under normal handling conditions.  
 Possibility of hazardous reactions : Reacts with oxidizing agents and aluminium powder.  
 Conditions to avoid : Sunlight, heat. Contact with oxidizing agents and aluminium powder.  
 Incompatible materials : Oxidizing agents, Aluminium powder  
 Hazardous decomposition products : No data available

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Lead(II) oxide	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1A
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Lead(II) oxide	
Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

## 13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.  
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

## 14. Transport information

### International Regulations

#### Transport by sea(IMDG)

- UN-No. (IMDG) : 3288
- Proper Shipping Name (IMDG) : TOXIC SOLID, INORGANIC, N.O.S.
- Packing group (IMDG) : III
- Transport hazard class(es) (IMDG) : 6.1
- Hazard labels (IMDG) : 6.1
- Class (IMDG) : 6.1
- Division (IMDG) : 6.1
- Special provision (IMDG) : 223, 274
- Packing instructions (IMDG) : P002, LP02
- IBC packing instructions (IMDG) : IBC08
- IBC special provisions (IMDG) : B3
- Tank instructions (IMDG) : T1
- Tank special provisions (IMDG) : TP33
- Stowage category (IMDG) : A
- Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.
- MFAG-No : 151

**Air transport(IATA)**

UN-No. (IATA)	: 3288
Proper Shipping Name (IATA)	: Toxic solid, inorganic, n.o.s.
Packing group (IATA)	: III
Transport hazard class(es) (IATA)	: 6.1
Hazard labels (IATA)	: 6.1
Class (IATA)	: 6.1
Division (IATA)	: 6.1
PCA Excepted quantities (IATA)	: E1
PCA Limited quantities (IATA)	: Y645
PCA limited quantity max net quantity (IATA)	: 10kg
PCA packing instructions (IATA)	: 670
PCA max net quantity (IATA)	: 100kg
CAO packing instructions (IATA)	: 677
CAO max net quantity (IATA)	: 200kg
Special provision (IATA)	: A3, A5
ERG code (IATA)	: 6L

**Marine pollutant** : Not applicable

**Regulations in Japan**

Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No	: 151

**Special transport precautions** : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

**15. Regulatory information****National law**

Industrial Safety and Health Law	: Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Lead and its inorganic compounds (Ordinance number : 411) Lead compounds (Enforcement Order, Art., Appended Table No.4, Ordinance on Prevention of Lead Poisoning, Art.1, Item 4, MHLW Notification No.91 of 1972) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
Japanese Poisonous and Deleterious Substances Control Law	: Deleterious Substances (Designated Order Art.2) Lead compounds
Water Pollution Prevention Law	: Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)
Fire Service Law	: Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2-18, Ordinance No. 2 of 1988, Art.2)
Air Pollution Control Law	: Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Article 1 of the Enforcement Ordinance)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Toxic and infectious substances/Toxic substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Toxic and infectious substances/Toxic substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Waste Management on Public Cleansing Law	: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enforcement Order Art.2-4)
Waterworks Law	: Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)

- 
- Sewerage Law : Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
- Japanese Pollutant Release and Transfer Register Law (PRTR Law) : Class 1 Designated Chemical Substances, Specified Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4) Lead and its compounds as lead(93%)
- Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)
- Soil Contamination Countermeasures Law : Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1)

## 16. Other information

- Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
- Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.