

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 3/18/2013 Revision date: 6/24/2022

SDS code: E8-03

Version: 04

Safety Data Sheet

1. Chemical product and company identification

Product name SDS code	:	Manganese(II) acetate tetrahydrate E8-03
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirand Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@h URL : https://www.hpc-j.co.	oma oc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305

2. Hazards identification

GHS classification

Physical hazards	Explosives	No classification
,	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	No classification
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	No classification
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized eplosives	classification not possible
Health hazards	Acute toxicity (oral)	No classification
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	No classification
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	classification not possible
	Serious eye damage/eye irritation	classification not possible
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	classification not possible
	Specific target organ toxicity (repeated exposure)	Category 1 (male genitalia)
	Specific target organ toxicity (repeated exposure)	Category 2 (kidneys)

Environmental hazards	Aspiration hazard Hazardous to the aquatic environment, short-term (acute) Hazardous to the aquatic environment, long-term (chronic) Hazardous to the ozone layer		aquatic rt-term (acute) aquatic ı-term (chronic)	classification not possible classification not possible classification not possible classification not possible	
Hazard pictograms (GHS JP)					
Signal word (GHS JP)	GHS08		Danger		
. ,		·	-		
Hazard statements (G	ihs JP)	Causes damage exposure (H372		ility or the unborn child (H360) to organs (male genitalia) through prolonged or repeated ge to organs (kidneys) through prolonged or repeated	i
Precautionary stateme	ents (GHS JP)				
Prevention		:	Do not handle unt (P202) Do not breathe du Wash hands, fore Do not eat, drink d	structions before use. (P201) til all safety precautions have been read and understood. ust/fume/gas/mist/vapors/spray. (P260) earms and face thoroughly after handling. (P264) or smoke when using this product. (P270) gloves/protective clothing/eye protection/face protection.	
Response		:		ncerned: Get medical advice/attention. (P308+P313) ce/attention if you feel unwell. (P314)	
Storage		:	Store locked up. ((P405)	
Disposal		:	Dispose of conten	nts/container to hazardous or special waste collection new with local, regional, national and/or international	

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

News	Concentration or	Formula	Kanpo		
Name	Name Concentration range		CSCL no	ISHL no	CAS RN
Manganese(II) acetate tetrahydrate	≧97%、≦100%	Mn(CH3COO)2 •4H2O	(2)-693	Existing Chemical Substance	6156-78-1

The above concentration or concentration range are not product specification. All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth.
		Get immediate medical advice/attention.

5. Fire fighting measures	
Suitable extinguishing media	Use proper extinguishing media depending on peripheral fire.
Unsuitable extinguishing media	Do not use a heavy water stream.
Hazardous decomposition products in case of fire	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
	In the case of peripheral fire, quickly remove movable containers to safe places.
	If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Protection during firefighting	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.
6. Accidental release meas	ures
Personal Precautions, Protective Eq	uipment and Emergency Procedures
General measures	Before entering, ventilate the area.
	Do not let unauthorized persons come close to the area.
	Immediately place the leakage area in isolation, with taking proper distances for all directions.
	Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.
Environmental precautions	
Environmental precautions	Avoid release to the environment.
	Prevent entry to sewers and public waters.
Methods and Equipment for Contain	ment and Cleaning up
Methods for cleaning up	Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.
	Wash out the spilled area with large amounts of water.
7. Handling and storage	
Handling	
Technical measures	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
	Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	Do not eat, drink or smoke when using this product.
	Thoroughly wash your hands and gargle after handling.
	Ensure good ventilation of the work station.
	Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	Avoid prolonged or repeated exposure.
Storage	
Storage conditions	Store locked up.
	Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	Airtight container.
Technical measures	Comply with applicable regulations.
Storage temperature	Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Manganese(II) acetate	
Japan administration level	0.2mg/m3(as Mn)
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.
Protective equipment	
Respiratory protection	: Dustproof mask
Hand protection	: Protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state	:	Solid
Appearance	:	Crystals ~ Powder
Color	:	lightcrimson
Odor	:	No data available
рН	:	No data available
Melting point	:	80 °C
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	1.59 g/cm3 (20°C)
Relative gas density	:	No data available
Solubility	:	Water: 40 % (20°C)
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts with strong oxidizing agents.
Conditions to avoid	:	Sunlight, heat. Contact with strong oxidizing agents.
Incompatible materials	:	Strong oxidizing agents
Hazardous decomposition products	:	Manganese oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Manganese(II) acetate	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible

Manganese(II) acetate				
Serious eye damage/irritation	classification not possible			
Respiratory sensitization	classification not possible			
Skin sensitization	classification not possible			
Germ cell mutagenicity	classification not possible			
Carcinogenicity	classification not possible			
Reproductive toxicity	Category 1B			
STOT-single exposure	classification not possible			
STOT-repeated exposure	Category 1 Category 2			
Aspiration hazard	classification not possible			

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Manganese(II) acetate	
Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG)			
Proper Shipping Name (IMDG)			
Packing group (IMDG)			
Transport hazard class(es) (IMDG)			

Air transport(IATA)

UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA)

Marine pollutant

Regulations in Japan

Regulatory information by sea			
Regulatory information by air			
Special transport precautions			

Not applicable

Not applicable Not applicable Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

Not applicable

:

•

:

:

:

- : Not applicable
- When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law	: Group 2 Specified Chemical Substance, Group 2 Substance Under
	Supervision (Ordinance on Prevention of Hazards Due to Specified
	Chemical Substances Art.2 Para.1, Item 2,5)
	Working Environment Evaluation Standards, Administrative Control
	Levels (Law Art.65-2, Para.1)
	Substances on Special medical examination, Current handling
	workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)

Japanese Poisonous and Deleterious Substances Control Law	:	Not applicable
Water Pollution Prevention Law	:	Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	:	Not applicable
Air Pollution Control Law	:	Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Waterworks Law	:	Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para. 2, Enforcement Oder Art.1 Appended Table No.1) Manganese and its compounds as manganese(22%) [After amendment of April 2023] Class 1 Designated Chemical Substances (Act, Art.2, Para.2, Enforcement Order, Art.1 Appended Table 1) Manganese and its compounds as manganese(22%)
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1,MHLW Nortification No.36 of 1978
16. Other information		
Data sources	:	Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	:	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.