

2mol/L(2N) Sodium hydroxide solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 6/2/2011 Revision date: 4/4/2024 SDS code: F8-02 Version: 08

Safety Data Sheet

1. Chemical product and company identification

2mol/L(2N) Sodium hydroxide solution **Product name**

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

URL: https://www.hpc-j.co.jp/

06-6910-7305

For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Explosives classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Desensitized explosives classification not possible Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible

Skin sensitization No classification Germ cell mutagenicity No classification

Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single Category 2 (respiratory system)

exposure)

1/8

SDS code F8-02

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

E-mail: shiyaku_kikaku@hpc-j.co.jp

Emergency number

Recommended use

Restrictions on use

Physical hazards

Health hazards

Specific target organ toxicity

(repeated exposure)

classification not possible classification not possible

Aspiration hazard

Environmental hazards

Hazardous to the aquatic

environment, short-term (acute) Hazardous to the aquatic

environment, long-term (chronic)

Hazardous to the ozone layer

No classification

No classification

classification not possible

Hazard pictograms (GHS JP)





GHS05

GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

May cause damage to organs (respiratory system) (H371)

Precautionary statements (GHS JP)

Prevention : Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Storage : Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CASIN
Sodium hydroxide	About 7.4%	NaOH	(1)-410	Existing Chemical Substance	1310-73-2
Water	About 92.6%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Fire hazard

This product is unburnable.

Explosion hazard

Firefighting instructions

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in Airtight container.

packaging/containers Storage prohibition in glass or porcelain container.

Comply with applicable regulations. Technical measures

Storage temperature Cool and dark place

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)		
Component name	Administration level (WITLW)	Standard Value	JSOH OEL C	
Sodium hydroxide	-	-	2 mg/m³	

: Cover up tightly the generation source at the handling place or install local Appropriate engineering controls

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask

: Impervious protective gloves Hand protection

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles) Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state Liquid Appearance Liquid

Color colorless transparent

Odor Odorless рΗ ≥ 13 (25°C) Melting point No data available Freezing point No data available **Boiling point** No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability No data available Vapor pressure No data available Relative density No data available Density 1.08 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) No data available No data available Viscosity, kinematic Particle characteristics No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. Absorbs carbon dioxide in air.

Possibility of hazardous reactions : It is strongly basis and violently reacts with acids and generates heat.

Reacts with phosphides to evolve toxic and flammable gas (hydrogen phosphide). Reacts with ammonium salts to produce ammonia, causing fire hazard. Erodes some plastics, rubbers and coating agents. Erodes metals such as zinc, aluminium, tin and lead to evolve flammable/explosive gas

(hydrogen).

Conditions to avoid : Sunlight, heat. Contact with strong acids, strong oxidizing agents,

ammonium salts, phosphides and metals.

Incompatible materials : Strong acids, Strong oxidizing agents, Ammonium salts, Phosphides, Metals

Hazardous decomposition : Sodium oxides, Hydrogen

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Acute toxicity (oral)	classification not possible	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (inhalation)	vapors:classification not possible	
	Gases:No classification	
Chin compains limitation	dust, mist:classification not possible	
Skin corrosion/irritation Serious eye damage/irritation	Category 1 Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 2	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	
Sodium hydroxide		
Acute toxicity (oral)	classification not possible	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1	
STOT-repeated exposure	classification not possible	
Aspiration hazard	classification not possible	
Water		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	
Skin sensitization	No classification	

Water		
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	No classification	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

The information in this section is based on the "GHS Classification Results" by NITE.		
As a product		
Hazardous to the aquatic environment, short-term (acute)	No classification	
Hazardous to the aquatic environment, long-term (chronic)	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Sodium hydroxide		
Hazardous to Aquatic Environment - Acute Hazard	Category 3	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 1824

Proper Shipping Name (IMDG) : SODIUM HYDROXIDE SOLUTION

P001

Packing group (IMDG)

Packing instructions (IMDG)

Transport hazard class(es) (IMDG) : 8
Hazard labels (IMDG) : 8
Class (IMDG) : 8
Limited quantities (IMDG) : 1 L
Excepted quantities (IMDG) : E2

IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2
Stowage category (IMDG) : A

Properties and observations (IMDG) : Colourless liquid. Corrosive to aluminium, zinc and tin. Reacts with

ammonium salts, evolving ammonia gas. Causes burns to skin, eyes

and mucous membranes. Reacts violently with acids.

MFAG-No : 154

Air transport(IATA)

UN-No. (IATA) : 1824

Proper Shipping Name (IATA) : Sodium hydroxide solution

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net : 0.5L

quantity (IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provision (IATA) : A3, A803
ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

Special transport precautions : When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18)

Dangerous or Harmful Substances for Notification of Chemical Name

etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2)

Sodium hydroxide

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Chemical substances that damage the skin, etc. Harmful substances that cause skin irritation (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1,

4 based on July 4, 2023)

Japanese Poisonous and

Deleterious Substances Control Law

Deleterious Substances (Designated Order Art.2)

Preparations containing sodium hydroxide. (except for preparations

which contain 5% or less of sodium hydroxide)

Water Pollution Prevention Law : Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law : Not applicable

Law Relating to Prevention of

Marine Pollution and Maritime Disasters

Noxious Liquid Substances - Category Z (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 3)

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law Waterworks Law Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)

Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Labor Standards Act

: Not applicable

: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

16. Other information

Data sources

: Handbook of 17524 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.