
Safety Data Sheet

1. Chemical product and company identification

Product name : 2W/V% Potassium chromate solution

SDS code : G9-13

Company/undertaking identification :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

| | | | |
|--|--|-----------------------------|-----------------------------|
| Physical hazards | Explosives | classification not possible | |
| | Flammable gases | No classification | |
| | Aerosol | classification not possible | |
| | Oxidizing gases | No classification | |
| | Gases under pressure | No classification | |
| | Flammable liquids | classification not possible | |
| | Flammable solids | No classification | |
| | Self-reactive substances and mixtures | classification not possible | |
| | Pyrophoric liquids | classification not possible | |
| | Pyrophoric solids | No classification | |
| | Self-heating substances and mixtures | classification not possible | |
| | Substances and mixtures which in contact with water emit flammable gases | classification not possible | |
| | Oxidizing liquids | classification not possible | |
| | Oxidizing solids | No classification | |
| | Organic peroxides | classification not possible | |
| | Corrosive to metals | classification not possible | |
| | Desensitized explosives | classification not possible | |
| | Health hazards | Acute toxicity (oral) | No classification |
| | | Acute toxicity (dermal) | classification not possible |
| Acute toxicity (inhalation:gas) | | No classification | |
| Acute toxicity (inhalation:vapors) | | No classification | |
| Acute toxicity (inhalation:dust/mist) | | classification not possible | |
| Skin corrosion/irritation | | Category 2 | |
| Serious eye damage/eye irritation | | Category 2 | |
| Respiratory sensitization | | Category 1 | |
| Skin sensitization | | Category 1 | |
| Germ cell mutagenicity | | Category 1B | |
| Carcinogenicity | | Category 1A | |
| Reproductive toxicity | Category 1B | | |
| Specific target organ toxicity (single exposure) | Category 2 (central nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys) | | |

| | | |
|-----------------------|---|---------------------------------|
| Environmental hazards | Specific target organ toxicity (repeated exposure) | Category 2 (respiratory system) |
| | Aspiration hazard | classification not possible |
| | Hazardous to the aquatic environment, short-term (acute) | Category 3 |
| | Hazardous to the aquatic environment, long-term (chronic) | Category 3 |
| | Hazardous to the ozone layer | classification not possible |

Hazard pictograms (GHS JP)



GHS08

| | |
|-----------------------------------|---|
| Signal word (GHS JP) | : Danger |
| Hazard statements (GHS JP) | : Causes skin irritation (H315) May cause an allergic skin reaction (H317) Causes serious eye irritation (H319) May cause allergy or asthma symptoms or breathing difficulties if inhaled. (H334) May cause genetic defects (H340) May cause cancer (H350) May damage fertility or the unborn child (H360) May cause damage to organs (central nervous system, respiratory system, cardiovascular system, blood system, liver, kidneys) (H371) May cause damage to organs (respiratory system) through prolonged or repeated exposure (H373) Harmful to aquatic life with long lasting effects (H412) |
| Precautionary statements (GHS JP) | |
| Prevention | : Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Contaminated work clothing should not be allowed out of the workplace. (P272) Avoid release to the environment. (P273) Wear protective gloves/protective clothing/eye protection/face protection. (P280) [In case of inadequate ventilation] wear respiratory protection. (P284) |
| Response | : IF ON SKIN: Wash with plenty of water. (P302+P352) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311) Get medical advice/attention if you feel unwell. (P314) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If eye irritation persists: Get medical advice/attention. (P337+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311) Take off contaminated clothing and wash it before reuse. (P362+P364) |
| Storage | : Store locked up. (P405) |
| Disposal | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501) |

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|--------------------|--------------------------------------|---------------------------------|--------------|-----------------------------|-----------|
| | | | CSCL no | ISHL no | |
| Potassium chromate | About 2.0% | K ₂ CrO ₄ | (1)-661 | Existing Chemical Substance | 7789-00-6 |
| Water | About 98.0% | H ₂ O | - | - | 7732-18-5 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : This product is unburnable.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Avoid (reject) fire-fighting water to enter environment.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.
Collect leaking and spilled liquid in sealable containers as far as possible.
Wash out the spilled area with large amounts of water.

7. Handling and storage**Handling**

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

- Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

| Component name | Administration level (MHLW) | Exposure limits (JSOH) | |
|--------------------|------------------------------|------------------------------|------------|
| | | Standard Value | JSOH OEL C |
| Potassium chromate | 0.05 mg/m ³ as Cr | 0.05 mg/m ³ as Cr | - |

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

- Respiratory protection : Gas mask
- Hand protection : Impervious protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

- Physical state : Liquid
- Appearance : Liquid
- Color : yellow
- Odor : Odorless
- pH : 9.1 (25°C)
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available
- Auto-ignition temperature : No data available
- Decomposition temperature : No data available
- Flammability : No data available
- Vapor pressure : No data available
- Relative density : No data available

| | | |
|---|---|-------------------|
| Density | : | No data available |
| Relative gas density | : | No data available |
| Solubility | : | No data available |
| Partition coefficient n-octanol/water (Log Pow) | : | No data available |
| Explosive limits (vol %) | : | No data available |
| Viscosity, kinematic | : | No data available |
| Particle characteristics | : | No data available |

10. Stability and reactivity

| | | |
|------------------------------------|---|--|
| Reactivity | : | No data available |
| Chemical stability | : | Stable under normal handling conditions. |
| Possibility of hazardous reactions | : | Reacts violently with organic compounds and reducing substances to pose a risk of fire and explosion. Reacts with strong oxidizing agents. |
| Conditions to avoid | : | Sunlight, heat. Contact with organic compounds, reducing substances and strong oxidizing agents. |
| Incompatible materials | : | Organic compounds, Reducing substances, Strong oxidizing agents |
| Hazardous decomposition products | : | Chromium oxides, Potassium oxides |

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | |
|---------------------------------------|---|
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | classification not possible |
| Acute toxicity (inhalation) | vapors:No classification Gases:No classification dust, mist:classification not possible |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/irritation | Category 2 |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1B |
| STOT-single exposure | Category 2 |
| STOT-repeated exposure | Category 2 |
| Aspiration hazard | classification not possible |
| Potassium chromate | |
| Acute toxicity (oral) | Category 3 |
| Acute toxicity (dermal) | classification not possible |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation | Category 1 |
| Serious eye damage/irritation | Category 1 |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 1B |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1B |
| STOT-single exposure | Category 1 |
| STOT-repeated exposure | Category 1 |
| Aspiration hazard | classification not possible |
| Water | |
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (gas) | No classification |

| Water | |
|---------------------------------------|-------------------|
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | No classification |
| Skin corrosion/irritation | No classification |
| Serious eye damage/irritation | No classification |
| Respiratory sensitization | No classification |
| Skin sensitization | No classification |
| Germ cell mutagenicity | No classification |
| Carcinogenicity | No classification |
| Reproductive toxicity | No classification |
| STOT-single exposure | No classification |
| STOT-repeated exposure | No classification |
| Aspiration hazard | No classification |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | |
|---|-----------------------------|
| Hazardous to the aquatic environment, short-term (acute) | Category 3 |
| Hazardous to the aquatic environment, long-term (chronic) | Category 3 |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Ozone | classification not possible |
| Potassium chromate | |
| Hazardous to Aquatic Environment - Acute Hazard | Category 1 |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 1 |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |
| Water | |
| Hazardous to Aquatic Environment - Acute Hazard | No classification |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |

13. Disposal considerations

| | | |
|--------------------------------------|---|---|
| Ecology - waste materials | : | With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor. |
| Contaminated container and packaging | : | Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation. |

14. Transport information

International Regulations

Transport by sea(IMDG)

| | | |
|-----------------------------------|---|---|
| UN-No. (IMDG) | : | 3082 |
| Proper Shipping Name (IMDG) | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. |
| Packing group (IMDG) | : | III |
| Transport hazard class(es) (IMDG) | : | 9 |

| | |
|--|--|
| Hazard labels (IMDG) | : 9 |
| Class (IMDG) | : 9 |
| Special provision (IMDG) | : 274, 335, 969 |
| Limited quantities (IMDG) | : 5 L |
| Excepted quantities (IMDG) | : E1 |
| Packing instructions (IMDG) | : LP01, P001 |
| Packing provisions (IMDG) | : PP1 |
| IBC packing instructions (IMDG) | : IBC03 |
| Tank instructions (IMDG) | : T4 |
| Tank special provisions (IMDG) | : TP2, TP29 |
| Stowage category (IMDG) | : A |
| MFAG-No | : 171 |
| Air transport(IATA) | |
| UN-No. (IATA) | : 3082 |
| Proper Shipping Name (IATA) | : Environmentally hazardous substance, liquid, n.o.s. |
| Packing group (IATA) | : III |
| Transport hazard class(es) (IATA) | : 9 |
| Hazard labels (IATA) | : 9 |
| Class (IATA) | : 9 |
| PCA Excepted quantities (IATA) | : E1 |
| PCA Limited quantities (IATA) | : Y964 |
| PCA limited quantity max net quantity (IATA) | : 30kgG |
| PCA packing instructions (IATA) | : 964 |
| PCA max net quantity (IATA) | : 450L |
| CAO packing instructions (IATA) | : 964 |
| CAO max net quantity (IATA) | : 450L |
| Special provision (IATA) | : A97, A158, A197 |
| ERG code (IATA) | : 9L |
| Marine pollutant | : Not applicable |
| Regulations in Japan | |
| Regulatory information by sea | : Conform to the provisions of the Ship Safety Law. |
| Regulatory information by air | : Conform to the provisions of the Civil Aeronautics Law. |
| MFAG-No | : 171 |
| Special transport precautions | : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers. |

15. Regulatory information

National law

| | |
|---|--|
| Industrial Safety and Health Law | : Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18) Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2) Chromium and its compounds Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on Special medical examination, Past handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2) Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No. 0704 Item 1, 5 based on July 4, 2023) |
| Japanese Poisonous and Deleterious Substances Control Law | : Deleterious Substances (Designated Order Art.2) Chromates compounds and preparations containing it. (except for preparations which contain 70 % or less of lead chromate) |
| Water Pollution Prevention Law | : Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1) |
| Fire Service Law | : Not applicable |

| | | |
|---|---|---|
| Air Pollution Control Law | : | Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9) |
| Foreign Exchange and Foreign Trade Control Act | : | Export Trade Control Ordinance appendix 1-16 |
| Ship Safety Act | : | Miscellaneous dangerous substances & articles (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations) |
| Civil Aeronautics Law | : | Miscellaneous dangerous substances & articles (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations) |
| Road Act | : | Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.) |
| Waste Management on Public Cleansing Law | : | Specially Controlled Industrial Wastes (Act Art.2, para 5, Enforcement Order Art.2-4) |
| Waterworks Law | : | Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003) |
| Sewerage Law | : | Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4) |
| Japanese Pollutant Release and Transfer Register Law (PRTR Law) | : | Class 1 Designated Chemical Substances, Specified Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4) Chromium(VI) compounds as chromium(0.5%) |
| Labor Standards Act | : | Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978) Carcinogens (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 7) |
| Soil Contamination Countermeasures Law | : | Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1) |

16. Other information

| | | |
|-------------------|---|--|
| Data sources | : | Handbook of 17524 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020). |
| Other information | : | The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references. |