

# Cobalt(II) chloride hexahydrate

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 11/12/2010 Revision date: 9/29/2023 SDS code

SDS code: H2-18

Version: 08

# Safety Data Sheet

## 1. Chemical product and company identification

Product name SDS code	:	Cobalt(II) chloride hexahydrate H2-18
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirand Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@h URL : https://www.hpc-j.co.j	oma oc-j	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number Recommended use Restrictions on use	: :	06-6910-7305 For research and experimental use only. Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

# 2. Hazards identification

### **GHS** classification

Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	No classification
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	No classification
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	classification not possible
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 3
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	No classification
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 2
	Respiratory sensitization	Category 1
	Skin sensitization	Category 1
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	Category 1 (central nervous system, digestive tract, liver, kidneys)

	Specific target exposure)	organ toxicity (single	Category 3 (Respiratory tract irritation.)
	Specific target (repeated expo		Category 1 (nervous system, respiratory system, cardiovascular system, thyroid gland, blood system)
	Specific target (repeated expo	organ toxicity	Category 2 (testis)
	Aspiration haza		classification not possible
Environmental hazards	Hazardous to t		Category 1
	Hazardous to t	he aquatic	Category 1
	environment, lo Hazardous to t	ong-term (chronic) he ozone layer	classification not possible
		,	
Hazard	~	$\mathbf{A}$	<b>∧</b>
pictograms			Ľ
(GHS JP)	20C		12
	$\checkmark$		
	GHS06	GHS08 GH	H\$09
Signal word (GHS JP	)	: Danger	
Hazard statements (G	GHS JP)	: Toxic if swallowe	
		Causes skin irrita	ation (H315) ergic skin reaction (H317)
			eye irritation (H319)
			ergy or asthma symptoms or breathing difficulties if
		inhaled (H334) May cause respir	ratory irritation (H335)
		Suspected of cau	using genetic defects (H341)
			using cancer (H351) ility or the unborn child (H360)
		Causes damage	to organs (central nervous system, digestive tract, liver,
		kidneys) (H370)	to organs (nervous system, respiratory system,
		cardiovascular sy	stem, thyroid gland, blood system) through prolonged or
		repeated exposu	re (H372) ige to organs (testis) through prolonged or repeated
		exposure (H373)	
		Very toxic to aqu	atic life with long lasting effects (H410)
Precautionary statem	ents (GHS JP)		
Prevention			structions before use. (P201)
		Do not handle un (P202)	til all safety precautions have been read and understood.
		Do not breathe d	ust/fume/gas/mist/vapors/spray. (P260)
			earms and face thoroughly after handling. (P264) or smoke when using this product. (P270)
		Use only outdoor	s or in a well-ventilated area. (P271)
		Contaminated wo (P272)	ork clothing should not be allowed out of the workplace.
		Avoid release to	the environment. (P273)
		Wear protective ( (P280)	gloves/protective clothing/eye protection/face protection.
		( )	quate ventilation] wear respiratory protection. (P284)
Response			: Immediately call a POISON CENTER or doctor.
		(P301+P310) IF ON SKIN <sup>,</sup> Was	sh with plenty of water. (P302+P352)
		IF INHALED: Rei	move person to fresh air and keep comfortable for
		breathing (P304-	+P340) se cautiously with water for several minutes. Remove
			present and easy to do. Continue rinsing.
		(P305+P351+P3	
		(P308+P311)	ncerned: Call a POISON CENTER or doctor.
			ce/attention if you feel unwell. (P314) 330)
		If skin irritation or	r rash occurs: Get medical advice/attention. (P333+P313) ersists: Get medical advice/attention. (P337+P313)
		,	2/0

	If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311) Take off contaminated clothing and wash it before reuse. (P362+P364) Collect spillage. (P391)
Storage :	Store in a well-ventilated place. Keep container tightly closed. (P403+P233) Store locked up. (P405)
Disposal :	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture : Substance

	Concentration or		Kanpo I			
Name	Concentration range	Formula	CSCL no	ISHL no	CAS RN	
Cobalt(II) chloride hexahydrate	≧95%, ≦100%	CoCl2•6H2O	(1)-207	Existing Chemical Substance	7791-13-1	

The above concentration or concentration range are not product specification. All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

in case of fire

First aid measures		
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
		Get immediate medical advice/attention.
First-aid measures after skin	:	Remove/Take off immediately all contaminated clothing.
contact		Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Rinse mouth.
		Get immediate medical advice/attention.
5. Fire fighting measures		
Suitable extinguishing media	:	Water spray, Foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Fire hazard	:	This product is unburnable.
Explosion hazard	:	May induce explosion of containers by heating.

Hazardous decomposition products : In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Avoid (reject) fire-fighting water to enter environment

Avoid (reject) fire-fighting water to enter environment. Even after extinguishing fire, thoroughly cool containers by using plenty of water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self containedcompressed air breathing apparatus.

### 6. Accidental release measures

6. Accidental release meas	ur	es
Personal Precautions, Protective Ed	qui	pment and Emergency Procedures
General measures	:	Before entering, ventilate the area.
		Do not let unauthorized persons come close to the area.
		Immediately place the leakage area in isolation, with taking proper distances for all directions.
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.
Environmental precautions		
Environmental precautions	:	Avoid release to the environment.
		Prevent entry to sewers and public waters.
Methods and Equipment for Contain	nm	ent and Cleaning up
Methods for cleaning up	:	Take care not to generate dust, sweep it up as much as possible, collect it in an empty container that can be sealed, and move it to a safe place.
		Wash out the spilled area with large amounts of water.
7. Handling and storage		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
U U		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

### 8. Exposure controls / Personal protection equipment

Exposure limit values			
Cobalt(II) chloride			
Japan administration level	0.02mg/m3(as Co)		
Exposure limits (JSOH)	0.05mg/m3(as Co)		
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.		
Protective equipment			
Respiratory protection	: Dustproof mask		
Hand protection	: Protective gloves		
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)		
	: Protective clothing, Protective boots, Protective apron		

# 9. Physical and chemical properties

:	Solid
:	Crystals
:	purplish red
:	No data available
	:

рН	: No data available
Melting point	: 86°C (Dehydration of water of crystallization) , 735°C
Freezing point	: No data available
Boiling point	: 1049°C
Flash point	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability (solid, gas)	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Density	: 1.92 g/cm <sup>3</sup> (20°C)
Relative gas density	: No data available
Solubility	: Soluble in ethanol. Water: 53 g/100ml
Partition coefficient n- octanol/water (Log Pow)	: No data available
Explosive limits (vol %)	: No data available
Viscosity, kinematic	: No data available
Particle characteristics	: No data available

### **10. Stability and reactivity**

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions. Deliquesces due to moisture in air. When heated, it turns to blue by dehydration of water of crystallization.
Possibility of hazardous reactions	:	When heated, it decomposes to produce chlorine. Reacts with oxidizing agents and alkali metals.
Conditions to avoid	:	Sunlight, moisture, heat. Contact with oxidizing agents and alkali metals.
Incompatible materials	:	Oxidizing agents, Alkali metals
Hazardous decomposition products	:	Chlorine, Hydrogen chloride, Cobalt oxides

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Cobalt(II) chloride			
Acute toxicity (oral)	Category 3		
Acute toxicity (dermal)	classification not possible		
Acute toxicity (gas)	No classification		
Acute toxicity (vapour)	No classification		
Acute toxicity (inhalation:dust/mist)	classification not possible		
Skin corrosion/irritation	Category 2		
Serious eye damage/irritation	Category 2		
Respiratory sensitization	Category 1		
Skin sensitization	Category 1		
Germ cell mutagenicity	Category 2		
Carcinogenicity	Category 2		
Reproductive toxicity	Category 1B		
STOT-single exposure	Category 1 Category 3 (Respiratory tract irritation.)		
STOT-repeated exposure	Category 1 Category 2		
Aspiration hazard	classification not possible		

### 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Cobalt(II) chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1

Cobalt(II) chloride				
Hazardous to Aquatic Environment - Chronic Hazard	Category 1			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	classification not possible			

### 13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

### 14. Transport information

#### **International Regulations**

#### Transport by sea(IMDG)

UN-No. (IMDG) Proper Shipping Name (IMDG) Packing group (IMDG) Transport hazard class(es) (IMDG) Hazard labels (IMDG) Class (IMDG)	: : : : : : : : : : : : : : : : : : : :	3288 TOXIC SOLID, INORGANIC, N.O.S. III 6.1 6.1 6.1
Division (IMDG) Special provision (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) IBC special provisions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG) Properties and observations (IMDG) MFAG-No	:	6.1 223, 274 P002, LP02 IBC08 B3 T1 TP33 A Toxic if swallowed, by skin contact or by inhalation. 151
Air transport(IATA)		
UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA) Class (IATA) Division (IATA) PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity max net		3288 Toxic solid, inorganic, n.o.s. III 6.1 6.1 6.1 6.1 E1 Y645 10kg
quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) Special provision (IATA) ERG code (IATA)	:	670 100kg 677 200kg A3, A5 6L
Marine pollutant	:	Applicable
Regulations in Japan		
Regulatory information by sea Regulatory information by air MFAG-No	:	Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law. 151

Special transport precautions

: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

### 15. Regulatory information National law

National law	
Industrial Safety and Health Law	<ul> <li>Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,5)</li> <li>Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)</li> <li>Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9)</li> <li>Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9)</li> <li>Cobalt and its compounds (Ordinance number : 172)</li> <li>Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3)</li> <li>Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)</li> <li>Substances on Special medical examination, Past handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 2)</li> </ul>
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Fire Service Law	: Not applicable
Air Pollution Control Law	: Hazardous Air Pollutants (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Toxic and infectious substances/Toxic substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Toxic and infectious substances/Toxic substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	<ul> <li>Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1) Cobalt and its compounds as cobalt(25%)</li> </ul>
Labor Standards Act	<ul> <li>Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)</li> <li>Sensitizers (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4, Labor Standard Bureau Notice No.182 of 1996)</li> </ul>
16. Other information	
Data sources	<ul> <li>Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.</li> <li>National Institute of Technology and Evaluation (NITE).</li> <li>2020 Emergency Response Guidebook (ERG 2020).</li> </ul>
Other information	: The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated

into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.