

Manganese(IV) oxide (Granular)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 4/24/2009 Revision date: 10/4/2023 SDS code: H7-04 Version: 05

Safety Data Sheet

1. Chemical product and company identification

Product name Manganese(IV) oxide (Granular)

SDS code H7-04

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives No classification

> Flammable gases No classification Aerosol No classification Oxidizing gases No classification Gases under pressure No classification Flammable liquids No classification Flammable solids No classification Self-reactive substances and No classification

mixtures

Pyrophoric liquids No classification Pyrophoric solids No classification Self-heating substances and No classification

mixtures

Substances and mixtures which in contact with water emit flammable

gases

Oxidizing liquids No classification

Oxidizing solids classification not possible

No classification

Organic peroxides No classification

Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) No classification No classification Acute toxicity (inhalation:gas) Acute toxicity (inhalation:vapors) No classification

Acute toxicity (inhalation:dust/mist) classification not possible Skin corrosion/irritation classification not possible Serious eye damage/eye irritation classification not possible Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity Category 2

Carcinogenicity classification not possible Reproductive toxicity classification not possible Specific target organ toxicity (single Category 1 (respiratory system)

exposure)

Specific target organ toxicity

(repeated exposure)

Category 1 (nervous system, respiratory system)

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer

No classification

Category 4

classification not possible

classification not possible

Hazard pictograms (GHS JP)



GHS08

Signal word (GHS JP) : Danger

Hazard statements (GHS JP) : Suspected of causing genetic defects (H341)

Causes damage to organs (respiratory system) (H370)

Causes damage to organs (nervous system, respiratory system) through

prolonged or repeated exposure (H372)

May cause long lasting harmful effects to aquatic life (H413)

Precautionary statements (GHS JP)

Prevention : Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response : IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

Storage : Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

Synonyms : Manganese dioxide, Manganese peroxide

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|---------------------|--------------------------------------|---------|--------------|-----------------------------------|-----------|
| | | | CSCL no | ISHL no | OAO IIII |
| Manganese(IV) oxide | ≧75.0% | MnO2 | (1)-475 | Existing Chemical Substance | 1313-13-9 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

: Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media : Water spray

Unsuitable extinguishing media : Do not use a heavy water stream, Foam, Dry powder.

Fire hazard : May intensify fire; oxidizer.

This product is unburnable.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Take care not to generate dust, sweep it up as much as possible, collect it

in an empty container that can be sealed, and move it to a safe place.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

| Exposure limit values | | |
|----------------------------|--|--|
| Manganese(IV) oxide | | |
| Japan administration level | 0.2mg/m3(as Mn) | |
| Exposure limits (JSOH) | 0.2mg/m3(as Mn、except Organic compounds) | |
| Exposure limits (ACGIH) | TWA 0.02 mg/m3(R) ·0.1 mg/m3(I),STEL - (as Mn) | |

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Dustproof mask
Hand protection : Protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)

Skin and body protection : Protective clothing, Protective boots, Protective apron

9. Physical and chemical properties

Physical state : Solid
Appearance : Granular

Color : black ~ dark brown

Odor : Odorless

pH : No data available
Melting point : No data available
Freezing point : No data available
Boiling point : No data available
Flash point : No data available
Auto-ignition temperature : No data available

Decomposition temperature : 535 °C

Flammability (solid, gas) : No data available
Vapor pressure : No data available
Relative density : No data available
Density : 5.02 g/cm³ (20°C)
Relative gas density : No data available

Solubility : Insoluble in water. Soluble in hydrochloric acid.

No data available

Partition coefficient n-

octanol/water (Log Pow)

Explosive limits (vol %) : No data available
Viscosity, kinematic : No data available
Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions. When heated, it decomposes to

produce manganese oxides and oxygen, increasing the risk of fire.

Possibility of hazardous reactions : Be strong oxidizing agent, reacts violently with combustible substances and

reducing substances to pose a risk of explosion. Reacts violently with strong oxidizing agents. When heated, reacts violently with aluminium.

Conditions to avoid : Sunlight, heat. Contact with strong oxidizing agents, combustible

substances and reducing substances.

Incompatible materials : Strong oxidizing agents, Combustible substances, Reducing substances

Hazardous decomposition : Oxygen, Manganese compounds

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Manganese(IV) oxide | | |
|---------------------------------------|-----------------------------|--|
| Acute toxicity (oral) | No classification | |
| Acute toxicity (dermal) | No classification | |
| Acute toxicity (gas) | No classification | |
| Acute toxicity (vapour) | No classification | |
| Acute toxicity (inhalation:dust/mist) | classification not possible | |
| Skin corrosion/irritation | classification not possible | |
| Serious eye damage/irritation | classification not possible | |
| Respiratory sensitization | classification not possible | |
| Skin sensitization | classification not possible | |
| Germ cell mutagenicity | Category 2 | |
| Carcinogenicity | classification not possible | |
| Reproductive toxicity | classification not possible | |
| STOT-single exposure | Category 1 | |
| STOT-repeated exposure | Category 1 | |
| Aspiration hazard | classification not possible | |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Manganese(IV) oxide | | |
|--|-----------------------------|--|
| Hazardous to Aquatic Environment - Acute Hazard | No classification | |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 4 | |
| Persistence and degradability | No data available | |
| Bioaccumulative potential | No data available | |
| Mobility in soil | No data available | |
| Hazardous to the ozone layer | classification not possible | |

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : Not applicable Proper Shipping Name (IMDG) : Not applicable Packing group (IMDG) : Not applicable Transport hazard class(es) (IMDG) : Not applicable

Air transport(IATA)

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Packing group (IATA) : Not applicable
Transport hazard class(es) (IATA) : Not applicable

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Not applicable Regulatory information by air : Not applicable

Special transport precautions : When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law

Group 2 Specified Chemical Substance, Group 2 Substance Under Supervision (Ordinance on Prevention of Hazards Due to Specified

Chemical Substances Art.2 Para.1, Item 2,5)

Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Not applicable

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Manganese and its inorganic compounds (Ordinance number: 550) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)

Japanese Poisonous and Deleterious Substances Control Law

Water Pollution Prevention Law

Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law : Not applicable

Air Pollution Control Law : Hazardous Air Pollutants, Priority Substances (Central Environment

Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Manganese and its compounds as manganese(≥47%)

Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

16. Other information

Data sources

: Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.