

Cadusafos

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 7/27/2021 Revision date: 1/12/2023 SDS code: HB-20 Version: 03

Safety Data Sheet

1. Chemical product and company identification

Product name : Cadusafos SDS code : HB-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

Recommended use : For research and experimental use only.

Restrictions on use : Do not use for any purpose other than research and experiment. Do not use on a

human body or for animal medicines, foods, household products, cosmetics, etc.

Do not use in the environment.

2. Hazards identification

GHS classification

Health hazards

Physical hazards Explosives No classification

Flammable gases

Aerosol

Oxidizing gases

No classification

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

No classification

mixtures

Substances and mixtures which in

contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification
Organic peroxides No classification

Corrosive to metals classification not possible

Desensitized explosives No classification
Acute toxicity (oral) Category 2

Acute toxicity (dermal) Category 1
Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible

Acute toxicity (inhalation:dust/mist)

Skin corrosion/irritation

Serious eye damage/eye irritation

Category 1

No classification

No classification

Respiratory sensitization classification not possible

Skin sensitization Category 1
Germ cell mutagenicity No classification
Carcinogenicity No classification
Reproductive toxicity No classification

Specific target organ toxicity (single Category 1 (nervous system)

exposure)

Specific target organ toxicity

(repeated exposure)

Category 1 (nervous system)

classification not possible

Category 1

Category 1

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS09

GHS08

Danger

Signal word (GHS JP)

Hazard statements (GHS JP)

Fatal if swallowed, in contact with skin or if inhaled (H300+H310+H330)

May cause an allergic skin reaction (H317)

Causes damage to organs (nervous system) (H370)

Causes damage to organs (nervous system) through prolonged or

repeated exposure (H372)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Prevention

Do not get in eyes, on skin, or on clothing. (P262)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Contaminated work clothing should not be allowed out of the workplace.

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

Wear respiratory protection. (P284)

IF SWALLOWED: Immediately call a POISON CENTER or doctor. Response

(P301+P310)

IF ON SKIN: Wash with plenty of water. (P302+P352)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

Rinse mouth. (P330)

If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) Take off immediately all contaminated clothing and wash it before reuse.

(P361+P364)

Collect spillage. (P391)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Substance

| | Concentration or Concentration range | Formula | Kanpo number | | 040 751 |
|-----------|--|-------------|--------------|-----------|------------|
| Name | | | CSCL no | ISHL no | CAS RN |
| Cadusafos | ≧95% 、 ≦100% | C10H23O2PS2 | - | 2-(7)-313 | 95465-99-9 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

: IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard
Hazardous decomposition products

in case of fire

Firefighting instructions

May induce explosion of containers by heating.

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Nitrogen filling.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in : Light shielding airtight container.

packaging/containers
Technical measures

: Comply with applicable regulations.

Storage temperature : Refrigerate: 2-10°C

8. Exposure controls / Personal protection equipment

| Exposure limit values | | | |
|-------------------------|-----------------------------|--|--|
| Cadusafos | | | |
| Exposure limits (ACGIH) | TWA 0.001 mg/m3(IFV),STEL - | | |

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : No data available

Odor : Sulfur odor

pH : No data available

Melting point : < 25 °C

Freezing point : No data available Boiling point : No data available

Flash point : 129.4 °C

Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure 0.0009 mm Hg Relative density No data available Density 1.1 g/cm³ (20°C) Relative gas density No data available Solubility No data available

Partition coefficient noctanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

SDS code: HB-20 Revision date: 1/12/2023 Version: 03

10. Stability and reactivity

Reactivity No data available

Chemical stability Stable under normal handling conditions.

Possibility of hazardous reactions No data available Conditions to avoid Sunlight, Heat No data available Incompatible materials Hazardous decomposition Sulfur oxides

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| Cadusafos | | |
|---------------------------------------|-----------------------------|--|
| Acute toxicity (oral) | Category 2 | |
| Acute toxicity (dermal) | Category 1 | |
| Acute toxicity (gas) | No classification | |
| Acute toxicity (vapour) | classification not possible | |
| Acute toxicity (inhalation:dust/mist) | Category 1 | |
| Skin corrosion/irritation | No classification | |
| Serious eye damage/irritation | No classification | |
| Respiratory sensitization | classification not possible | |
| Skin sensitization | Category 1B | |
| Germ cell mutagenicity | No classification | |
| Carcinogenicity | No classification | |
| Reproductive toxicity | No classification | |
| STOT-single exposure | Category 1 | |
| STOT-repeated exposure | Category 1 | |
| Aspiration hazard | classification not possible | |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| | · · | |
|---|-----------------------------|--|
| Cadusafos | | |
| Hazardous to Aquatic Environment - Acute Hazard | Category 1 | |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 1 | |
| Persistence and degradability | No data available | |
| Bioaccumulative potential | No data available | |
| Mobility in soil | No data available | |
| Hazardous to the ozone layer | classification not possible | |

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Empty the packaging completely prior to disposal. Contaminated container and

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 2810

Proper Shipping Name (IMDG) TOXIC LIQUID, ORGANIC, N.O.S.

Packing group (IMDG) Ι Transport hazard class(es) (IMDG) 6.1 Hazard labels (IMDG) 6.1

Class (IMDG) : 6.1

Division (IMDG) : 6.1

Special provision (IMDG) : 274, 315

Limited quantities (IMDG) : 0

Excepted quantities (IMDG) : E5

Packing instructions (IMDG) : P001

Tank instructions (IMDG) : T14

Tank special provisions (IMDG) : TP2, TP13, TP27

Stowage category (IMDG) : B

Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.

MFAG-No : 154

Air transport(IATA)

UN-No. (IATA) : 2810

Proper Shipping Name (IATA) : Toxic liquid, organic, n.o.s.

Packing group (IATA) : I
Transport hazard class(es) (IATA) : 6.1
Hazard labels (IATA) : 6.1
Class (IATA) : 6.1
Division (IATA) : 6.1
PCA Excepted quantities (IATA) : E5
PCA Limited quantities (IATA) : Forbi

PCA Limited quantities (IATA) : Forbidden PCA limited quantity max net : Forbidden

quantity (IATA)

PCA packing instructions (IATA) : 652
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 658
CAO max net quantity (IATA) : 30L

Special provision (IATA) : A3, A4, A137

ERG code (IATA) : 6L

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

Special transport precautions : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : [New added substances on April 2024]

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

S,S-bis(1-methylpropyl)=O-ethyl=phosphorodithioate (alias cassafos)

(Ordinance number: 457-5)

Japanese Poisonous and

Deleterious Substances Control Law

Poisonous Substances (Designated Order, Art.1)

S,S-bis(1-methylpropyl) O-ethyl phosphorodithioate(Cadusafos) and preparations containing it. (except for preparations which contain 10 % or less of S,S-bis(1-methylpropyl) O-ethyl phosphorodithioate)

Fire Service Law : Group 4, Flammable Liquids, Class 3 petroleums, Water-insoluble

liquids (Act, Art.2, Para.7, Appended Table 1, Group 4)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act Export Trade Control Ordinance appendix 1-16

: Toxic and infectious substances/Toxic substances (Dangerous Goods

Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law : Toxic and infectious substances/Toxic substances (Hazardous

materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

Port Regulation Law : Toxic and infectious substances/Toxic substances (Article 21,

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Road Act

: Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para. 2, Enforcement Oder Art.1 Appended Table No.1)

 $S, S-Bis (\hbox{\it 1-methylpropyl}) \ O-ethyl \ phosphorodithioate; \ cadusa fos$

(100%)

[After amendment of April 2023]

Class 1 Designated Chemical Substances (Act, Art.2, Para.2,

Enforcement Order, Art.1 Appended Table 1)

S,S-Bis(1-methylpropyl) O-ethyl phosphorodithioate (synonym:

Cadusafos) (100%)

16. Other information

Data sources

: Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.