

Mercury standard solution 1mg Hg/mL (1000ppm)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 1/27/2010 Revision date: 10/6/2023 SDS code: I2-10 Version: 08

Safety Data Sheet

1. Chemical product and company identification

Product name Mercury standard solution 1mg Hg/mL (1000ppm)

SDS code 12-10

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Health hazards

Physical hazards Explosives classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Category 1 Corrosive to metals

Desensitized explosives classification not possible Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification Acute toxicity (inhalation:vapors) Category 3

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single No classification

exposure)

1/9

Revision date: 10/6/2023 SDS code: I2-10 Version: 08

Specific target organ toxicity

(repeated exposure)

No classification

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic) Hazardous to the ozone layer

Category 3

Category 2

classification not possible

classification not possible

Hazard pictograms (GHS JP)





GHS05

GHS06

Signal word (GHS JP) Danger

Hazard statements (GHS JP) May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

Toxic if inhaled (H331) Toxic to aquatic life (H401)

Harmful to aquatic life with long lasting effects (H412)

Precautionary statements (GHS JP)

Prevention Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264)

Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Mixture

Name	Concentration or	Formula	Kanpo number		CAS RN
	Concentration range		CSCL no	ISHL no	CASKI
Mercury(II) chloride	About 0.14%	HgCl2	(1)-226	Existing Chemical Substance	7487-94-7
Nitric acid	About 0.6%	HNO3	(1)-394	Existing Chemical Substance	7697-37-2
Water	About 99.26%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

Firefighting instructions

: May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

: Light shielding airtight container.

packaging/containers
Technical measures

: Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Mercury(II) chloride	
Japan administration level	0.025mg/m3(as Hg)
Exposure limits (ACGIH)	TWA 0.025 mg/m3,STEL - (as Hg Elemental and inorganic forms) (Skin)
Nitric acid	
Exposure limits (JSOH)	2ppm(5.2mg/m3)
Exposure limits (ACGIH)	TWA 2 ppm,STEL 4 ppm

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent

Odor : Odorless pH : 1.1 (25°C)

Melting point No data available No data available Freezing point Boiling point No data available No data available Flash point No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 1.00 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available octanol/water (Log Pow)

Explosive limits (vol %) : No data available
Viscosity, kinematic : No data available
Particle characteristics : No data available

Revision date: 10/6/2023 SDS code: I2-10 Version: 08

10. Stability and reactivity

Reactivity No data available

Chemical stability Stable under normal handling conditions.

Corrodes many metals and evolves hydrogen. On contact with reducing Possibility of hazardous reactions

substances, organic compounds and powdered metals, violent reactions or

explosive phenomena occur.

Conditions to avoid Sunlight, heat. Contact with reducing substances, organic compounds,

bases and metals.

Reducing substances, Organic compounds, Bases, Metals Incompatible materials Hazardous decomposition Nitrogen oxides, Hydrogen, Chlorine, Hydrogen chloride

products

11. Toxicological information

The information in this section is ba	ased on the "GHS Classification Results" by NITE.
As a product	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:Category 3
	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	classification not possible
Mercury(II) chloride	
Acute toxicity (oral)	Category 2

Mercury(II) chloride	
Acute toxicity (oral)	Category 2
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 2A
Respiratory sensitization	classification not possible
Skin sensitization	Category 1
Germ cell mutagenicity	Category 2
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

Nitric acid	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 1
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible

Nitric acid	
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

12. Ecological informationThe information in this section is based

The information in this section is based of	on the "GHS Classification Results" by NITE.
As a product	
Hazardous to the aquatic environment,	Category 2
short-term (acute)	
Hazardous to the aquatic environment,	Category 3
long-term (chronic)	N. I. a. W. I.
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil Ozone	No data available classification not possible
	Classification not possible
Mercury(II) chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Nitric acid	
Hazardous to Aquatic Environment - Acute Hazard	Category 3
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available

Water	
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone laver	classification not possible

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and : Empty the packaging completely prior to disposal.

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 2922

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, TOXIC, N.O.S.

Packing group (IMDG) : II

Transport hazard class(es) (IMDG) : 8 (6.1)
Hazard labels (IMDG) : 8,6.1
Class (IMDG) : 8
Subsidiary hazard (IMDG) : 6.1

Special provision (IMDG) : 274
Packing instructions (IMDG) : P001
IBC packing instructions (IMDG) : IBC02
Tank instructions (IMDG) : T7
Tank special provisions (IMDG) : TP2
Stowage category (IMDG) : B

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes. Toxic if

swallowed, by skin contact or by inhalation.

MFAG-No : 154

Air transport(IATA)

UN-No. (IATA) : 2922

Proper Shipping Name (IATA) : Corrosive liquid, toxic, n.o.s.

Packing group (IATA) : II

Transport hazard class(es) (IATA) : 8 (6.1)

Hazard labels (IATA) : 8, 6.1

Class (IATA) : 8
Subsidiary hazards (IATA) : 6.1
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net : 0.5L

quantity (IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provision (IATA) : A3, A803
ERG code (IATA) : 8P

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

Special transport precautions: When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Mercury and its inorganic compounds (Ordinance number: 315) Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Poisonous Substances (Designated Order, Art.1)

Mercury compounds and preparations containing them. (except for the following substances; i)aminochloromercury(II) and preparations containing it, ii)mercury(I) chloride and preparations containing it, iii)mercury oleate and preparations containing it, iv)preparations which contain 5 % or less of mercury oxide, v)mercury(I) iode and preparations containing it, vi)mercury(II) fulminate and preparations containing it, vii)mercury(II) sulfide and preparations containing it)

Water Pollution Prevention Law

Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law

Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 5, Attached Table No.1-

8, Ordinacne No. 2 of 1988, Art.1)

Air Pollution Control Law

Hazardous Air Pollutants, Priority Substances (Central Environment

Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Corrosive substances (Hazardous materials notice Appended Table 1 Civil Aeronautics Law

Article 194 of the Enforcement Regulations)

Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, Port Regulation Law

notice attached table that defines the type of dangerous goods)

Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Road Act Publication of Japan Highway Pablic Corp.)

Waste Management on Public Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Cleansing Law

Order Art.2-4)

Waterworks Law Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Substances for Water Quality Standard (Act Art.12-2 Para.2, Sewerage Law

Enforcement Order Art.9-4)

Japanese Pollutant Release and

Transfer Register Law (PRTR Law)

Not applicable

Labor Standards Act

Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

Soil Contamination Countermeasures Law Designated Hazardous Substances (Act Art.2 Para.3, Enforcement

Order Art.1)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. Other information

> This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws

and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.