

# 1mol/L(1N) Silver nitrate solution

### Hayashi Pure Chemical Ind., Ltd.

Date of issue: 11/17/2015 Revision date: 10/11/2023 SDS code: I2-20 Version: 05

### **Safety Data Sheet**

### 1. Chemical product and company identification

Product name : 1mol/L(1N) Silver nitrate solution

**SDS code** : 12-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number : 06-6910-7305

**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

### 2. Hazards identification

### **GHS** classification

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification
Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas)

No classification

Acute toxicity (inhalation:vapors)

No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1
Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single

exposure)

No classification

Specific target organ toxicity

(repeated exposure) Aspiration hazard

classification not possible

Category 1 (respiratory system)

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer

Category 1

Category 1

classification not possible

Hazard pictograms (GHS JP)







GHS05

GHS08

GHS09

Signal word (GHS JP) Danger

Hazard statements (GHS JP) Causes severe skin burns and eye damage (H314)

Causes damage to organs (respiratory system) through prolonged or

repeated exposure (H372)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

> Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314) Wash contaminated clothing before reuse. (P363)

Collect spillage. (P391)

Store locked up. (P405) Storage

Dispose of contents/container to hazardous or special waste collection Disposal

point, in accordance with local, regional, national and/or international

regulation. (P501)

# 3. Composition/information on ingredients

Distinction of substance or mixture Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		040 PM
			CSCL no	ISHL no	CAS RN
Silver nitrate	About 15%	AgNO3	(1)-8	Existing Chemical Substance	7761-88-8
Water	About 85%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

: May intensify fire; oxidizer.

This product is unburnable.

Hazardous decomposition products

in case of fire

Explosion hazard

Fire hazard

May induce explosion of containers by heating.

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

# 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

Methods for cleaning up

: Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

### 7. Handling and storage

#### Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in : Light shielding airtight container.

packaging/containers

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

### 8. Exposure controls / Personal protection equipment

Exposure limit values				
Silver nitrate				
Exposure limits (JSOH)	0.01mg/m3(as Ag)			
Exposure limits (ACGIH)	TWA 0.01 mg/m3,STEL - (as Ag)			

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment** 

Respiratory protection : Gas mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

### 9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent

Odor : Odorless pH :  $4.6 (25^{\circ}C)$ 

Melting point No data available Freezing point No data available Boiling point No data available Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 1.14 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available octanol/water (Log Pow)

Explosive limits (vol %) : No data available

Viscosity, kinematic : No data available Particle characteristics : No data available

### 10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts with strong reducing agents, strong bases, ammonia and

magnesium.

Conditions to avoid : Sunlight, heat. Contact with strong reducing agents, strong bases, ammonia

and magnesium.

Incompatible materials : Strong reducing agents, Strong bases, Ammonia, Magnesium

Hazardous decomposition : Nitrogen oxides, Silver compounds

products

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

The information in this section is base	ed on the "GHS Classification Results" by NITE.			
As a product				
Acute toxicity (oral)	No classification			
Acute toxicity (dermal)	classification not possible			
Acute toxicity (inhalation)	vapors:No classification			
	Gases:No classification			
01: " " "	dust, mist:classification not possible			
Skin corrosion/irritation	Category 1			
Serious eye damage/irritation Respiratory sensitization	Category 1 classification not possible			
Skin sensitization	classification not possible			
Germ cell mutagenicity	classification not possible			
Carcinogenicity	classification not possible			
Reproductive toxicity	classification not possible			
STOT-single exposure	No classification			
STOT-repeated exposure	Category 1			
Aspiration hazard	classification not possible			
Silver nitrate				
Acute toxicity (oral)	Category 4			
Acute toxicity (dermal)	classification not possible			
Acute toxicity (gas)	No classification			
Acute toxicity (gas)  Acute toxicity (vapour)	No classification			
Acute toxicity (inhalation:dust/mist)	classification not possible			
Skin corrosion/irritation	Category 1			
Serious eye damage/irritation	Category 1			
Respiratory sensitization	classification not possible			
Skin sensitization	classification not possible			
Germ cell mutagenicity	classification not possible			
Carcinogenicity	classification not possible			
Reproductive toxicity	classification not possible			
STOT-single exposure	Category 3 (Respiratory tract irritation.)			
STOT-repeated exposure	Category 1			
Aspiration hazard	classification not possible			
Water	·			
	No classification			
Acute toxicity (oral)				
Acute toxicity (dermal)	No classification			
Acute toxicity (gas)	No classification			
Acute toxicity (vapour)	No classification			
Acute toxicity (inhalation:dust/mist)	No classification			
Skin corrosion/irritation	No classification			
Serious eye damage/irritation	No classification			
Respiratory sensitization	No classification			
Skin sensitization	No classification			
Germ cell mutagenicity	No classification			
Carcinogenicity	No classification			
Reproductive toxicity	No classification			
STOT-single exposure	No classification			
STOT-repeated exposure	No classification			
Aspiration hazard				
Aspiration nazaru	No classification			

### 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE

The information in this section is based on the "GHS Classification Results" by NITE.				
As a product				
Hazardous to the aquatic environment,	Category 1			
short-term (acute)				
Hazardous to the aquatic environment,	Category 1			
long-term (chronic)				
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Ozone	classification not possible			
Silver nitrate				
Hazardous to Aquatic Environment - Acute Hazard	Category 1			
Hazardous to Aquatic Environment - Chronic Hazard	Category 1			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	classification not possible			
Water				
Hazardous to Aquatic Environment - Acute Hazard	No classification			
Hazardous to Aquatic Environment - Chronic Hazard	No classification			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	classification not possible			

### 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

### 14. Transport information

# **International Regulations**

Transport by sea(IMDG)

UN-No. (IMDG) : 1760

Proper Shipping Name (IMDG) : CORROSIVE LIQUID, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG) 8 Class (IMDG) 8 Special provision (IMDG) 274 P001 Packing instructions (IMDG) IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T11 TP2, TP27 Tank special provisions (IMDG)

Stowage category (IMDG) : B

Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.

MFAG-No : 154

Air transport(IATA)

UN-No. (IATA) : 1760

Proper Shipping Name (IATA) : Corrosive liquid, n.o.s.

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8

Class (IATA) : 8

PCA Excepted quantities (IATA) : E2

PCA Limited quantities (IATA) : Y840

PCA limited quantity max net : 0.5L

quantity (IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
Special provision (IATA) : A3, A803
ERG code (IATA) : 8L

Marine pollutant : Applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law. Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 154

**Special transport precautions**: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

### 15. Regulatory information

#### **National law**

Industrial Safety and Health Law : Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

silver and its water-soluble compounds (Ordinance number : 137)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law : Hazardous Substances (Act, Art.2, Enforcement Order Art.2,

Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law : Not applicable

Air Pollution Control Law : Hazardous Air Pollutants (Central Environment Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act

: Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para.2,

Enforcement Order Art.1 Appended Table No.1)

Silver and its water-soluble compounds as silver(9.6%)

# 16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the

substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.