

# 0.125mol/L(N/4) Sulfuric acid

## Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 11/24/2015 Revision date: 2/20/2023 SDS code: I3-15 Version: 04

## Safety Data Sheet

## 1. Chemical product and company identification

0.125mol/L(N/4) Sulfuric acid **Product name** 

SDS code 13-15

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

## 2. Hazards identification

#### **GHS** classification

Physical hazards Explosives classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

Pyrophoric liquids classification not possible

classification not possible

classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible

Acute toxicity (inhalation:dust/mist) Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible

Skin sensitization No classification

Germ cell mutagenicity classification not possible Carcinogenicity classification not possible

Reproductive toxicity No classification

Specific target organ toxicity (single Category 2 (respiratory system)

exposure)

Revision date: 2/20/2023 SDS code: 13-15 Version: 04

Specific target organ toxicity

(repeated exposure)

classification not possible

No classification

Category 3

Category 2 (respiratory system)

Aspiration hazard Environmental

hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)





GHS07 GHS05

Signal word (GHS JP) Danger

Hazard statements (GHS JP) May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

Harmful if inhaled (H332)

May cause damage to organs (respiratory system) (H371)

May cause damage to organs (respiratory system) through prolonged or

repeated exposure (H373)

Harmful to aquatic life with long lasting effects (H412)

Precautionary statements (GHS JP)

Prevention Keep only in original container, (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314) Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Store locked up. (P405) Storage

Store in corrosive resistant container with a resistant inner liner. (P406)

Dispose of contents/container to hazardous or special waste collection Disposal

point, in accordance with local, regional, national and/or international

regulation. (P501)

# 3. Composition/information on ingredients

Distinction of substance or mixture Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	OAO KII
Sulfuric acid	About 1.2%	H2SO4	(1)-430	Existing Chemical Substance	7664-93-9
Water	About 98.8%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

Revision date: 2/20/2023 SDS code: I3-15 Version: 04

#### 4. First aid measures

#### First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

## 5. Fire fighting measures

Suitable extinguishing media

.

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Fire hazard

This product is unburnable.

Explosion hazard

May induce explosion of containers by water contamination.

.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

in case of fire, product may produce imitative of toxic furnes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

May induce explosion of containers by heating.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

#### 6. Accidental release measures

#### Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

#### **Environmental precautions**

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

## Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

Revision date: 2/20/2023 SDS code: 13-15 Version: 04

## 7. Handling and storage

Handling

Technical measures Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

**Storage** 

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

packaging/containers

Airtight container.

Comply with applicable regulations. Technical measures

Storage temperature Cool and dark place

## 8. Exposure controls / Personal protection equipment

Exposure limit values		
Sulfuric acid		
Exposure limits (JSOH)	[Ceiling]1mg/m3	
Exposure limits (ACGIH)	TWA 0.2 mg/m3(T),STEL -	

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment** 

Respiratory protection : Gas mask for acid gases Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles) : Impervious aprons, Impervious work clothing, Impervious long boots Skin and body protection

## 9. Physical and chemical properties

Liquid Physical state Appearance

Color colorless transparent

Odor Odorless рΗ ≤ 2 (25°C)

Melting point No data available Freezing point No data available No data available Boiling point Flash point No data available No data available Auto-ignition temperature Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 1.01 g/cm³ (20°C) Relative gas density No data available No data available Solubility

SDS code: 13-15 Revision date: 2/20/2023 Version: 04

Partition coefficient n-

octanol/water (Log Pow)

No data available

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

## 10. Stability and reactivity

Reactivity No data available

Chemical stability Stable under normal handling conditions.

Possibility of hazardous reactions When in contact or mixing with water, a violent reaction occurs and heat is

> generated. When heating, generates irritating or toxic fumes and gases of sulfur oxides. There is a risk of fire or explosion on contact with bases, combustible substances, oxidizing agents and reducing agents. When contact with metals, produces flammable hydrogen gas, and there is a risk of ignition explosion by ignition sources such as high-temperature, sparks,

flames, static electricity or the like.

Sunlight, moisture, heat. Contact with bases, combustible substances, Conditions to avoid

oxidizing agents, reducing agents and metals.

Incompatible materials Bases, Combustible substances, Oxidizing agents, Reducing agents, Metals

Hazardous decomposition Sulfur oxides, Hydrogen

products

# 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible
	Gases:No classification
	dust, mist:Category 4
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization Skin sensitization	classification not possible  No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	No classification
STOT-single exposure	Category 2
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible
Sulfuric acid	
Acute toxicity (oral)	Category 5
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	No classification
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification

Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification

Revision date: 2/20/2023

Water		
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	No classification	

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

The information in this section is based on the GHS Classification Results by NTE.		
As a product		
Hazardous to the aquatic environment,	No classification	
short-term (acute)		
Hazardous to the aquatic environment,	Category 3	
long-term (chronic)	N. J. W. W. H.	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Sulfuric acid		
Hazardous to Aquatic Environment -	Category 3	
Acute Hazard		
Hazardous to Aquatic Environment -	Category 1	
Chronic Hazard		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment -	No classification	
Acute Hazard		
Hazardous to Aquatic Environment -	No classification	
Chronic Hazard		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

# 13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

Revision date: 2/20/2023 SDS code: I3-15 Version: 04

## 14. Transport information

#### International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : 2796

Proper Shipping Name (IMDG) : SULPHURIC ACID

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG) 8 Class (IMDG) 8 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 IBC special provisions (IMDG) B20 Tank instructions (IMDG) T8

Properties and observations (IMDG) : Colourless liquid, mixture not exceeding 1.405 relative density. Highly

corrosive to most metals. Causes burns to skin, eyes and mucous

membranes.

TP2

MFAG-No : 157

Air transport(IATA)

Tank special provisions (IMDG)

Stowage category (IMDG)

UN-No. (IATA) : 2796

Proper Shipping Name (IATA) : Sulphuric acid

Packing group (IATA) : II
Transport hazard class(es) (IATA) : 8
Hazard labels (IATA) : 8
Class (IATA) : 8
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y840
PCA limited quantity max net : 0.5L

quantity (IATA)

PCA packing instructions (IATA) : 851
PCA max net quantity (IATA) : 1L
CAO packing instructions (IATA) : 855
CAO max net quantity (IATA) : 30L
ERG code (IATA) : 8L

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.

MFAG-No : 157

**Special transport precautions**: When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

# 15. Regulatory information

**National law** 

Industrial Safety and Health Law : Group 3 Specified Chemical Substance, (Ordinance on Prevention of

Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)
Sulfuric acid (Ordinance number: 613)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law : Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law : Not applicable

Air Pollution Control Law : Specified substances (Article 17, Paragraph 1 of the Law, Article 10

of the Enforcement Ordinance)

Revision date: 2/20/2023 SDS code: 13-15 Version: 04

Law Relating to Prevention of Marine Pollution and Maritime Disasters

Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 2)

Foreign Exchange and Foreign Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act

Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law

Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law

Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)

Waste Management on Public Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Not applicable

Labor Standards Act

Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)

#### 16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind. Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.