

0.01mol/L(N/20) Potassium permanganate solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 9/11/2015 Revision date: 11/6/2023 SDS code: K2-19 Version: 04

Safety Data Sheet

1. Chemical product and company identification

0.01mol/L(N/20) Potassium permanganate solution **Product name**

SDS code K2-19

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and classification not possible

mixtures

Pyrophoric liquids classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

classification not possible

mixtures

Substances and mixtures which in

contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible classification not possible Corrosive to metals Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification Acute toxicity (inhalation:vapors) No classification

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification Serious eye damage/eye irritation No classification

Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity No classification

Carcinogenicity classification not possible

Reproductive toxicity No classification Specific target organ toxicity (single No classification

exposure)

Revision date: 11/6/2023 SDS code: K2-19 Version: 04

Specific target organ toxicity

(repeated exposure)

No classification

Aspiration hazard

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

Hazardous to the ozone layer

No classification

No classification

classification not possible

classification not possible

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

	Concentration or Concentration range	Formula	Kanpo number		
Name			CSCL no	ISHL no	CAS RN
Potassium permanganate	About 0.16%	KMnO4	(1)-446	Existing Chemical Substance	7722-64-7
Water	About 99.84%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Use proper extinguishing media depending on peripheral fire.

Unsuitable extinguishing media

: Do not use a heavy water stream.

Fire hazard

This product is unburnable.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Wear appropriate personal protective devices to prevent inhalation and

contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

: Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Potassium permanganate	
Japan administration level	0.2mg/m3(as Mn)
Exposure limits (JSOH)	0.2mg/m3(as Mn, except Organic compounds)
Exposure limits (ACGIH)	TWA 0.02 mg/m3(R) · 0.1 mg/m3(I),STEL - (as Mn)

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Protective mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid Appearance : Liquid

Color : dark reddish purple

Odor : Odorless pH : $7.4 (25^{\circ}C)$

Melting point No data available Freezing point No data available **Boiling point** No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available No data available Relative density

Revision date: 11/6/2023 SDS code: K2-19 Version: 04

Density : 1.00 g/cm³ (20°C)
Relative gas density : No data available
Solubility : No data available
Partition coefficient n- : No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Reacts with ammonium compounds, metal powders, hydrogen peroxide,

concentrated sulfuric acid, etc. When in contact with hydrochloric acid, evolves toxic chlorine gas. It is reduced by reducing agents such as ferrous

salts, iodides and oxalates.

Conditions to avoid : Sunlight, heat. Contact with combustible substances, reducing substances,

strong acids, peroxides, ammonium compounds and metal powders.

Incompatible materials : Combustible substances, Reducing substances, Strong acids, Peroxides,

Ammonium compounds, Metal powders

Hazardous decomposition

products

Manganese oxides, Potassium oxides

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (inhalation)	vapors:No classification	
	Gases:No classification	
Older and a finite time	dust, mist:classification not possible	
Skin corrosion/irritation	No classification No classification	
Serious eye damage/irritation Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	No classification	
Carcinogenicity	classification not possible	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	classification not possible	
Potassium permanganate		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	classification not possible	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	Category 2	
Carcinogenicity	classification not possible	
Reproductive toxicity	Category 2	
STOT-single exposure	Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	
Water		
Acute toxicity (oral)	No classification	

Revision date: 11/6/2023 SDS code: K2-19 Version: 04

Water	
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

The information in this section is based of	on the "GHS Classification Results" by NITE.
As a product	
Hazardous to the aquatic environment,	No classification
short-term (acute)	
Hazardous to the aquatic environment,	No classification
long-term (chronic)	
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
Potassium permanganate	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

: Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Packing group (IMDG) : Not applicable
Transport hazard class(es) (IMDG) : Not applicable

Air transport(IATA)

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Packing group (IATA) : Not applicable
Transport hazard class(es) (IATA) : Not applicable

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Not applicable Regulatory information by air : Not applicable

Special transport precautions : When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Manganese and its inorganic compounds (Ordinance number : 550)

Japanese Poisonous and

Deleterious Substances Control Law

: Not applicable

Water Pollution Prevention Law

Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law : Not applicable

Air Pollution Control Law : Hazardous Air Pollutants, Priority Substances (Central Environment

Council Report No. 9)

Foreign Exchange and Foreign

Trade Control Act Waterworks Law Export Trade Control Ordinance appendix 1-16

: Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Sewerage Law : Substances for Water Quality Standard (Act Art.12-2 Para.2,

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

: Not applicable

Transier Register Law (FRTR Lav

Labor Standards Act

: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local

Revision date: 11/6/2023 SDS code: K2-19

regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.