

HAYASHI™ CHECK Solution (for Coulometric Titration)

Hayashi Pure Chemical Ind.,Ltd.

 Date of issue: 3/2/2010
 Revision date: 11/16/2023
 SDS code: KF-02
 Version: 09

Safety Data Sheet

1. Chemical product and company identification

Product name	:	HAYASHI™ CHECK Solution (for Coulometric Titration)
SDS code	:	KF-02
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihiranc Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@hp URL : https://www.hpc-j.co.j	oma bc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	Category 3
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	No classification
	Acute toxicity (dermal)	Category 4
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	Category 4
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	No classification
	Serious eye damage/eye irritation	No classification
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	Category 1 (central nervous system, blood system, kidneys)

	Specific target org exposure)	an toxicity (single	Category 3 (Narcosis)
	Specific target org exposure)	an toxicity (single	Category 3 (Respiratory tract irritation.)
	Specific target org (repeated exposure		Category 1 (blood system, testis)
	Aspiration hazard		classification not possible
Environmental hazards	Hazardous to the environment, shor		No classification
	Hazardous to the environment, long		No classification
	Hazardous to the	ozone layer	classification not possible
Hazard pictograms (GHS JP)	<u>ک</u>	!> <	
	0.1002	HS07 GH	IS08
Signal word (GHS JP) :	Danger	
Hazard statements (G	SHS JP) :	Harmful in contac May cause respira May cause drows May damage ferti Causes damage f kidneys) (H370)	and vapor (H226) et with skin or if inhaled (H312+H332) atory irritation (H335) iness or dizziness (H336) lity or the unborn child (H360) to organs (central nervous system, blood system, to organs (blood system, testis) through prolonged or re (H372)
Precautionary statem	ents (GHS JP)		
Prevention	:	Do not handle unit (P202) Keep away from H sources. No smol Ground and bond Use explosion-pro Use only non-spa Take action to pre Do not breathe du Wash hands, fore Do not eat, drink o Use only outdoors Wear protective g (P280)	l container and receiving equipment. (P240) pof electrical/ventilating/lighting equipment. (P241) urking tools. (P242) event static discharges. (P243) ust/fume/gas/mist/vapors/spray. (P260) earms and face thoroughly after handling. (P264) or smoke when using this product. (P270) s or in a well-ventilated area. (P271) ploves/protective clothing/eye protection/face protection.
Response	:	Rinse skin with w IF INHALED: Ren breathing (P304+ IF exposed or cor (P308+P311) Get medical advic Take off contamir	air): Take off immediately all contaminated clothing. ater . (P303+P361+P353) nove person to fresh air and keep comfortable for P340) ncerned: Call a POISON CENTER or doctor. ce/attention if you feel unwell. (P314) nated clothing and wash it before reuse. (P362+P364) se specify appropriate media to extinguish. (P370+P378)
Storage	:	Store in a well-ve (P403+P233)	ntilated place. Keep container tightly closed. ntilated place. Keep cool. (P403+P235)
Disposal	:		nts/container to hazardous or special waste collection ace with local, regional, national and/or international

3. Composition/information on ingredients

Distinction of substance or mixture : Substance

	Concentration or		Kanpo			
Name	Concentration range	Formula	CSCL no	ISHL no	CAS RN	
Ethylene glycol monomethyl ether	≧99%, ≦100%	C3H8O2	(2)-405	Existing Chemical Substance	109-86-4	

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.		
First-aid measures after skin contact	:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Get immediate medical advice/attention.		
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.		
First-aid measures after ingestion	:	Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.		
5. Fire fighting measures		Water enroy Alaskal resistant form Dry neuron Carbon disvide, Sand		

5. Fire fighting measures	
Suitable extinguishing media	W/a

Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.	
Unsuitable extinguishing media	:	Do not use a heavy water stream.	
Fire hazard	:	Extremely flammable liquid and vapor.	
Explosion hazard	:	Danger of the steam explosion in indoor, outdoor, sewer.	
		May induce explosion of containers by heating.	
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.	
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.	
		In the case of peripheral fire, quickly remove movable containers to safe places.	
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.	
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.	
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.	

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures	:	Before entering, ventilate the area.	
		Do not let unauthorized persons come close to the area.	
		Immediately place the leakage area in isolation, with taking proper distances for all directions.	
		Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.	
Environmental precautions			
Environmental precautions	:	Avoid release to the environment.	
		Prevent entry to sewers and public waters.	

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up		Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible.
		Wash out the spilled area with large amounts of water.
7 Handling and storage		

7. Handling and storage

Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
		Take precautionary measures against static discharge.
		Use explosion-proof equipment.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values			
Ethylene glycol monomethyl ether			
Japan administration level	0.1ppm		
Exposure limits (JSOH)	0.1ppm(0.31mg/m3)(skin)		
Exposure limits (ACGIH)	TWA 0.1 ppm,STEL - (Skin)		
Appropriate engineering controls	 Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location. 		
Protective equipment			
Respiratory protection	: Gas mask for organic gases		
Hand protection	: Impervious protective gloves		
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)		
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots		

9. Physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid
Color	:	colorless transparent
Odor	:	Aromatic odor
рН	:	No data available
Melting point	:	-85 °C
Freezing point	:	No data available
Boiling point	:	125 °C
Flash point	:	39 °C (tag closed cup)
Auto-ignition temperature	:	285 °C
Decomposition temperature	:	No data available

Flammability (solid, gas)	:	No data available
Vapor pressure	:	0.83 kPa (20℃)
Relative density	:	No data available
Density	:	0.96 g/cm³ (20°C)
Relative gas density	:	2.6 (air=1)
Solubility	:	Easily soluble in water. Soluble in ethanol. Soluble in diethyl ether.
Partition coefficient n- octanol/water (Log Pow)	:	-0.503
Explosive limits (vol %)	:	1.8 – 14 vol %
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts with oxidizing agents to pose a risk of fire and explosion.
Conditions to avoid	:	Sunlight, heat. Ignition sources such as spark, flame and static electricity. Contact with oxidizing agents.
Incompatible materials	:	Oxidizing agents
Hazardous decomposition products	:	No data available

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

Ethylene glycol monomethyl ether	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	Category 4
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 4
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis) Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

Ethylene glycol monomethyl ether		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and	:	Empty the packaging completely prior to disposal.
packaging		Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG) UN-No. (IMDG) Proper Shipping Name (IMDG) Packing group (IMDG) Transport hazard class(es) (IMDG) Hazard labels (IMDG) Class (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG) Flash point (IMDG) Properties and observations (IMDG)	 1188 ETHYLENE GLYCOL MONOMETHYL ETHER III 3 3 5 L E1 P001, LP01 IBC03 T2 TP1 A 38°C c.c. Colourless liquid. Flashpoint: 38°C c.c. Explosive limits: 1.8% to
	20% Miscible with water.
MFAG-No	: 127
Air transport(IATA)	
UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA) Class (IATA) PCA Excepted quantities (IATA) PCA Limited quantities (IATA) PCA limited quantity (IATA) PCA packing instructions (IATA) PCA max net quantity (IATA) CAO packing instructions (IATA) CAO max net quantity (IATA) CAO max net quantity (IATA) ERG code (IATA)	 1188 Ethylene glycol monomethyl ether III 3 3 3 E1 Y344 10L 355 60L 366 220L 3L
Marine pollutant	: Not applicable
Regulations in Japan	
Regulatory information by sea Regulatory information by air MFAG-No Special transport precautions	 Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law. 127 When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information	
National law	

National law		
Chemical Substances Control Law	:	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	:	Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning, Art.1, Para.1, Item 4) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9)

Industrial Safety and Health Law		Ethylene glycol monomethyl ether (Ordinance number : 80) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
Japanese Poisonous and Deleterious Substances Control Law	:	Not applicable
Fire Service Law	:	Group 4 - Flammable liquids - 2nd Class petroleums - soluble (Law Art.2 Para.7,Attached Table 1, Group 4)
Air Pollution Control Law	:	Hazardous Air Pollutants (Central Environment Council Report No. 9) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	:	Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1) Ethyleneglycol monomethyl ether (100%)
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)
16. Other information		

Data sources

Other information

 Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.
 National Institute of Technology and Evaluation (NITE).
 2020 Emergency Response Guidebook (ERG 2020).

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. : This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.