

HAYASHI™ Solvent CM Dehydrating Solvent (for Oil)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 2/9/2009 Revision date: 2/14/2023 SDS code: KF-04 Version: 15

Safety Data Sheet

1. Chemical product and company identification

HAYASHI™ Solvent CM Dehydrating Solvent (for Oil) **Product name**

SDS code KF-04

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Restrictions on use Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

No classification

Pyrophoric liquids Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids No classification Oxidizing solids No classification

Organic peroxides classification not possible classification not possible Corrosive to metals Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) Category 4

> Acute toxicity (dermal) classification not possible Acute toxicity (inhalation:gas) classification not possible

Acute toxicity (inhalation:vapors) Category 3

Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 2 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Reproductive toxicity Category 1B

Specific target organ toxicity (single

exposure)

Category 1 (respiratory system, cardiovascular system, liver, kidneys, central nervous system, visual organ,

systemic toxicity)

Specific target organ toxicity (single Category 3 (Narcosis)

exposure)

Specific target organ toxicity Category 1 (central nervous system, respiratory

Category 3

(repeated exposure) system, liver, kidneys, visual organ)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic Category 1

environment, long-term (chronic)

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)







GHS08



GHS09

GHS06

Signal word (GHS JP) Danger

Hazard statements (GHS JP) Harmful if swallowed (H302)

Causes skin irritation (H315) Causes serious eye damage (H318)

Toxic if inhaled (H331)

May cause drowsiness or dizziness (H336) Suspected of causing genetic defects (H341) Suspected of causing cancer (H351)

May damage fertility or the unborn child (H360)

Causes damage to organs (respiratory system, cardiovascular system, liver, kidneys, central nervous system, visual organ, systemic toxicity)

Causes damage to organs (central nervous system, respiratory system, liver, kidneys, visual organ) through prolonged or repeated exposure

(H372)

Harmful to aquatic life (H402)

Very toxic to aquatic life with long lasting effects (H410)

Precautionary statements (GHS JP)

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF ON SKIN: Wash with plenty of water. (P302+P352)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

Rinse mouth. (P330)

If skin irritation occurs: Get medical advice/attention. (P332+P313) Take off contaminated clothing and wash it before reuse. (P362+P364)

Collect spillage. (P391)

Storage Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store locked up. (P405)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CASKI
Chloroform	83-93%	CHCl3	(2)-37	Existing Chemical Substance	67-66-3
Methanol	7-17%	СНЗОН	(2)-201	Existing Chemical Substance	67-56-1
Additive	≦about 1%	Undisclosed	Undisclosed	Undisclosed	Undisclosed

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion

Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Avoid release to the environment. **Environmental precautions**

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures Comply with applicable regulations.

Storage temperature Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values		
Chloroform		
Japan administration level	3ppm	
Exposure limits (JSOH)	3ppm(14.7mg/m3)(skin)	
Exposure limits (ACGIH)	TWA 10 ppm,STEL -	
Methanol		
Japan administration level	200ppm	
Exposure limits (JSOH)	200ppm(260mg/m3)(skin)	
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)	

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for organic gases Hand protection : Impervious protective gloves

: Protective glasses (general glasses, glasses with side-shields, goggles) Eye protection Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state Liquid **Appearance** Liquid

Color colorless transparent Odor characteristic odor

pΗ 3.9 (25℃)

No data available Melting point Freezing point No data available Boiling point No data available Flash point No data available

No data available Auto-ignition temperature Decomposition temperature No data available No data available Flammability (solid, gas) Vapor pressure No data available Relative density No data available Density 1.34 g/cm³ (20°C) No data available Relative gas density Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

10. Stability and reactivity

Reactivity No data available

Chemical stability Decomposes when heating it, generates toxic chlorine, hydrogen chloride,

phosgene and formaldehyde. Slowly decomposed by air and light,

generates toxic phosgene.

Possibility of hazardous reactions Violently reacts with oxidizing agents, strong bases, aluminium, magnesium

> and zinc, gives rise to danger of fire and explosion. Aluminium and lead may be corroded. Corrodes plastic, rubber and film coating agents. Mixing with

hydrogen peroxide causes explosion by shocks.

Sunlight, heat. Ignition sources such as flame, spark and static electricity. Conditions to avoid

Contact with oxidizing agents, strong bases and metals such as aluminium,

magnesium and zinc.

Incompatible materials Oxidizing agents, Strong bases, Metals such as aluminium, magnesium and

Hazardous decomposition

products

Chlorine, Hydrogen chloride, Phosgene, Formaldehyde

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:Category 3
	Gases:classification not possible
	dust, mist:classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Chloroform	

Chloroform	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 3
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2

Chloroform		
Carcinogenicity	Category 2	
Reproductive toxicity	Category 2	
STOT-single exposure	Category 1 Category 3 (Narcosis)	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	
Methanol		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	classification not possible	
Serious eye damage/irritation	Category 2	
Respiratory sensitization	classification not possible	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	classification not possible	
Reproductive toxicity	Category 1B	
STOT-single exposure	Category 1 Category 3 (Narcosis)	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE

The information in this section is based on the "GHS Classification Results" by NITE.		
As a product		
Hazardous to the aquatic environment,	Category 3	
short-term (acute)		
Hazardous to the aquatic environment,	Category 1	
long-term (chronic)		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Chloroform		
Hazardous to Aquatic Environment -	Category 3	
Acute Hazard		
Hazardous to Aquatic Environment -	Category 1	
Chronic Hazard		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Methanol		
Hazardous to Aquatic Environment -	No classification	
7.10410 1.1424.4		
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 2810

Proper Shipping Name (IMDG) TOXIC LIQUID, ORGANIC, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 6.1 Hazard labels (IMDG) 6.1 Class (IMDG) 6.1 Division (IMDG) Special provision (IMDG) 223, 274 Packing instructions (IMDG) P001, LP01 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) **T7** TP1, TP28 Tank special provisions (IMDG)

Stowage category (IMDG)

Properties and observations (IMDG) Toxic if swallowed, by skin contact or by inhalation.

MFAG-No

Air transport(IATA)

UN-No. (IATA) 2810

Proper Shipping Name (IATA) Toxic liquid, organic, n.o.s.

Packing group (IATA) Ш Transport hazard class(es) (IATA) 6.1 Hazard labels (IATA) 6.1 Class (IATA) 6.1 Division (IATA) 6.1 PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y642 PCA limited quantity max net 21

quantity (IATA)

PCA packing instructions (IATA) 655 PCA max net quantity (IATA) 60L CAO packing instructions (IATA) 663 CAO max net quantity (IATA) 220L Special provision (IATA) A3, A4, A137

ERG code (IATA) 6L

Marine pollutant **Applicable**

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

MFAG-No 153

When transporting, load containers so that they do not tip over, Special transport precautions damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Chemical Substances Control Law Industrial Safety and Health Law

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Group 2 Specified Chemical Substance, Special Organic Solvents (Ordinance on Prevention of Hazards Due to Specified Chemical

Substances Art.2 Para.1, Items 2, 3-2, 3-3)

Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning,

Art.1, Para.1, Item 4)

Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Revision date: 2/14/2023

SDS code: KF-04 Vers

Version: 15

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Chloroform (Ordinance number : 160) Methanol (Ordinance number : 560)

Published Substances of the Guidelines for Preventing the Impairment of Workers' Health (Act, Art.28, Para.3, MHLW Noticed Guideline)

Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical

Substances Art.38-3)

Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law

Designated Chemical Substances (Law Article 2, Paragraph 4,

Enforcement Order Article 3-3)

Fire Service Law : Not applicable

Air Pollution Control Law : Specified substances (Article 17, Paragraph 1 of the Law, Article 10

of the Enforcement Ordinance)

Hazardous Air Pollutants, Priority Substances (Central Environment

Council Report No. 9)

Substances with Self-Imposed Control (Notification of Environment

Agency)

Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act Export Trade Control Ordinance appendix 1-16

: Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods

Regulations)

Civil Aeronautics Law : Toxic and infectious substances/Toxic substances (Hazardous

materials notice Appended Table 1 Article 194 of the Enforcement

Regulations)

Port Regulation Law : Toxic and infectious substances/Toxic substances (Article 21,

Paragraph 2 of Law, Article 12 rule, notice attached table that defines

the type of dangerous goods)

Waterworks Law : Hazardous Substances (Act Article 4 paragraph 2), Standard for

Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)

Class 1 Designated Chemical Substances (Act Art.2 para. 2,

Enforcement Oder Art.1 Appended Table No.1)

Chloroform (83-93%)

[After amendment of April 2023]

Class 1 Designated Chemical Substances (Act, Art.2, Para.2,

Enforcement Order, Art.1 Appended Table 1)

Chloroform (83-93%)

Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

16. Other information

Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that

Revision date: 2/14/2023

SDS code: KF-04 Version: 15

unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.