

---

## Safety Data Sheet

### 1. Chemical product and company identification

**Product name** : HAYASHI™ Solvent CE Dehydrating Solvent (for Ketone)

**SDS code** : KF-06

**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku\_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>

**Emergency number** : 06-6910-7305

**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

### 2. Hazards identification

#### GHS classification

Physical hazards	Explosives	classification not possible	
	Flammable gases	No classification	
	Aerosol	classification not possible	
	Oxidizing gases	No classification	
	Gases under pressure	No classification	
	Flammable liquids	classification not possible	
	Flammable solids	No classification	
	Self-reactive substances and mixtures	classification not possible	
	Pyrophoric liquids	No classification	
	Pyrophoric solids	No classification	
	Self-heating substances and mixtures	classification not possible	
	Substances and mixtures which in contact with water emit flammable gases	classification not possible	
	Oxidizing liquids	No classification	
	Oxidizing solids	No classification	
	Organic peroxides	classification not possible	
	Corrosive to metals	classification not possible	
	Desensitized explosives	classification not possible	
	Health hazards	Acute toxicity (oral)	Category 3
		Acute toxicity (dermal)	Category 2
Acute toxicity (inhalation:gas)		classification not possible	
Acute toxicity (inhalation:vapors)		Category 1	
Acute toxicity (inhalation:dust/mist)		classification not possible	
Skin corrosion/irritation		Category 2	
Serious eye damage/eye irritation		Category 1	
Respiratory sensitization		classification not possible	
Skin sensitization		classification not possible	
Germ cell mutagenicity		Category 2	
Carcinogenicity	Category 2		
Reproductive toxicity	Category 1B		
Specific target organ toxicity (single exposure)	Category 1 (respiratory system, cardiovascular system, liver, kidneys, central nervous system)		

	Specific target organ toxicity (single exposure)	Category 3 (Narcosis)
	Specific target organ toxicity (repeated exposure)	Category 1 (central nervous system, respiratory system, liver, kidneys)
	Specific target organ toxicity (repeated exposure)	Category 2 (systemic toxicity, pancreas)
	Aspiration hazard	classification not possible
Environmental hazards	Hazardous to the aquatic environment, short-term (acute)	Category 3
	Hazardous to the aquatic environment, long-term (chronic)	Category 1
	Hazardous to the ozone layer	classification not possible

## Hazard pictograms (GHS JP)



GHS05



GHS06



GHS08



GHS09

## Signal word (GHS JP)

: Danger

## Hazard statements (GHS JP)

: Toxic if swallowed (H301)  
 Fatal in contact with skin or if inhaled (H310+H330)  
 Causes skin irritation (H315)  
 Causes serious eye damage (H318)  
 May cause drowsiness or dizziness (H336)  
 Suspected of causing genetic defects (H341)  
 Suspected of causing cancer (H351)  
 May damage fertility or the unborn child (H360)  
 Causes damage to organs (respiratory system, cardiovascular system, liver, kidneys, central nervous system) (H370)  
 Causes damage to organs (central nervous system, respiratory system, liver, kidneys) through prolonged or repeated exposure (H372)  
 May cause damage to organs (systemic toxicity, pancreas) through prolonged or repeated exposure (H373)  
 Harmful to aquatic life (H402)  
 Very toxic to aquatic life with long lasting effects (H410)

## Precautionary statements (GHS JP)

## Prevention

: Obtain special instructions before use. (P201)  
 Do not handle until all safety precautions have been read and understood. (P202)  
 Do not breathe dust/fume/gas/mist/vapors/spray. (P260)  
 Do not get in eyes, on skin, or on clothing. (P262)  
 Wash hands, forearms and face thoroughly after handling. (P264)  
 Do not eat, drink or smoke when using this product. (P270)  
 Use only outdoors or in a well-ventilated area. (P271)  
 Avoid release to the environment. (P273)  
 Wear protective gloves/protective clothing/eye protection/face protection. (P280)  
 [In case of inadequate ventilation] wear respiratory protection. (P284)

## Response

: IF SWALLOWED: Immediately call a POISON CENTER or doctor. (P301+P310)  
 IF ON SKIN: Wash with plenty of water. (P302+P352)  
 IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340)  
 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338)  
 IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311)  
 Immediately call a POISON CENTER or doctor. (P310)  
 Get medical advice/attention if you feel unwell. (P314)  
 Rinse mouth. (P330)  
 If skin irritation occurs: Get medical advice/attention. (P332+P313)  
 Take off immediately all contaminated clothing and wash it before reuse. (P361+P364)  
 Collect spillage. (P391)

- Storage : Store in a well-ventilated place. Keep container tightly closed.  
(P403+P233)  
Store locked up. (P405)
- Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
Chloroform	50-60%	CHCl <sub>3</sub>	(2)-37	Existing Chemical Substance	67-66-3
2-Chloroethanol (Ethylene chlorohydrin)	39-49%	C <sub>2</sub> H <sub>5</sub> ClO	(2)-2002	Existing Chemical Substance	107-07-3
Additive	≤ About 2%	Undisclosed	Undisclosed	Undisclosed	Undisclosed

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.  
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.  
Gently wash with plenty of soap and water.  
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting.  
Rinse mouth.  
Get immediate medical advice/attention.

### 5. Fire fighting measures

- Suitable extinguishing media : Water spray, Foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.  
In the case of peripheral fire, quickly remove movable containers to safe places.  
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.  
Avoid (reject) fire-fighting water to enter environment.  
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

## 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.  
Do not let unauthorized persons come close to the area.  
Immediately place the leakage area in isolation, with taking proper distances for all directions.  
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

### Environmental precautions

- Environmental precautions : Avoid release to the environment.  
Prevent entry to sewers and public waters.

### Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.  
Collect leaking and spilled liquid in sealable containers as far as possible.  
Wash out the spilled area with large amounts of water.

## 7. Handling and storage

### Handling

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.  
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.  
Thoroughly wash your hands and gargle after handling.  
Ensure good ventilation of the work station.  
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

### Storage

- Storage conditions : Store locked up.  
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Light shielding airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

## 8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)	
		Standard Value	JSOH OEL C
Chloroform	3 ppm	14.7 mg/m <sup>3</sup> 3 ppm	-

Component name	Concentration standard value (MHLW)		
	OEL TWA	OEL STEL	OEL C
2-Chloroethanol (Ethylene chlorohydrin)	2 ppm	-	-

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

### Protective equipment

- Respiratory protection : Gas mask for organic gases
- Hand protection : Impervious protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

## 9. Physical and chemical properties

Physical state	: Liquid
Appearance	: Liquid
Color	: colorless transparent
Odor	: characteristic odor
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: Not inflammable
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Flammability	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Density	: 1.34 g/cm <sup>3</sup> (20°C)
Relative gas density	: No data available
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Explosive limits (vol %)	: No data available
Viscosity, kinematic	: No data available
Particle characteristics	: No data available

## 10. Stability and reactivity

Reactivity	: No data available
Chemical stability	: Stable under normal handling conditions.
Possibility of hazardous reactions	: Decomposes gradually by air and light, and generate toxic phosgene. Decomposes by heat, and generate toxic chlorine, hydrogen chloride and phosgene. Reacts with water and water vapor, generating toxic and corrosive fumes. Reacts with strong oxidants, strong bases, aluminium, magnesium and zinc, and it is danger of suspicion of fire or explosion. Corrode plastic, rubber and coating agent.
Conditions to avoid	: Sunlight, heat. Ignition sources such as flame, spark and static electricity. Contact with strong oxidants, strong bases and active metals such as aluminium, magnesium and zinc.
Incompatible materials	: Strong oxidants, Strong bases, Active metals such as aluminium, magnesium and zinc
Hazardous decomposition products	: Chlorine, Hydrogen chloride, Phosgene

## 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	Category 2
Acute toxicity (inhalation)	vapors:Category 1 Gases:classification not possible dust, mist:classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible

<b>Chloroform</b>	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 3
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
<b>2-Chloroethanol (Ethylene chlorohydrin)</b>	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	Category 2
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 1
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	Category 2A
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible

## 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

<b>As a product</b>	
Hazardous to the aquatic environment, short-term (acute)	Category 3
Hazardous to the aquatic environment, long-term (chronic)	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
<b>Chloroform</b>	
Hazardous to Aquatic Environment - Acute Hazard	Category 3
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
<b>2-Chloroethanol (Ethylene chlorohydrin)</b>	
Hazardous to Aquatic Environment - Acute Hazard	Category 3

<b>2-Chloroethanol (Ethylene chlorohydrin)</b>	
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

### 13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.  
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

### 14. Transport information

#### International Regulations

##### Transport by sea(IMDG)

- UN-No. (IMDG) : 2927
- Proper Shipping Name (IMDG) : TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
- Packing group (IMDG) : I
- Transport hazard class(es) (IMDG) : 6.1 (8)
- Hazard labels (IMDG) : 6.1,8
- Class (IMDG) : 6.1
- Subsidiary hazard (IMDG) : 8
- Division (IMDG) : 6.1
- Special provision (IMDG) : 274, 315
- Limited quantities (IMDG) : 0
- Excepted quantities (IMDG) : E5
- Packing instructions (IMDG) : P001
- Tank instructions (IMDG) : T14
- Tank special provisions (IMDG) : TP2, TP13, TP27
- Stowage category (IMDG) : B
- Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation. Causes burns to skin, eyes and mucous membranes.
- MFAG-No : 154

##### Air transport(IATA)

- UN-No. (IATA) : 2927
- Proper Shipping Name (IATA) : Toxic liquid, corrosive, organic, n.o.s.
- Packing group (IATA) : I
- Transport hazard class(es) (IATA) : 6.1 (8)
- Hazard labels (IATA) : 6.1, 8
- Class (IATA) : 6.1
- Subsidiary hazards (IATA) : 8
- Division (IATA) : 6.1
- PCA Excepted quantities (IATA) : E5
- PCA Limited quantities (IATA) : Forbidden
- PCA limited quantity max net quantity (IATA) : Forbidden
- PCA packing instructions (IATA) : 651
- PCA max net quantity (IATA) : 0.5L
- CAO packing instructions (IATA) : 657
- CAO max net quantity (IATA) : 2.5L
- Special provision (IATA) : A4, A137
- ERG code (IATA) : 6C

**Marine pollutant** : Applicable

##### Regulations in Japan

- Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
- Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.
- MFAG-No : 154

**Special transport precautions** : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

## 15. Regulatory information

### National law

Chemical Substances Control Law	:	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	:	Group 2 Specified Chemical Substance, Special Organic Solvents (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Items 2, 3-2, 3-3) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18) Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Law Art.57-2, Enforcement Order Art.18-2) Ethylene chlorohydrin Chloroform Published Substances of the Guidelines for Preventing the Impairment of Workers' Health (Act, Art.28, Para.3, MHLW Noticed Guideline) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3) Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on dental health checkup (Act, Art.66, Para.3, Enforcement Order, Art.22 Item 3) Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No. 0704 Item 1, 5 based on July 4, 2023) Concentration standard value setting substances (Ordinance on Industrial Safety and Health, Article 577-2, Para.2, Public Notice No. 177 of April 27, 2023, Public Notice No. 24 of April 27, 2023) Chemical substances that cause skin damage, skin-absorbable harmful substances (Ordinance on Industrial Safety and Health, Article 594-2, Para.1, list of substances applicable to No. 0704 Item 1, 5 based on July 4, 2023)
Japanese Poisonous and Deleterious Substances Control Law	:	Deleterious Substances (Designated Order Art.2) Preparations containing ethylene chlorohydrin
Water Pollution Prevention Law	:	Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	:	Nonhazardous material
Air Pollution Control Law	:	Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9) Hazardous Air Pollutants, Substances on Voluntary Management Guideline (Environment Agency Notice No.205 of Oct 18, 1996, Environment Agency Notice No.2210181 of Oct 18, 2022) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Order, Attached Table 1 Para.3 Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Toxic and infectious substances/Toxic substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Toxic and infectious substances/Toxic substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.)
Waterworks Law	:	Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1) Chloroform (50-60%)

Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

## 16. Other information

Data sources : Handbook of 17524 Chemical Products, The Chemical Daily Co, Ltd.  
International Chemical Safety Cards.  
National Institute of Technology and Evaluation (NITE).  
2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.