

# HAYASHI™-Solvent FM-II Dehydrating Solvent (for Sugar)

### Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 5/18/2010 Revision date: 2/6/2023 SDS code: KF-11 Version: 08

### Safety Data Sheet

### 1. Chemical product and company identification

Product name : HAYASHI™-Solvent FM-II Dehydrating Solvent (for Sugar)

SDS code : KF-11

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku\_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

**Emergency number** : 06-6910-7305

**Recommended use** : For research and experimental use only.

**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household

products, cosmetics, etc.

### 2. Hazards identification

#### **GHS** classification

Physical hazards Explosives classification not possible

Flammable gases No classification

Aerosol classification not possible

Oxidizing gases

Gases under pressure

Flammable liquids

Flammable solids

No classification

Category 2

No classification

Self-reactive substances and

mixtures

classification not possible

Pyrophoric liquids No classification
Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in classification not possible

gases

contact with water emit flammable

Oxidizing liquids No classification
Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible

Desensitized explosives No classification
Acute toxicity (oral) Category 4

Health hazards Acute toxicity (oral) Category 4

Acute toxicity (dermal) classification not possible
Acute toxicity (inhalation:gas) classification not possible
Acute toxicity (inhalation:vapors) classification not possible
Acute toxicity (inhalation:dust/mist) classification not possible
Skin corrosion/irritation classification not possible

Serious eye damage/eye irritation Category 2

Respiratory sensitization classification not possible
Skin sensitization classification not possible
Germ cell mutagenicity classification not possible

Carcinogenicity Category 2
Reproductive toxicity Category 1B

Specific target organ toxicity (single Category 1 (central nervous system, visual organ,

exposure) systemic toxicity)

ysternic toxicity)

Revision date: 2/6/2023 SDS code: KF-11 Version: 08

Specific target organ toxicity (single

exposure)

Category 3 (Narcosis)

Specific target organ toxicity

(repeated exposure)

Category 1 (central nervous system, visual organ)

Specific target organ toxicity

(repeated exposure)

Category 2 (male genitalia) classification not possible

Aspiration hazard

Environmental

Hazardous to the aquatic

environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Hazardous to the ozone layer

classification not possible

No classification

classification not possible

Hazard pictograms (GHS JP)

hazards







GHS07

Signal word (GHS JP)

Hazard statements (GHS JP)

Highly flammable liquid and vapor (H225)

Danger

Harmful if swallowed (H302)

Causes serious eye irritation (H319) May cause drowsiness or dizziness (H336)

Suspected of causing cancer (H351)

May damage fertility or the unborn child (H360)

Causes damage to organs (central nervous system, visual organ, systemic

toxicity) (H370)

Causes damage to organs (central nervous system, visual organ) through

prolonged or repeated exposure (H372)

May cause damage to organs (male genitalia) through prolonged or

repeated exposure (H373)

Precautionary statements (GHS JP)

Prevention

Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking. (P210)

Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241)

Use only non-sparking tools. (P242)

Take action to prevent static discharges. (P243)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Use only outdoors or in a well-ventilated area. (P271)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

Response

IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell.

(P301+P312)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

Rinse mouth. (P330)

If eye irritation persists: Get medical advice/attention. (P337+P313) In case of fire: Use specify appropriate media to extinguish. (P370+P378) Dehydrating Solvent (for Sugar)

Revision date: 2/6/2023 SDS code: KF-11 Version: 08

Storage : Store in a well-ventilated place. Keep container tightly closed.

(P403+P233)

Store in a well-ventilated place. Keep cool. (P403+P235)

Store locked up. (P405)

Disposal : Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

### 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

	Concentration or		Kanpo number		
Name	Concentration range	Formula	CSCL no	ISHL no	CAS RN
Formamide	36-46%	CH3NO	(2)-681	Existing Chemical Substance	75-12-7
Methanol	52-62%	СНЗОН	(2)-201	Existing Chemical Substance	67-56-1
Additive	≦3%	Undisclosed	Undisclosed	Undisclosed	Undisclosed

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

#### First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Rinse mouth.

Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Extremely flammable liquid and vapor.

Fire hazard Explosion hazard

Firefighting instructions

: Danger of the steam explosion in indoor, outdoor, sewer.

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

: If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

Revision date: 2/6/2023 SDS code: KF-11 Version: 08

### 6. Accidental release measures

### Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

**Environmental precautions** 

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

### 7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Take precautionary measures against static discharge.

Use explosion-proof equipment.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Refrigerate

# 8. Exposure controls / Personal protection equipment

Exposure limit values	
Formamide	
Exposure limits (ACGIH)	TWA 1 ppm,STEL - (Skin)
Methanol	
Japan administration level	200ppm
Exposure limits (JSOH)	200ppm(260mg/m3)(skin)
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

**Protective equipment** 

Respiratory protection : Gas mask for organic gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

Revision date: 2/6/2023 SDS code: KF-11 Version: 08

### 9. Physical and chemical properties

Physical state Liquid **Appearance** Liquid

Color colorless transparent Odor characteristic odor рΗ No data available Melting point No data available No data available Freezing point Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 0.91 g/cm<sup>3</sup> (20°C) Relative gas density No data available Solubility No data available No data available Partition coefficient n-

octanol/water (Log Pow)

Explosive limits (vol %) No data available Viscosity, kinematic No data available Particle characteristics No data available

### 10. Stability and reactivity

Reactivity No data available

Chemical stability Stable under normal handling conditions.

Vapours form explosive mixtures with air. Decomposes on heating Possibility of hazardous reactions

producing ammonia, hydrogen cyanide and formaldehyde. Reacts with oxidizing agents causing fire and explosion hazard. May corrode metals.

Conditions to avoid Sunlight, heat. Ignition sources such as spark, flame and static electricity.

Contact with oxidizing agents and metals.

Incompatible materials Oxidizing agents, Metals

Hazardous decomposition Ammonia, Hydrogen cyanide, Formaldehyde

products

### 11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.  As a product	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible
	Gases:classification not possible
	dust, mist:classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1 Category 2
Aspiration hazard	classification not possible
Formamide	
	A1 1 19 11

Formamide	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification

Revision date: 2/6/2023

Formamide		
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	classification not possible	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	Category 2	
Reproductive toxicity	Category 1B	
STOT-single exposure	Category 3 (Narcosis)	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	
Methanol		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	classification not possible	
Skin corrosion/irritation	classification not possible	
Serious eye damage/irritation	Category 2	
Respiratory sensitization	classification not possible	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	classification not possible	
Reproductive toxicity	Category 1B	
STOT-single exposure	Category 1 Category 3 (Narcosis)	
9 .		
STOT-repeated exposure	Category 1	

# 12. Ecological information

The information in this section is based of	on the "GHS Classification Results" by NITE.
As a product	
Hazardous to the aquatic environment, short-term (acute)	No classification
Hazardous to the aquatic environment, long-term (chronic)	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
Formamide	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Methanol	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available

Revision date: 2/6/2023 SDS code: KF-11 Version: 08

Methanol	
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone laver	classification not possible

### 13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

Empty the packaging completely prior to disposal.

packaging Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

## 14. Transport information

### International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 1993

Proper Shipping Name (IMDG) FLAMMABLE LIQUID, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 3

Hazard labels (IMDG) 3 Class (IMDG) 3 Special provision (IMDG) 274 Limited quantities (IMDG) 1 L

Excepted quantities (IMDG) F2 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T7

Tank special provisions (IMDG) TP1, TP28, TP8

Stowage category (IMDG) В MFAG-No 127

Air transport(IATA)

UN-No. (IATA)

Proper Shipping Name (IATA) Flammable liquid, n.o.s.

Packing group (IATA) Ш Transport hazard class(es) (IATA) 3 Hazard labels (IATA) 3 Class (IATA) 3 PCA Excepted quantities (IATA) E2 PCA Limited quantities (IATA) Y341

PCA limited quantity max net

quantity (IATA)

PCA packing instructions (IATA) 353 PCA max net quantity (IATA) 5L CAO packing instructions (IATA) 364 CAO max net quantity (IATA) 60L Special provision (IATA) А3 3Н ERG code (IATA)

Marine pollutant Not applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

1L

MFAG-No 127

Special transport precautions When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

Revision date: 2/6/2023 SDS code: KF-11 Version: 08

### 15. Regulatory information

#### **National law**

Chemical Substances Control Law Industrial Safety and Health Law

Priority Assessment Chemical Substances (Law Article 2, Para.5)

Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning,

Art.1, Para.1, Item 4)

Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Formamide (Ordinance number: 547) Methanol (Ordinance number: 560)

lodine and its compounds (Ordinance number: 606, After

amendment of April 2024: 605)

Dangerous Substances - Flammable Substance (Enforcement Order

Attached Table 1 Item 4)

Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Fire Service Law : Group 4 - Flammable liquids - 1st Class petroleums - soluble (Law

Art.2 Para.7, Attached Table 1, Group 4)

Air Pollution Control Law : Specified substances (Article 17, Paragraph 1 of the Law, Article 10

of the Enforcement Ordinance)

Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice

to Prefectures)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Ship Safety Act : Flammable liquids (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law : Flammable liquids (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Port Regulation Law : Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Road Act : Restriction for Vehicle Traffic (Enforcement Order Art.19-13,

Publication of Japan Highway Pablic Corp.)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and

Transfer Register Law (PRTR Law)

[After amendment of April 2023]

Class 2 Designated Chemical Substances (Act, Art.2, Para. 3,

Enforcement Order, Art.2, Appended Table 2)

Formamide (36-46%)

Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

### 16. Other information

Data sources : Handbook of 17322 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance,

Revision date: 2/6/2023

SDS code: KF-11

Version: 08

the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.