

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 10/27/2015 Revision date: 2/14/2023

SDS code: L5-19

Version: 05

# Safety Data Sheet

## 1. Chemical product and company identification

Product name	:	Degreasing solvent
SDS code	:	L5-19
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirano Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@hp URL : https://www.hpc-j.co.j	oma oc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

## 2. Hazards identification

### **GHS** classification

Physical hazards	Explosives	No classification
	Flammable gases	No classification
	Aerosol	No classification
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	Category 2
	Flammable solids	No classification
	Self-reactive substances and mixtures	No classification
	Pyrophoric liquids	No classification
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	No classification
	Oxidizing liquids	No classification
	Oxidizing solids	No classification
	Organic peroxides	No classification
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	No classification
	Acute toxicity (inhalation:gas)	No classification
	Acute toxicity (inhalation:vapors)	Category 3
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	Category 2
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	Category 2
	Carcinogenicity	Category 2
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	Category 1 (central nervous system, visual organ, systemic toxicity, respiratory system, cardiovascular system, liver, kidneys)

	Specific targe exposure)	t organ toxicity (single	Category 3	(Narcosis)					
		t organ toxicity osure)		(central nervo system, liver, ł	us system, visual organ, kidneys)				
	Aspiration haz	zard	classificatio	on not possible					
Environmental hazards		short-term (acute)	Category 3	Category 3					
	Hazardous to environment,	the aquatic long-term (chronic)	Category 1						
		the ozone layer	classificatio	on not possible					
Hazard pictograms					XV				
(GHS JP)									
	$\checkmark$				$\mathbf{\vee}$				
	GHS02		HS06	GHS08	GHS09				
Signal word (GHS JP	-	: Danger							
Hazard statements (G	ihs jp)	Harmful if swallo Causes skin irrita	<ul> <li>Highly flammable liquid and vapor (H225) Harmful if swallowed (H302) Causes skin irritation (H315) Causes serious eye damage (H318)</li> </ul>						
		May cause drows Suspected of cau Suspected of cau	siness or dizzi using genetic o	defects (H341)	)				
		May damage fer	ility or the unb	oorn child (H36					
					system, visual organ, systemic ystem, liver, kidneys) (H370)				
		Causes damage	to organs (cer	ntral nervous s	system, visual organ, olonged or repeated exposure				
		(H372)		ys) though ph	olonged of repeated exposure				
		Harmful to aquat Very toxic to aqu		ong lasting effe	ects (H410)				
Precautionary statem	ents (GHS JP)								
Prevention		: Obtain special in Do not handle ur (P202)			) /e been read and understood.				
		Keep away from sources. No smo	king. (P210)	-	open flames and other ignition				
		Ground and bond Use explosion-pr Use only non-spa	oof electrical/	ventilating/ligh	uipment. (P240) ting equipment. (P241)				
		Take action to pr Do not breathe d	Take action to prevent static discharges. (P243) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash bands, forcerms and free thoroughly after bandling. (P264)						
		Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)							
		Avoid release to	Avoid release to the environment. (P273) Wear protective gloves/protective clothing/eye protection/face protection.						
Response			): Call a POIS		or doctor if you feel unwell.				
		(P301+P312) IF ON SKIN (or h Rinse skin with v			Il contaminated clothing.				
		IF INHALED: Re breathing (P304-	move person t ⊦P340)	to fresh air and	d keep comfortable for				
		IF IN EYES: Rins contact lenses, if (P305+P351+P3	present and e		several minutes. Remove ntinue rinsing.				
		IF exposed or co (P308+P311)	ncerned: Call		ENTER or doctor.				
		Immediately call Get medical advi							
		Rinse mouth. (P3	330)	-	ttention. (P332+P313)				
		II SNIT ITTLALIUT U		antai auvite/al	(1001. (1002 T 1010)				

	Take off contaminated clothing and wash it before reuse. (P362+P364) In case of fire: Use specify appropriate media to extinguish. (P370+P378) Collect spillage. (P391)
Storage :	Store in a well-ventilated place. Keep container tightly closed. (P403+P233) Store in a well-ventilated place. Keep cool. (P403+P235) Store locked up. (P405)
Disposal :	Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

## 3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

	Concentration or		Kanpo		
Name	Concentration range	Formula	CSCL no	ISHL no	CAS RN
Methanol	About 34.8%	СНЗОН	(2)-201	Existing Chemical Substance	67-56-1
Chloroform	About 65.2%	CHCI3	(2)-37	Existing Chemical Substance	67-66-3

The above concentration or concentration range are not product specification. All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

### 4. First aid measures

### First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water. Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get immediate medical advice/attention.
First-aid measures after ingestion	÷	Do NOT induce vomiting. Rinse mouth. Get immediate medical advice/attention.

### 5. Fire fighting measures

Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Fire hazard	:	Extremely flammable liquid and vapor.
Explosion hazard	:	Danger of the steam explosion in indoor, outdoor, sewer.
		May induce explosion of containers by heating.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions		If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Avoid (reject) fire-fighting water to enter environment.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

### 6. Accidental release measures

6. Accidental release mea	
Personal Precautions, Protective E	quipment and Emergency Procedures
General measures	: Before entering, ventilate the area.
	Do not let unauthorized persons come close to the area.
	Immediately place the leakage area in isolation, with taking proper distances for all directions.
	Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.
Environmental precautions	
Environmental precautions	: Avoid release to the environment.
	Prevent entry to sewers and public waters.
Methods and Equipment for Conta	nment and Cleaning up
Methods for cleaning up	: Clean up any spills as soon as possible, using an absorbent material to collect it.
	Collect leaking and spilled liquid in sealable containers as far as possible.
	Wash out the spilled area with large amounts of water.
7. Handling and storage	
Handling	
Technical measures	: Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
	Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	: Do not eat, drink or smoke when using this product.
	Thoroughly wash your hands and gargle after handling.
	Ensure good ventilation of the work station.
	Do not contact, breathe or swallow.
	Take precautionary measures against static discharge.
	Use explosion-proof equipment.
Prevents handling of incompatible substances or mixtures	: Avoid prolonged or repeated exposure.
Storage	

Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Light shielding airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

## 8. Exposure controls / Personal protection equipment

Exposure limit values		
Methanol		
Japan administration level	200ppm	
Exposure limits (JSOH)	200ppm(260mg/m3)(skin)	
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)	
Chloroform		
Japan administration level	3ppm	
Exposure limits (JSOH)	3ppm(14.7mg/m3)(skin)	
Exposure limits (ACGIH)	TWA 10 ppm,STEL -	
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.	

#### **Protective equipment**

Respiratory protection	: Gas mask for organic gases
Hand protection	: Impervious protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots

### 9. Physical and chemical properties

Physical state	:	Liquid
Appearance	:	Liquid
Color	:	colorless transparent
Odor	:	characteristic odor
рН	:	≈ 8 (Reference value, 25°C)
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	18.1 °C (tag closed cup)
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	1.14 g/cm³ (20°C)
Relative gas density	:	No data available
Solubility	:	No data available
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

### **10. Stability and reactivity**

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions. Due to air or light, it gradually decomposes to produce toxic phosgene.
Possibility of hazardous reactions	:	When heated, it decomposes to produce toxic substances such as chlorine, hydrogen chloride, phosgene and formaldehyde. Reacts violently with strong oxidizing agents, strong bases and chemically active metals such as aluminium, magnesium and zinc to pose a risk of fire and explosion. Corrodes plastics, rubbers and coating agents.
Conditions to avoid	:	Sunlight, moisture, heat. Ignition sources such as spark, flame and static electricity. Contact with strong oxidizing agents, strong bases and chemically active metals such as aluminium, magnesium and zinc.
Incompatible materials	:	Strong oxidizing agents, Strong bases, Chemically active metals such as aluminium, magnesium and zinc
Hazardous decomposition products	:	Chlorine, Hydrogen chloride, Phosgene, Formaldehyde

### **11. Toxicological information**

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Acute toxicity (oral)	Category 4	
Acute toxicity (dermal)	No classification	
Acute toxicity (inhalation)	vapors:Category 3	
	Gases:No classification	
	dust, mist:classification not possible	
Skin corrosion/irritation	Category 2	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	classification not possible	

As a product	
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Methanol	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Chloroform	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	Category 3
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 2
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible

# 12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Hazardous to the aquatic environment, short-term (acute)	Category 3	
Hazardous to the aquatic environment, long-term (chronic)	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Methanol		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	

Methanol	
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
Chloroform	
Hazardous to Aquatic Environment - Acute Hazard	Category 3
Hazardous to Aquatic Environment - Chronic Hazard	Category 1
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

# 13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal.
		Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

# **14. Transport information**

#### International Regulations

#### Transport by sea(IMDG)

Transport by Sea(INDO)	
UN-No. (IMDG)	: 1992
Proper Shipping Name (IMDG)	: FLAMMABLE LIQUID, TOXIC, N.O.S.
Packing group (IMDG)	: 11
Transport hazard class(es) (IMDG)	: 3 (6.1)
Hazard labels (IMDG)	: 3,6.1 <sup>´</sup>
Class (IMDG)	: 3
Subsidiary hazard (IMDG)	: 6.1
Special provision (IMDG)	: 274
Limited quantities (IMDG)	: 1L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T7
Tank special provisions (IMDG)	: TP2, TP13
Stowage category (IMDG)	: B
Properties and observations (IMDG)	: Flammable toxic liquid which is not specified by name in this class or,
	on account of its characteristics, in some other class. Toxic if
	swallowed, by skin contact or by inhalation.
MFAG-No	: 131
Air transport(IATA)	
UN-No. (IATA)	: 1992
Proper Shipping Name (IATA)	: Flammable liquid, toxic, n.o.s.
Packing group (IATA)	
Transport hazard class(es) (IATA)	3 (6.1)
Hazard labels (IATA)	: 3, 6.1
Class (IATA)	: 3
Subsidiary hazards (IATA)	: 6.1
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	. Ez : Y341
PCA limited quantity max net	: 1L
quantity (IATA)	. IL
PCA packing instructions (IATA)	: 352
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 504 : 60L
Special provision (IATA)	: A3
ERG code (IATA)	: 3HP
Marine pollutant	: Applicable

Regulations in Japan		Conform to the provisions of the Ship Safety Low
Regulatory information by sea Regulatory information by air	:	Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law.
MFAG-No Special transport precautions	: : (	131 When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information National law		
Chemical Substances Control Law	:	Priority Assessment Chemical Substances (Law Article 2, Para.5)
Industrial Safety and Health Law	:	Group 2 Specified Chemical Substance, Special Organic Solvents (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Items 2, 3-2, 3-3) Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning, Art.1, Para.1, Item 4) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Chloroform (Ordinance number : 160) Methanol (Ordinance number : 560) Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Published Substances of the Guidelines for Preventing the Impairment of Workers' Health (Act, Art.28, Para.3, MHLW Noticed Guideline) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3)
Japanese Poisonous and		Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1) Not applicable
Deleterious Substances Control Law		
Water Pollution Prevention Law	:	Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Fire Service Law	:	Group 4 - Flammable liquids - 1st Class petroleums - Insoluble (Law Art.2 Para.7, Attached Table 1, Group 4)
Air Pollution Control Law	:	Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9) Substances with Self-Imposed Control (Notification of Environment Agency) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Law Relating to Prevention of Marine Pollution and Maritime Disasters	:	Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 2)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Maata Managamant an Dublia		Specially Controlled Industrial Wasters (Act Art 2, perc F, Enfethment

Waste Management on Public:Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment<br/>Order Art.2-4 )Waterworks Law:Hazardous Substances (Act Article 4 paragraph 2), Standard for<br/>Water Quality (Ministry Order No.101 of 2003)

Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Class 1 Designated Chemical Substances (Act Art.2 para. 2, Enforcement Oder Art.1 Appended Table No.1) Chloroform (65%) [After amendment of April 2023] Class 1 Designated Chemical Substances (Act, Art.2, Para.2, Enforcement Order, Art.1 Appended Table 1) Chloroform (65%)
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)
16. Other information		
Data sources	:	Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
Other information	:	The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.