
Safety Data Sheet**1. Chemical product and company identification****Product name** : 5W/V% Formaldehyde solution**SDS code** : L6-09**Company/undertaking identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.**2. Hazards identification****GHS classification**

| | | | |
|--|--|---------------------------------|-------------------|
| Physical hazards | Explosives | classification not possible | |
| | Flammable gases | No classification | |
| | Aerosol | classification not possible | |
| | Oxidizing gases | No classification | |
| | Gases under pressure | No classification | |
| | Flammable liquids | classification not possible | |
| | Flammable solids | No classification | |
| | Self-reactive substances and mixtures | classification not possible | |
| | Pyrophoric liquids | classification not possible | |
| | Pyrophoric solids | No classification | |
| | Self-heating substances and mixtures | classification not possible | |
| | Substances and mixtures which in contact with water emit flammable gases | classification not possible | |
| | Oxidizing liquids | classification not possible | |
| | Oxidizing solids | No classification | |
| | Organic peroxides | classification not possible | |
| | Corrosive to metals | classification not possible | |
| | Desensitized explosives | classification not possible | |
| | Health hazards | Acute toxicity (oral) | No classification |
| | | Acute toxicity (dermal) | No classification |
| | | Acute toxicity (inhalation:gas) | Category 3 |
| Acute toxicity (inhalation:vapors) | | No classification | |
| Acute toxicity (inhalation:dust/mist) | | classification not possible | |
| Skin corrosion/irritation | | classification not possible | |
| Serious eye damage/eye irritation | | No classification | |
| Respiratory sensitization | | Category 1 | |
| Skin sensitization | | Category 1 | |
| Germ cell mutagenicity | | Category 2 | |
| Carcinogenicity | | Category 1A | |
| Reproductive toxicity | Category 1B | | |
| Specific target organ toxicity (single exposure) | Category 2 (nervous system, respiratory system, central nervous system, visual organ, systemic toxicity) | | |

| | | |
|-----------------------|---|---|
| Environmental hazards | Specific target organ toxicity (repeated exposure) | Category 2 (central nervous system, respiratory system, visual organ) |
| | Aspiration hazard | classification not possible |
| | Hazardous to the aquatic environment, short-term (acute) | Category 3 |
| | Hazardous to the aquatic environment, long-term (chronic) | No classification |
| | Hazardous to the ozone layer | classification not possible |

Hazard pictograms (GHS JP)



GHS06



GHS08

| | |
|-----------------------------------|--|
| Signal word (GHS JP) | : Danger |
| Hazard statements (GHS JP) | : May cause an allergic skin reaction (H317) Toxic if inhaled (H331) May cause an allergy or asthma symptoms or breathing difficulties if inhaled (H334) Suspected of causing genetic defects (H341) May cause cancer (H350) May damage fertility or the unborn child (H360) May cause damage to organs (nervous system, respiratory system, central nervous system, visual organ, systemic toxicity) (H371) May cause damage to organs (central nervous system, respiratory system, visual organ) through prolonged or repeated exposure (H373) Harmful to aquatic life (H402) |
| Precautionary statements (GHS JP) | |
| Prevention | : Obtain special instructions before use. (P201) Do not handle until all safety precautions have been read and understood. (P202) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271) Contaminated work clothing should not be allowed out of the workplace. (P272) Avoid release to the environment. (P273) Wear protective gloves/protective clothing/eye protection/face protection. (P280) [In case of inadequate ventilation] wear respiratory protection. (P284) |
| Response | : IF ON SKIN: Wash with plenty of water. (P302+P352) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311) Get medical advice/attention if you feel unwell. (P314) If skin irritation or rash occurs: Get medical advice/attention. (P333+P313) If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311) Take off contaminated clothing and wash it before reuse. (P362+P364) |
| Storage | : Store in a well-ventilated place. Keep container tightly closed. (P403+P233) Store locked up. (P405) |
| Disposal | : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501) |

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

| Name | Concentration or Concentration range | Formula | Kanpo number | | CAS RN |
|--------------|--------------------------------------|---------|--------------|-----------------------------|-----------|
| | | | CSCL no | ISHL no | |
| Formaldehyde | About 4.9% | HCHO | (2)-482 | 2-(8)-379 | 50-00-0 |
| Methanol | About 1.0% | CH3OH | (2)-201 | Existing Chemical Substance | 67-56-1 |
| Water | About 94.1% | H2O | - | - | 7732-18-5 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting.
Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Explosion hazard : May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Avoid (reject) fire-fighting water to enter environment.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.
- Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

- General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

- Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

- Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.
Collect leaking and spilled liquid in sealable containers as far as possible.
Wash out the spilled area with large amounts of water.

7. Handling and storage**Handling**

- Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
- Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.
- Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

- Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
- Material used in packaging/containers : Light shielding airtight container.
- Technical measures : Comply with applicable regulations.
- Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

| Exposure limit values | |
|----------------------------|--|
| Formaldehyde | |
| Japan administration level | 0.1ppm |
| Exposure limits (JSOH) | 0.1ppm(0.12mg/m ³) 【Ceiling】0.2ppm(0.24mg/m ³) |
| Exposure limits (ACGIH) | TWA 0.1 ppm,STEL 0.3 ppm |
| Methanol | |
| Japan administration level | 200ppm |
| Exposure limits (JSOH) | 200ppm(260mg/m ³)(skin) |
| Exposure limits (ACGIH) | TWA 200 ppm,STEL 250 ppm (Skin) |

- Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

- Respiratory protection : Gas mask for organic gases
- Hand protection : Impervious protective gloves
- Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
- Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

- Physical state : Liquid
- Appearance : Liquid
- Color : colorless transparent
- Odor : characteristic odor
- pH : 4.9 (25°C)
- Melting point : No data available
- Freezing point : No data available
- Boiling point : No data available
- Flash point : No data available

| | |
|---|---------------------------------|
| Auto-ignition temperature | : No data available |
| Decomposition temperature | : No data available |
| Flammability (solid, gas) | : No data available |
| Vapor pressure | : No data available |
| Relative density | : No data available |
| Density | : 1.01 g/cm ³ (20°C) |
| Relative gas density | : No data available |
| Solubility | : No data available |
| Partition coefficient n-octanol/water (Log Pow) | : No data available |
| Explosive limits (vol %) | : No data available |
| Viscosity, kinematic | : No data available |
| Particle characteristics | : No data available |

10. Stability and reactivity

| | |
|------------------------------------|---|
| Reactivity | : No data available |
| Chemical stability | : When stored for a long term, paraformaldehyde is produced and becomes cloudy in low temperature. |
| Possibility of hazardous reactions | : Reacts with strong acids, strong oxidizing agents, strong bases and alkali metals. |
| Conditions to avoid | : Sunlight, heat. Ignition sources such as sparks, flames and static electricity. Contact with strong acids, strong oxidizing agents, strong bases and alkali metals. |
| Incompatible materials | : Strong acids, Strong oxidizing agents, Strong bases, Alkali metals |
| Hazardous decomposition products | : No data available |

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | |
|---------------------------------------|--|
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (inhalation) | vapors:No classification Gases:Category 3 dust, mist:classification not possible |
| Skin corrosion/irritation | classification not possible |
| Serious eye damage/irritation | No classification |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 2 |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | Category 1B |
| STOT-single exposure | Category 2 |
| STOT-repeated exposure | Category 2 |
| Aspiration hazard | classification not possible |
| Formaldehyde | |
| Acute toxicity (oral) | Category 4 |
| Acute toxicity (dermal) | Category 3 |
| Acute toxicity (gas) | Category 2 |
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation | Category 2 |
| Serious eye damage/irritation | Category 2 |
| Respiratory sensitization | Category 1 |
| Skin sensitization | Category 1 |
| Germ cell mutagenicity | Category 2 |
| Carcinogenicity | Category 1A |
| Reproductive toxicity | classification not possible |
| STOT-single exposure | Category 1 |

| Formaldehyde | |
|---------------------------------------|----------------------------------|
| STOT-repeated exposure | Category 1 |
| Aspiration hazard | No classification |
| Methanol | |
| Acute toxicity (oral) | Category 4 |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | classification not possible |
| Skin corrosion/irritation | classification not possible |
| Serious eye damage/irritation | Category 2 |
| Respiratory sensitization | classification not possible |
| Skin sensitization | No classification |
| Germ cell mutagenicity | No classification |
| Carcinogenicity | classification not possible |
| Reproductive toxicity | Category 1B |
| STOT-single exposure | Category 1 Category 3 (Narcosis) |
| STOT-repeated exposure | Category 1 |
| Aspiration hazard | classification not possible |
| Water | |
| Acute toxicity (oral) | No classification |
| Acute toxicity (dermal) | No classification |
| Acute toxicity (gas) | No classification |
| Acute toxicity (vapour) | No classification |
| Acute toxicity (inhalation:dust/mist) | No classification |
| Skin corrosion/irritation | No classification |
| Serious eye damage/irritation | No classification |
| Respiratory sensitization | No classification |
| Skin sensitization | No classification |
| Germ cell mutagenicity | No classification |
| Carcinogenicity | No classification |
| Reproductive toxicity | No classification |
| STOT-single exposure | No classification |
| STOT-repeated exposure | No classification |
| Aspiration hazard | No classification |

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | |
|---|-----------------------------|
| Hazardous to the aquatic environment, short-term (acute) | Category 3 |
| Hazardous to the aquatic environment, long-term (chronic) | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Ozone | classification not possible |
| Formaldehyde | |
| Hazardous to Aquatic Environment - Acute Hazard | Category 2 |
| Hazardous to Aquatic Environment - Chronic Hazard | Category 3 |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |

| Methanol | |
|---|-----------------------------|
| Hazardous to Aquatic Environment - Acute Hazard | No classification |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |
| Water | |
| Hazardous to Aquatic Environment - Acute Hazard | No classification |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification |
| Persistence and degradability | No data available |
| Bioaccumulative potential | No data available |
| Mobility in soil | No data available |
| Hazardous to the ozone layer | classification not possible |

13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

- UN-No. (IMDG) : 2810
- Proper Shipping Name (IMDG) : TOXIC LIQUID, ORGANIC, N.O.S.
- Packing group (IMDG) : III
- Transport hazard class(es) (IMDG) : 6.1
- Hazard labels (IMDG) : 6.1
- Class (IMDG) : 6.1
- Division (IMDG) : 6.1
- Special provision (IMDG) : 223, 274
- Limited quantities (IMDG) : 5 L
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : P001, LP01
- IBC packing instructions (IMDG) : IBC03
- Tank instructions (IMDG) : T7
- Tank special provisions (IMDG) : TP1, TP28
- Stowage category (IMDG) : A
- Properties and observations (IMDG) : Toxic if swallowed, by skin contact or by inhalation.
- MFAG-No : 153

Air transport(IATA)

- UN-No. (IATA) : 2810
- Proper Shipping Name (IATA) : Toxic liquid, organic, n.o.s.
- Packing group (IATA) : III
- Transport hazard class(es) (IATA) : 6.1
- Hazard labels (IATA) : 6.1
- Class (IATA) : 6.1
- Division (IATA) : 6.1
- PCA Excepted quantities (IATA) : E1
- PCA Limited quantities (IATA) : Y642
- PCA limited quantity max net quantity (IATA) : 2L
- PCA packing instructions (IATA) : 655
- PCA max net quantity (IATA) : 60L
- CAO packing instructions (IATA) : 663
- CAO max net quantity (IATA) : 220L

| | |
|--------------------------------------|--|
| Special provision (IATA) | : A3, A4, A137 |
| ERG code (IATA) | : 6L |
| Marine pollutant | : Not applicable |
| Regulations in Japan | |
| Regulatory information by sea | : Conform to the provisions of the Ship Safety Law. |
| Regulatory information by air | : Conform to the provisions of the Civil Aeronautics Law. |
| MFAG-No | : 153 |
| Special transport precautions | : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers. |

15. Regulatory information

National law

| | |
|---|--|
| Chemical Substances Control Law | : Priority Assessment Chemical Substances (Law Article 2, Para.5) |
| Industrial Safety and Health Law | : Group 2 Specified Chemical Substance, Specified Group 2 Substance (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 2,3) Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9) Formaldehyde (Ordinance number : 548) Methanol (Ordinance number : 560) Specified Chemical Substances, Special Control Substances (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.38-3) |
| Japanese Poisonous and Deleterious Substances Control Law | : Deleterious Substances (Designated Order Art.2) Preparations containing formaldehyde. (except for preparations which contain 1% or less of formaldehyde.) |
| Water Pollution Prevention Law | : Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3) |
| Fire Service Law | : Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 6, Attached Table No.2-18, Ordinance No. 2 of 1988, Art.2) |
| Air Pollution Control Law | : Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Hazardous Air Pollutants, Priority Substances (Central Environment Council Report No. 9) Hazardous Air Pollutants, Substances on Voluntary Management Guideline (Environment Agency Notice No.205 of Oct 18, 1996, Environment Agency Notice No.2210181 of Oct 18, 2022) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures) |
| Law Relating to Prevention of Marine Pollution and Maritime Disasters | : Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 2) |
| Foreign Exchange and Foreign Trade Control Act | : Export Trade Control Ordinance appendix 1-16 |
| Ship Safety Act | : Toxic and infectious substances/Toxic substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations) |
| Civil Aeronautics Law | : Toxic and infectious substances/Toxic substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations) |
| Port Regulation Law | : Toxic and infectious substances/Toxic substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods) |
| Road Act | : Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.) |
| Waterworks Law | : Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003) |

- Japanese Pollutant Release and Transfer Register Law (PRTR Law) : Class 1 Designated Chemical Substances, Specified Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4) Formaldehyde (4.9%)
- Labor Standards Act : Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

16. Other information

- Data sources : Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).
- Other information : The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.