

Hayashi Pure Chemical Ind.,Ltd. Date of issue: 4/14/2009 Revision date: 9/19/2023

/2023 SDS code: L9-06

_9-06 Version: 07

Safety Data Sheet

1. Chemical product and company identification

•		
Product name	:	1% Hydrofluoric acid
SDS code	:	L9-06
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirano Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@hp URL : https://www.hpc-j.co.j	oma oc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	classification not possible
,	Flammable gases	No classification
	Aerosol	classification not possible
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	classification not possible
	Flammable solids	No classification
	Self-reactive substances and mixtures	classification not possible
	Pyrophoric liquids	classification not possible
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	classification not possible
	Oxidizing solids	No classification
	Organic peroxides	classification not possible
	Corrosive to metals	Category 1
	Desensitized explosives	No classification
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	No classification
	Acute toxicity (inhalation:gas)	classification not possible
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	Category 2
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	No classification
	Carcinogenicity	classification not possible
	Reproductive toxicity	classification not possible
	Specific target organ toxicity (single exposure)	Category 2 (respiratory system, cardiovascular system)

	Specific target or		Category 2 (tooth, bone)
	(repeated exposition Aspiration hazard	,	classification not possible
Environmental	Hazardous to the		No classification
hazards	environment, sho		
	Hazardous to the environment, lon		No classification
	Hazardous to the	e ozone layer	classification not possible
Hazard	\wedge	\land	
pictograms (GHS JP)			
	\mathbf{V}		
		GHS06 GH	1508
Signal word (GHS JP		Danger	
Hazard statements (G	SHS JP) :	May be corrosive Harmful if swallow	
			kin burns and eye damage (H314)
		Fatal if inhaled (H	1330)
		May cause dama (H371)	ge to organs (respiratory system, cardiovascular system)
			ge to organs (tooth, bone) through prolonged or repeated
		exposure (H373)	
Precautionary statem	ents (GHS JP)		
Prevention	:		nal container. (P234)
			ust/fume/gas/mist/vapors/spray. (P260) earms and face thoroughly after handling. (P264)
		Do not eat, drink	or smoke when using this product. (P270)
		Use only outdoor	s or in a well-ventilated area. (P271)
		(P280)	ploves/protective clothing/eye protection/face protection.
			quate ventilation] wear respiratory protection. (P284)
Response	:		: Call a POISON CENTER or doctor if you feel unwell.
		(P301+P312)	: Rinse mouth. Do NOT induce vomiting.
		(P301+P330+P33	31)
			air): Take off immediately all contaminated clothing.
			ater . (P303+P361+P353) nove person to fresh air and keep comfortable for
		breathing (P304+	P340)
			e cautiously with water for several minutes. Remove present and easy to do. Continue rinsing.
		(P305+P351+P33	38)
		IF exposed or cor (P308+P311)	ncerned: Call a POISON CENTER or doctor.
		()	a POISON CENTER or doctor. (P310)
		Get medical advid	ce/attention if you feel unwell. (P314)
			ted clothing before reuse. (P363) o prevent material-damage. (P390)
Storage	:		ntilated place. Keep container tightly closed.
č		(P403+P233)	
		Store locked up.	(P405) e resistant container with a resistant inner liner. (P406)
Disposal	•		nts/container to hazardous or special waste collection
-1		point, in accordar	nce with local, regional, national and/or international
		regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

	Concentration or		Kanpo I			
Name	Concentration range	Formula	CSCL no	ISHL no	CAS RN	
Hydrogen fluoride	About 1%	HF	(1)-306	-	7664-39-3	
Water	About 99%	H2O	-	-	7732-18-5	

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing. Get immediate medical advice/attention.
First-aid measures after skin contact	:	Remove/Take off immediately all contaminated clothing. Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Do NOT induce vomiting.
		Drink plenty of water.
		Rinse mouth.
		Get immediate medical advice/attention.

5. Fire fighting measures

00		
Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Explosion hazard	:	May induce explosion of containers by heating.
		May induce explosion of containers by water contamination.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Avoid (reject) fire-fighting water to enter environment.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures			
General measures :	: Before entering, ventilate the area.		
	Do not let unauthorized persons come close to the area.		
	Immediately place the leakage area in isolation, with taking proper distances for all directions.		
	Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.		
Environmental precautions			
Environmental precautions :	: Avoid release to the environment.		
	Prevent entry to sewers and public waters.		

Methods and Equipment for Containment and Cleaning up

methods and Equipment for Conte		
Methods for cleaning up	:	Clean up any spills as soon as possible, using an absorbent material to collect it.
		Collect leaking and spilled liquid in sealable containers as far as possible.
		Wash out the spilled area with large amounts of water.
		If possible, neutralize with slaked lime, soda ash, etc. before washing out.
7. Handling and storage		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
		Store in corrosive resistant container with a resistant inner liner.
Material used in	:	Airtight container.
packaging/containers		Storage prohibition in glass, ceramic, or a metal container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Hydrogen fluoride	
Japan administration level	0.5ppm
Exposure limits (JSOH)	[Ceiling]3ppm(2.5mg/m3)(skin)
Exposure limits (ACGIH)	TWA 0.5 ppm,STEL C 2 ppm (as F) (Skin)
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.
Protective equipment	
Respiratory protection	: Gas mask for acid gases
Hand protection	: Impervious protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

:	Liquid
:	Liquid
:	colorless transparent
:	Odorless
:	≤ 1 (25°C)
:	No data available
	::

Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	1.00 g/cm³ (20°C)
Relative gas density	:	No data available
Solubility	:	No data available
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts with strong bases. Reacts on contact with many metals and evolves flammable/explosive hydrogen gas. Erodes glass, some kinds of plastics, rubbers and coatings.
Conditions to avoid	:	Sunlight, heat. Contact with strong bases, ammonia, organic peroxides and metals.
Incompatible materials	:	Strong bases, Ammonia, Organic peroxides, Metals
Hazardous decomposition products	:	Fluorine, Hydrogen fluoride, Fluorine compounds, Hydrogen

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product					
Acute toxicity (oral)	Category 4				
Acute toxicity (dermal)	No classification				
Acute toxicity (inhalation)	vapors:classification not possible				
	Gases:classification not possible				
	dust, mist:Category 2				
Skin corrosion/irritation	Category 1				
Serious eye damage/irritation	Category 1				
Respiratory sensitization Skin sensitization	classification not possible classification not possible				
Germ cell mutagenicity	No classification				
Carcinogenicity	classification not possible				
Reproductive toxicity	classification not possible				
STOT-single exposure	Category 2				
STOT-repeated exposure	Category 2				
Aspiration hazard	classification not possible				
Hydrogen fluoride					
Acute toxicity (oral)	Category 2				
Acute toxicity (dermal)	Category 3				
Acute toxicity (gas)	No classification				
Acute toxicity (vapour)	classification not possible				
Acute toxicity (inhalation:dust/mist)	Category 1				
Skin corrosion/irritation	Category 1				
Serious eye damage/irritation	Category 1				
Respiratory sensitization	classification not possible				
Skin sensitization	classification not possible				
Germ cell mutagenicity	No classification				
Carcinogenicity	classification not possible				
Reproductive toxicity	classification not possible				
STOT-single exposure	Category 1				
STOT-repeated exposure	Category 1				
Aspiration hazard	classification not possible				

Water				
Acute toxicity (oral)	No classification			
Acute toxicity (dermal)	No classification			
Acute toxicity (gas)	No classification			
Acute toxicity (vapour)	No classification			
Acute toxicity (inhalation:dust/mist)	No classification			
Skin corrosion/irritation	No classification			
Serious eye damage/irritation	No classification			
Respiratory sensitization	No classification			
Skin sensitization	No classification			
Germ cell mutagenicity	No classification			
Carcinogenicity	No classification			
Reproductive toxicity	No classification			
STOT-single exposure	No classification			
STOT-repeated exposure	No classification			
Aspiration hazard	No classification			

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product				
Hazardous to the aquatic environment, short-term (acute)	No classification			
Hazardous to the aquatic environment, long-term (chronic)	No classification			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Ozone	classification not possible			
Hydrogen fluoride				
Hazardous to Aquatic Environment - Acute Hazard	Category 3			
Hazardous to Aquatic Environment - Chronic Hazard	No classification			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	classification not possible			
Water				
Hazardous to Aquatic Environment - Acute Hazard	No classification			
Hazardous to Aquatic Environment - Chronic Hazard	No classification			
Persistence and degradability	No data available			
Bioaccumulative potential	No data available			
Mobility in soil	No data available			
Hazardous to the ozone layer	classification not possible			

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

June	
Transport by sea(IMDG)	
UN-No. (IMDG)	
Proper Shipping Name (IMDG) Packing group (IMDG)	: HYDROFLUORIC ACID : II
Transport hazard class(es) (IMDG)	: 8 (6.1)
Hazard labels (IMDG) Class (IMDG)	: 8,6.1 : 8
Subsidiary hazard (IMDG)	: 6.1
Packing instructions (IMDG)	: P001
Packing provisions (IMDG)	: PP81
IBC packing instructions (IMDG)	: IBC02
IBC special provisions (IMDG) Tank instructions (IMDG)	: B20 : T8
Tank special provisions (IMDG)	: TP2
Stowage category (IMDG) Properties and observations (IMDG)	 D Colourless liquid with an irritating odour. Highly corrosive to glass,
Properties and observations (INDG)	other siliceous materials and most metals. Toxic if swallowed, by skin
	contact or by inhalation. Both the liquid and its fumes cause severe burns to skin, eyes and mucous membranes.
MFAG-No	: 157
Air transport(IATA)	
UN-No. (IATA)	: 1790
Proper Shipping Name (IATA) Packing group (IATA)	: Hydrofluoric acid : II
Transport hazard class(es) (IATA)	: 8 (6.1)
Hazard labels (IATA)	: 8, 6.1
Class (IATA)	: 8
Subsidiary hazards (IATA)	: 6.1 : E2
PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	: EZ : Y840
PCA limited quantity max net	: 0.5L
quantity (IATA) PCA packing instructions (IATA)	: 851
PCA max net quantity (IATA)	: 1L
CAO packing instructions (IATA)	: 855
CAO max net quantity (IATA) ERG code (IATA)	: 30L : 8P
Marine pollutant	: Not applicable
Regulations in Japan	
Regulatory information by sea	: Conform to the provisions of the Ship Safety Law.
Regulatory information by air	: Conform to the provisions of the Civil Aeronautics Law.
MFAG-No Special transport precautions	 157 When transporting, load containers so that they do not tip over,
	damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information	
National law	
Industrial Safety and Health Law	: Harmful Substances Whose Names Are to be Indicated on the Label
	(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2, Attached Table No.9)
	Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2
	Item 1, Item 2, Attached Table No.9)
	Fluorine and its water-soluble inorganic compounds (Ordinance number : 487)
	Substances on dental health checkup (Act, Art.66, Para.3,
	Enforcement Order, Art.22 Item 3)
Japanese Poisonous and Deleterious Substances Control Law	: Poisonous Substances (Designated Order, Art.1) Preparations containing hydrogen fluoride

- Water Pollution Prevention Law
- : Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law	:	Designation of Materials Requiring Notification (Law Art.9-3, Cabinet Order on Hazardous Materials Art.1-10 Para 5, Attached Table No.1- 8, Ordinacne No. 2 of 1988, Art.1)
Air Pollution Control Law	:	Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Article 1 of the Enforcement Ordinance) Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance) Hazardous Air Pollutants (Central Environment Council Report No. 9)
Foreign Exchange and Foreign Trade Control Act	:	Export Trade Control Ordinance appendix 1-16
Ship Safety Act	:	Corrosive substances (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	:	Corrosive substances (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	:	Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	:	Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Pablic Corp.)
Waste Management on Public Cleansing Law	:	Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Waterworks Law	:	Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)
Sewerage Law	:	Substances for Water Quality Standard (Act Art.12-2 Para.2, Enforcement Order Art.9-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	:	Not applicable
Labor Standards Act	:	Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)
Soil Contamination Countermeasures Law	:	Designated Hazardous Substances (Act Art.2 Para.3, Enforcement Order Art.1)

16. Other information

Data sources

Other information

- Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE).
 2020 Emergency Response Guidebook (ERG 2020).
- The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.