

7% Ammonia solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 5/21/2008 Revision date: 2/16/2023 SDS code: M8-20 Version: 05

Safety Data Sheet

1. Chemical product and company identification

Product name 7% Ammonia solution

SDS code M8-20

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards **Explosives** classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

Pyrophoric liquids

classification not possible classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

mixtures

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

Desensitized explosives classification not possible

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1

Respiratory sensitization classification not possible Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible

Specific target organ toxicity (single

Category 2 (central nervous system, respiratory

exposure) system) Revision date: 2/16/2023 SDS code: M8-20 Version: 05

Specific target organ toxicity

(repeated exposure) Aspiration hazard

classification not possible classification not possible

Environmental

hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic

environment, long-term (chronic)

Hazardous to the ozone layer

No classification

No classification

classification not possible

Hazard pictograms (GHS JP)





GHS05

GHS08

Signal word (GHS JP) Danger

Hazard statements (GHS JP) May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

May cause damage to organs (central nervous system, respiratory system)

(H371)

Precautionary statements (GHS JP)

Prevention Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Storage Store locked up. (P405)

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture Mixture

| | Concentration or Concentration range | Formula | Kanpo number | | 040.00 |
|---------|--|---------|--------------|-----------------------------------|-----------|
| Name | | | CSCL no | ISHL no | CAS RN |
| Ammonia | About 7.0% | NH3 | (1)-314 | Existing Chemical Substance | 1336-21-6 |
| Water | About 93.0% | H2O | - | - | 7732-18-5 |

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

Revision date: 2/16/2023

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

: Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

This product is unburnable.

Fire hazard Explosion hazard

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Revision date: 2/16/2023

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent

Odor Irritating odor pΗ 12.2 (25°C) Melting point No data available Freezing point No data available Boiling point No data available No data available Flash point Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 0.97 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Revision date: 2/16/2023 SDS code: M8-20

Possibility of hazardous reactions : An ammonia aqueous solution is nonflammable, but an ammonia gas is

flammable. Reacts with many heavy metals and their salts, or violently reacts with halogen and halides, to produce explosive substances. Reacts with many metals to produce flammable/explosive gas (hydrogen). Be strong base, reacts violently with acids, and may cause bumping due to

neutralization heat.

Conditions to avoid : Sunlight, heat. Contact with acids, strong oxidizing agents, metals, halogen

and halides.

Incompatible materials : Acids, Strong oxidizing agents, Metals, Halogen, Halides

Hazardous decomposition : Nitrogen oxides, Hydrogen

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

| As a product | | | |
|---|--|--|--|
| Acute toxicity (oral) | No classification | | |
| Acute toxicity (dermal) | classification not possible | | |
| Acute toxicity (inhalation) | vapors:classification not possible | | |
| | Gases:No classification | | |
| Older and a single final testing | dust, mist:classification not possible | | |
| Skin corrosion/irritation Serious eye damage/irritation | Category 1 Category 1 | | |
| Respiratory sensitization | classification not possible | | |
| Skin sensitization | classification not possible | | |
| Germ cell mutagenicity | classification not possible | | |
| Carcinogenicity | classification not possible | | |
| Reproductive toxicity | classification not possible | | |
| STOT-single exposure | Category 2 | | |
| STOT-repeated exposure | classification not possible | | |
| Aspiration hazard | classification not possible | | |
| Ammonia | | | |
| Acute toxicity (oral) | Category 4 | | |
| Acute toxicity (dermal) | classification not possible | | |
| Acute toxicity (gas) | No classification | | |
| Acute toxicity (vapour) | classification not possible | | |
| Acute toxicity (inhalation:dust/mist) | classification not possible | | |
| Skin corrosion/irritation | Category 1 | | |
| Serious eye damage/irritation | Category 1 | | |
| Respiratory sensitization | classification not possible | | |
| Skin sensitization | classification not possible | | |
| Germ cell mutagenicity | classification not possible | | |
| Carcinogenicity | classification not possible | | |
| Reproductive toxicity | classification not possible | | |
| STOT-single exposure | Category 1 | | |
| STOT-repeated exposure | classification not possible | | |
| Aspiration hazard | classification not possible | | |
| Water | | | |
| Acute toxicity (oral) | No classification | | |
| Acute toxicity (dermal) | No classification | | |
| Acute toxicity (gas) | No classification | | |
| Acute toxicity (vapour) | No classification | | |
| Acute toxicity (inhalation:dust/mist) | No classification | | |
| Skin corrosion/irritation | No classification | | |
| Serious eye damage/irritation | No classification | | |
| Respiratory sensitization | No classification | | |
| Skin sensitization | No classification | | |
| Germ cell mutagenicity | No classification | | |
| Carcinogenicity | No classification | | |
| Reproductive toxicity | No classification | | |
| | | | |

Revision date: 2/16/2023

| Water | | |
|------------------------|-------------------|--|
| STOT-single exposure | No classification | |
| STOT-repeated exposure | No classification | |
| Aspiration hazard | No classification | |

12. Ecological information

| The information in this section is based on the "GHS Classification Results" by NITE. | | | | |
|---|-----------------------------|--|--|--|
| As a product | | | | |
| Hazardous to the aquatic environment, | No classification | | | |
| short-term (acute) | | | | |
| Hazardous to the aquatic environment, | No classification | | | |
| long-term (chronic) | | | | |
| Persistence and degradability | No data available | | | |
| Bioaccumulative potential | No data available | | | |
| Mobility in soil | No data available | | | |
| Ozone | classification not possible | | | |
| Ammonia | | | | |
| Hazardous to Aquatic Environment - Acute Hazard | Category 3 | | | |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification | | | |
| Persistence and degradability | No data available | | | |
| Bioaccumulative potential | No data available | | | |
| Mobility in soil | No data available | | | |
| Hazardous to the ozone layer | classification not possible | | | |
| Water | | | | |
| Hazardous to Aquatic Environment - Acute Hazard | No classification | | | |
| Hazardous to Aquatic Environment - Chronic Hazard | No classification | | | |
| Persistence and degradability | No data available | | | |
| Bioaccumulative potential | No data available | | | |
| Mobility in soil | No data available | | | |
| Hazardous to the ozone layer | classification not possible | | | |

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 3266

Proper Shipping Name (IMDG) CORROSIVE LIQUID, BASIC, INORGANIC, N.O.S.

Packing group (IMDG) Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG) 8 Class (IMDG)

Special provision (IMDG) 223, 274 Packing instructions (IMDG) P001, LP01 IBC packing instructions (IMDG) IBC03 Tank instructions (IMDG) T7 Tank special provisions (IMDG) TP1, TP28

Stowage category (IMDG) Α Properties and observations (IMDG)

Revision date: 2/16/2023

membranes.

MFAG-No 154

Air transport(IATA)

UN-No. (IATA) 3266

Proper Shipping Name (IATA) Corrosive liquid, basic, inorganic, n.o.s.

Packing group (IATA) Transport hazard class(es) (IATA) 8 Hazard labels (IATA) 8

Class (IATA) 8 PCA Excepted quantities (IATA) E1 PCA Limited quantities (IATA) Y841 PCA limited quantity max net 1L

quantity (IATA)

PCA packing instructions (IATA) 852 PCA max net quantity (IATA) 5L CAO packing instructions (IATA) 856 CAO max net quantity (IATA) 60L Special provision (IATA) A3, A803 ERG code (IATA) 81

Marine pollutant Not applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

MFAG-No 154

Special transport precautions When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

Reacts violently with acids. Causes burns to skin, eyes and mucous

15. Regulatory information

National law

Industrial Safety and Health Law Group 3 Specified Chemical Substance, (Ordinance on Prevention of

Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Ammonia (Ordinance number: 39)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

326)

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law Hazardous Substances (Act, Art.2, Enforcement Order Art.2,

Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law Not applicable

Law Relating to Prevention of Marine Pollution and Maritime

Disasters

Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement

Order, Art.1-2, Attached Table No.1 Item 2)

Foreign Exchange and Foreign

Trade Control Act Ship Safety Act

Export Trade Control Ordinance appendix 1-16

Corrosive substances (Dangerous Goods Notification Schedule first

second and third Article Dangerous Goods Regulations)

Corrosive substances (Hazardous materials notice Appended Table 1 Civil Aeronautics Law

Article 194 of the Enforcement Regulations)

Port Regulation Law Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule,

notice attached table that defines the type of dangerous goods)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Not applicable

Labor Standards Act Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

Revision date: 2/16/2023 SDS code: M8-20

16. Other information

Data sources

 Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards.
 National Institute of Technology and Evaluation (NITE).
 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Havashi Pure Chemical Ind. Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.