

Barium standard solution 1mg Ba/mL (1000ppm)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 12/9/2008 Revision date: 9/28/2023 SDS code: N6-12 Version: 06

Safety Data Sheet

1. Chemical product and company identification

Barium standard solution 1mg Ba/mL (1000ppm) **Product name**

SDS code N6-12

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards Explosives classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

Pyrophoric liquids

classification not possible classification not possible

Pyrophoric solids No classification

Self-heating substances and

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

classification not possible

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible

Corrosive to metals Category 1

classification not possible Desensitized explosives

Health hazards Acute toxicity (oral) No classification

> Acute toxicity (dermal) No classification Acute toxicity (inhalation:gas) Category 4

Acute toxicity (inhalation:vapors) classification not possible

Acute toxicity (inhalation:dust/mist) Category 4 Skin corrosion/irritation Category 1 Serious eye damage/eye irritation Category 1 Respiratory sensitization Category 1

Skin sensitization classification not possible Germ cell mutagenicity classification not possible Carcinogenicity classification not possible Reproductive toxicity classification not possible Category 2 (respiratory system)

Specific target organ toxicity (single

exposure)

1/9

Specific target organ toxicity

(repeated exposure)

classification not possible

Category 2 (tooth, respiratory system)

Aspiration hazard

Hazardous to the aquatic environment, short-term (acute) Category 2

Hazardous to the aquatic environment, long-term (chronic)

No classification

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)

Environmental

hazards







GHS07 GHS05

GHS08

Signal word (GHS JP) Danger

Hazard statements (GHS JP) May be corrosive to metals (H290)

Causes severe skin burns and eye damage (H314)

Harmful if inhaled (H332)

May cause an allergy or asthma symptoms or breathing difficulties if

inhaled (H334)

May cause damage to organs (respiratory system) (H371) May cause damage to organs (tooth, respiratory system) through

prolonged or repeated exposure (H373)

Toxic to aquatic life (H401)

Precautionary statements (GHS JP)

Prevention Keep only in original container. (P234)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling, (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

[In case of inadequate ventilation] wear respiratory protection. (P284)

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Response

(P301+P330+P331)

IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water . (P303+P361+P353)

IF INHALED: Remove person to fresh air and keep comfortable for

breathing (P304+P340)

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

(P305+P351+P338)

IF exposed or concerned: Call a POISON CENTER or doctor.

(P308+P311)

Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314)

If experiencing respiratory symptoms: Call a POISON CENTER or doctor.

(P342+P311)

Wash contaminated clothing before reuse. (P363) Absorb spillage to prevent material-damage. (P390)

Store locked up. (P405) Storage

Store in corrosive resistant container with a resistant inner liner. (P406)

Disposal Dispose of contents/container to hazardous or special waste collection

point, in accordance with local, regional, national and/or international

regulation. (P501)

2/9

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	CASKI
Barium chloride	About 0.15%	BaCl2	(1)-79	Existing Chemical Substance	10361-37-2
Hydrogen chloride	About 3.6%	HCI	(1)-215	Existing Chemical Substance	7647-01-0
Water	About 96.25%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water.

Get immediate medical advice/attention.

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion :

Do NOT induce vomiting.

Drink plenty of water.

Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.

Unsuitable extinguishing media

Do not use a heavy water stream.

Explosion hazard

May induce explosion of containers by heating.

Hazardous decomposition products

in case of fire

In case of fire, product may produce irritative or toxic fumes/gases.

Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish

fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Avoid (reject) fire-fighting water to enter environment.

Even after extinguishing fire, thoroughly cool containers by using plenty of

water.

Protection during firefighting

Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

If possible, neutralize with slaked lime, soda ash, etc. before washing out.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Store in corrosive resistant container with a resistant inner liner.

Material used in

packaging/containers

Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Barium chloride	
Exposure limits (ACGIH)	TWA 0.5 mg/m3,STEL - (as Ba)
Hydrogen chloride	
Exposure limits (JSOH)	[Ceiling]2ppm(3.0mg/m3)
Exposure limits (ACGIH)	TWA -,STEL C 2 ppm

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local

exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases
Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent
Odor : Slightly irritating odor

pH : ≤1 (25°C)

Melting point : No data available Freezing point : No data available

Boiling point No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available No data available Vapor pressure Relative density No data available Density 1.02 g/cm³ (20°C) Relative gas density No data available

Partition coefficient noctanol/water (Log Pow)

Solubility

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : Be a strong acid, reacts with bases. Reacts with oxidizing agents to evolve

toxic chlorine gas. When heated, evolves toxic hydrogen chloride gas. Reacts with many kinds of metals to evolve flammable/explosive hydrogen

gas.

Conditions to avoid : Sunlight, heat. Contact with bases, oxidizing agents, organic peroxides and

metals.

Incompatible materials : Bases, Oxidizing agents, Organic peroxides, Metals

No data available

No data available

Hazardous decomposition : Hydrogen chloride, Chlorine, Hydrogen

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE

As a product		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (inhalation)	vapors:classification not possible	
	Gases:Category 4	
	dust, mist:Category 4	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	Category 1	
Skin sensitization	classification not possible	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	classification not possible	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 2	
STOT-repeated exposure	Category 2	
Aspiration hazard	classification not possible	

Barium chloride	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible

Barium chloride		
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1 Category 3 (Respiratory tract irritation.)	
STOT-repeated exposure	Category 1	
Aspiration hazard	classification not possible	
	oldsomedien net possible	
Hydrogen chloride	Catamani 2	
Acute toxicity (oral)	Category 3	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	Category 3	
Acute toxicity (vapour)	classification not possible	
Acute toxicity (inhalation:dust/mist)	Category 2	
Skin corrosion/irritation	Category 1	
Serious eye damage/irritation	Category 1	
Respiratory sensitization	Category 1	
Skin sensitization	No classification	
Germ cell mutagenicity	classification not possible	
Carcinogenicity	No classification	
Reproductive toxicity	classification not possible	
STOT-single exposure	Category 1	
STOT-repeated exposure	Category 1	
Aspiration hazard	No classification	
Water		
Acute toxicity (oral)	No classification	
Acute toxicity (dermal)	No classification	
Acute toxicity (gas)	No classification	
Acute toxicity (vapour)	No classification	
Acute toxicity (inhalation:dust/mist)	No classification	
Skin corrosion/irritation	No classification	
Serious eye damage/irritation	No classification	
Respiratory sensitization	No classification	
Skin sensitization	No classification	
Germ cell mutagenicity	No classification	
Carcinogenicity	No classification	
Reproductive toxicity	No classification	
STOT-single exposure	No classification	
STOT-repeated exposure	No classification	
Aspiration hazard	No classification	

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Hazardous to the aquatic environment,	Category 2	
short-term (acute)		
Hazardous to the aquatic environment, long-term (chronic)	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Barium chloride		
Hazardous to Aquatic Environment - Acute Hazard	Category 3	
Hazardous to Aquatic Environment - Chronic Hazard	Category 3	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	

Barium chloride		
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Hydrogen chloride		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	

13. Disposal considerations

Ecology - waste materials With the detail information of the waste, subcontract its disposal to a

waste disposer authorized by a Prefectural Governor.

Contaminated container and Empty the packaging completely prior to disposal.

packaging

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) 3264

Proper Shipping Name (IMDG) CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Packing group (IMDG) Ш Transport hazard class(es) (IMDG) 8 Hazard labels (IMDG) 8 Class (IMDG) 8 Special provision (IMDG) 274 Packing instructions (IMDG) P001 IBC packing instructions (IMDG) IBC02 Tank instructions (IMDG) T11

Tank special provisions (IMDG) TP2, TP27 Stowage category (IMDG)

Properties and observations (IMDG) Causes burns to skin, eyes and mucous membranes.

MFAG-No 154

Air transport(IATA)

UN-No. (IATA)

Proper Shipping Name (IATA) Corrosive liquid, acidic, inorganic, n.o.s.

Packing group (IATA) Ш Transport hazard class(es) (IATA) 8 Hazard labels (IATA) 8 Class (IATA) 8 PCA Excepted quantities (IATA) E2 PCA Limited quantities (IATA) Y840 PCA limited quantity max net 0.5L

quantity (IATA)

PCA packing instructions (IATA) 851 PCA max net quantity (IATA) 1L CAO packing instructions (IATA) 855 CAO max net quantity (IATA) 30L Special provision (IATA) A3. A803 ERG code (IATA) 8L

Marine pollutant Not applicable

Regulations in Japan

Regulatory information by sea Conform to the provisions of the Ship Safety Law. Regulatory information by air Conform to the provisions of the Civil Aeronautics Law.

MFAG-No 154

Special transport precautions When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law

Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9) Hydrogen chloride (Ordinance number: 98)

Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art.

Substances on dental health checkup (Act, Art.66, Para.3,

Enforcement Order, Art.22 Item 3)

Japanese Poisonous and

Deleterious Substances Control Law

Water Pollution Prevention Law Designated Chemical Substances (Law Article 2, Paragraph 4,

Not applicable

Enforcement Order Article 3-3)

Fire Service Law Not applicable

Air Pollution Control Law Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law,

Article 1 of the Enforcement Ordinance)

Specified substances (Article 17, Paragraph 1 of the Law, Article 10

of the Enforcement Ordinance)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Corrosive substances (Dangerous Goods Notification Schedule first Ship Safety Act

second and third Article Dangerous Goods Regulations)

Civil Aeronautics Law Corrosive substances (Hazardous materials notice Appended Table 1

Article 194 of the Enforcement Regulations)

Corrosive substances (Article 21, Paragraph 2 of Law, Article 12 rule, Port Regulation Law

notice attached table that defines the type of dangerous goods)

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Japanese Pollutant Release and

Transfer Register Law (PRTR Law)

Not applicable

Labor Standards Act

Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

16. Other information

Data sources Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd.

This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.