

Artificial fingerprint solution (for Rust preventive oil)

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 11/19/2021 Revision date: 9/13/2023 SDS code: OB-11 Version: 02

Safety Data Sheet

1. Chemical product and company identification

Product name	:	Artificial fingerprint solution (for Rust preventive oil)
SDS code	:	OB-11
Company/undertaking identification HAYASHI PURE CHEMICAL Address : 3-2-12 Uchihirano Telephone : 06-6910-7305 E-mail : shiyaku_kikaku@hp URL : https://www.hpc-j.co.j	oma oc-j.	chi, Chuo-ku, Osaka, Osaka, Japan
Emergency number	:	06-6910-7305
Recommended use	:	For research and experimental use only.
Restrictions on use	:	Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.

2. Hazards identification

GHS classification

Physical hazards	Explosives	classification not possible
-	Flammable gases	No classification
	Aerosol	classification not possible
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	Category 3
	Flammable solids	No classification
	Self-reactive substances and mixtures	classification not possible
	Pyrophoric liquids	classification not possible
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	classification not possible
	Oxidizing solids	No classification
	Organic peroxides	classification not possible
	Corrosive to metals	classification not possible
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	classification not possible
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	classification not possible
	Skin corrosion/irritation	classification not possible
	Serious eye damage/eye irritation	Category 2
	Respiratory sensitization	classification not possible
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	Category 1B
	Specific target organ toxicity (single exposure)	Category 1 (central nervous system, visual organ, systemic toxicity)

		organ toxicity (single	Category 3 (Narcosis)
	exposure) Specific target o		Category 1 (central nervous system, visual organ)
	(repeated expo Aspiration haza		classification not possible
Environmental	Hazardous to th		classification not possible
hazards		nort-term (acute)	
	Hazardous to the environment, lo	ne aquatic ng-term (chronic)	classification not possible
	Hazardous to the	ne ozone layer	classification not possible
Lienard			
Hazard pictograms		\wedge /	
(GHS JP)	<u>(</u>) <		
	$\mathbf{\nabla}$	\sim	
	GHS02		HS08
Signal word (GHS JP	-	: Danger	
Hazard statements (G	SHS JP)	Harmful if swallo	l and vapor (H226) wed (H302)
			eye irritation (H319) siness or dizziness (H336)
			ility or the unborn child (H360)
		Causes damage toxicity) (H370)	to organs (central nervous system, visual organ, systemic
		Causes damage	to organs (central nervous system, visual organ) through
Precautionary statem	ents (GHS_IP)	prolonged or rep	eated exposure (H372)
Prevention		· Obtain aposial in	structions before use (P201)
Prevention		Do not handle ur (P202)	structions before use. (P201) til all safety precautions have been read and understood.
		Keep away from sources. No smo	heat, hot surfaces, sparks, open flames and other ignition king. (P210)
		Ground and bond	d container and receiving equipment. (P240)
			oof electrical/ventilating/lighting equipment. (P241) arking tools. (P242)
		Take action to pr	event static discharges. (P243)
			ust/fume/gas/mist/vapors/spray. (P260) earms and face thoroughly after handling. (P264)
			or smoke when using this product. (P270) s or in a well-ventilated area. (P271)
			gloves/protective clothing/eye protection/face protection.
Response		(P301+P312)	2: Call a POISON CENTER or doctor if you feel unwell.
			air): Take off immediately all contaminated clothing. /ater . (P303+P361+P353)
		IF INHALED: Re	move person to fresh air and keep comfortable for
		breathing (P304- IF IN EYES: Rins	e cautiously with water for several minutes. Remove
		contact lenses, if (P305+P351+P3	present and easy to do. Continue rinsing.
		IF exposed or co	ncerned: Call a POISON CENTER or doctor.
		(P308+P311) Get medical advi	ce/attention if you feel unwell. (P314)
		Rinse mouth. (P3	330)
		In case of fire: U	ersists: Get medical advice/attention. (P337+P313) se specify appropriate media to extinguish. (P370+P378)
Storage		: Store in a well-ve (P403+P233)	entilated place. Keep container tightly closed.
			entilated place. Keep cool. (P403+P235) (P405)
Disposal		•	nts/container to hazardous or special waste collection
			nce with local, regional, national and/or international
		regulation. (F301	1

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or	Formula	Kanpo	CAS RN	
Name	Concentration range	Tornidia	CSCL no	ISHL no	CASIN
Methanol	About 44%	СНЗОН	(2)-201	Existing Chemical Substance	67-56-1
Sodium chloride	About 0.8%	NaCl	(1)-236	7-(3)-1053	7647-14-5
Urea	About 0.1%	CO(NH2)2	(2)-1732	Existing Chemical Substance	57-13-6
Lactic acid	About 0.4%	С3Н6О3	(2)-1369	Existing Chemical Substance	50-21-5
Water	About 54.7%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures		
First-aid measures after inhalation	:	Remove person to fresh air and keep comfortable for breathing.
		Get immediate medical advice/attention.
First-aid measures after skin	:	Remove/Take off immediately all contaminated clothing.
contact		Gently wash with plenty of soap and water.
		Get immediate medical advice/attention.
First-aid measures after eye contact	:	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
		Get immediate medical advice/attention.
First-aid measures after ingestion	:	Do NOT induce vomiting.
		Rinse mouth.
		Get immediate medical advice/attention.
5. Fire fighting measures		
Suitable extinguishing media	:	Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
Unsuitable extinguishing media	:	Do not use a heavy water stream.
Fire hazard	:	Extremely flammable liquid and vapor.
Explosion hazard	:	Danger of the steam explosion in indoor, outdoor, sewer.
		May induce explosion of containers by heating.
Hazardous decomposition products in case of fire	:	In case of fire, product may produce irritative or toxic fumes/gases.
Firefighting instructions	:	If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
		In the case of peripheral fire, quickly remove movable containers to safe places.
		If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
		Even after extinguishing fire, thoroughly cool containers by using plenty of water.
Protection during firefighting	:	Wear appropriate fire-resistant clothing including self contained- compressed air breathing apparatus.

6. Accidental release measures

6. Accidental release measu	res
Personal Precautions, Protective Equ	ipment and Emergency Procedures
General measures :	Before entering, ventilate the area.
	Do not let unauthorized persons come close to the area.
	Immediately place the leakage area in isolation, with taking proper distances for all directions.
	Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.
Environmental precautions	
Environmental precautions :	Avoid release to the environment.
	Prevent entry to sewers and public waters.
Methods and Equipment for Containn	nent and Cleaning up
Methods for cleaning up :	Clean up any spills as soon as possible, using an absorbent material to collect it.
	Collect leaking and spilled liquid in sealable containers as far as possible.
	Wash out the spilled area with large amounts of water.
7. Handling and storage	
Handling	
Technical measures :	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
	Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling :	Do not eat, drink or smoke when using this product.
	Thoroughly wash your hands and gargle after handling.
	Ensure good ventilation of the work station.
	Do not contact, breathe or swallow.
	Take proputionary manufactor against static discharge

•

Handling		
Technical measures	:	Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
		Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.
Precautions for safe handling	:	Do not eat, drink or smoke when using this product.
		Thoroughly wash your hands and gargle after handling.
		Ensure good ventilation of the work station.
		Do not contact, breathe or swallow.
		Take precautionary measures against static discharge.
		Use explosion-proof equipment.
Prevents handling of incompatible substances or mixtures	:	Avoid prolonged or repeated exposure.
Storage		
Storage conditions	:	Store locked up.
		Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Material used in packaging/containers	:	Airtight container.
Technical measures	:	Comply with applicable regulations.
Storage temperature	:	Cool and dark place

8. Exposure controls / Personal protection equipment

Exposure limit values	
Methanol	
Japan administration level	200ppm
Exposure limits (JSOH)	200ppm(260mg/m3)(skin)
Exposure limits (ACGIH)	TWA 200 ppm,STEL 250 ppm (Skin)
Appropriate engineering controls	: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.
Protective equipment	
Respiratory protection	: Gas mask for organic gases
Hand protection	: Impervious protective gloves
Eye protection	: Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection	: Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

	-	•
Physical state	:	Liquid
Appearance	:	Liquid
Color	:	colorless transparent
Odor	:	Odorless
рН	:	3.0 (25°C)
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Flammability (solid, gas)	:	No data available
Vapor pressure	:	No data available
Relative density	:	No data available
Density	:	0.93 g/cm³ (20℃)
Relative gas density	:	No data available
Solubility	:	No data available
Partition coefficient n- octanol/water (Log Pow)	:	No data available
Explosive limits (vol %)	:	No data available
Viscosity, kinematic	:	No data available
Particle characteristics	:	No data available

10. Stability and reactivity

Reactivity	:	No data available
Chemical stability	:	Stable under normal handling conditions.
Possibility of hazardous reactions	:	Reacts with strong oxidizing agents and poses a risk of fire and explosion. Mixture with hydrogen peroxide may explode due to impact. May corrode metals.
Conditions to avoid	:	Sunlight, heat. Ignition sources such as sparks, flames and static electricity. Contact with strong oxidizing agents, hydrogen peroxide and metals.
Incompatible materials	:	Strong oxidizing agents, Hydrogen peroxide, Metals
Hazardous decomposition products	:	Formaldehyde, Nitrogen oxides, Chlorine and its compounds

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible
	Gases:classification not possible
	dust, mist:classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Methanol	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification

Methanol	
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	Category 2
Respiratory sensitization	classification not possible
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	classification not possible
Reproductive toxicity	Category 1B
STOT-single exposure	Category 1 Category 3 (Narcosis)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Sodium chloride	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	classification not possible
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
Urea	· · · · · · · · · · · · · · · · · · ·
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	classification not possible
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (yapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	classification not possible
Skin sensitization	No classification
·	1

Lactic acid				
Germ cell mutagenicity	classification not possible			
Carcinogenicity	classification not possible			
Reproductive toxicity	classification not possible			
STOT-single exposure	classification not possible			
STOT-repeated exposure	classification not possible			
Aspiration hazard	classification not possible			
Water				
Acute toxicity (oral)	No classification			
Acute toxicity (dermal)	No classification			
Acute toxicity (gas)	No classification			
Acute toxicity (vapour)	No classification			
Acute toxicity (inhalation:dust/mist)	No classification			
Skin corrosion/irritation	No classification			
Serious eye damage/irritation	No classification			
Respiratory sensitization	No classification			
Skin sensitization	No classification			
Germ cell mutagenicity	No classification			
Carcinogenicity	No classification			
Reproductive toxicity	No classification			
STOT-single exposure	No classification			
STOT-repeated exposure	No classification			
Aspiration hazard	No classification			

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product		
Hazardous to the aquatic environment,	classification not possible	
short-term (acute)		
Hazardous to the aquatic environment,	classification not possible	
long-term (chronic)		
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Ozone	classification not possible	
Methanol		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Sodium chloride		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	classification not possible	
Urea		
Hazardous to Aquatic Environment - Acute Hazard	classification not possible	

Urea			
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Hazardous to the ozone layer	classification not possible		
Lactic acid			
Hazardous to Aquatic Environment - Acute Hazard	No classification		
Hazardous to Aquatic Environment - Chronic Hazard	No classification		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Hazardous to the ozone layer	classification not possible		
Water			
Hazardous to Aquatic Environment - Acute Hazard	No classification		
Hazardous to Aquatic Environment - Chronic Hazard	No classification		
Persistence and degradability	No data available		
Bioaccumulative potential	No data available		
Mobility in soil	No data available		
Hazardous to the ozone layer	classification not possible		

13. Disposal considerations

Ecology - waste materials	:	With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
Contaminated container and packaging	:	Empty the packaging completely prior to disposal. Empty containers should be taken for recycle, recovery or waste in
		accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) Proper Shipping Name (IMDG) Packing group (IMDG) Transport hazard class(es) (IMDG) Hazard labels (IMDG) Class (IMDG) Special provision (IMDG) Limited quantities (IMDG) Excepted quantities (IMDG) Packing instructions (IMDG) IBC packing instructions (IMDG) Tank instructions (IMDG) Tank special provisions (IMDG) Stowage category (IMDG) MFAG-No	 1993 FLAMMABLE LIQUID, N.O.S. III 3 3 223, 274, 955 5 L E1 LP01, P001 IBC03 T4 TP1, TP29 A 127
Air transport(IATA) UN-No. (IATA) Proper Shipping Name (IATA) Packing group (IATA) Transport hazard class(es) (IATA) Hazard labels (IATA) Class (IATA) PCA Excepted quantities (IATA) PCA Limited quantities (IATA)	 1993 Flammable liquid, n.o.s. III 3 3 3 3 E1 Y344

PCA limited quantity max net quantity (IATA)	: 10L
PCA packing instructions (IATA)	: 355
PCA max net quantity (IATA)	: 60L
CAO packing instructions (IATA)	: 366
CAO max net quantity (IATA)	: 220L
Special provision (IATA)	: A3
ERG code (IATA)	: 3L
Marine pollutant	: Not applicable
Regulations in Japan	
Regulatory information by sea Regulatory information by air MFAG-No	 Conform to the provisions of the Ship Safety Law. Conform to the provisions of the Civil Aeronautics Law. 127
Special transport precautions	: When transporting, load containers so that they do not tip over,
opeend danopert productione	damage, drop or collapse. Make sure there is no leak in containers.
15. Regulatory information National law	
	Olara O Orrania Osharata eta (Enfanoment Orden Art. Arrandad
Industrial Safety and Health Law	: Class 2 Organic Solvents etc. (Enforcement Order, Art., Appended Table 6-2, Ordinance on Prevention of Organic Solvent Poisoning, Art.1, Para.1, Item 4)
	Working Environment Evaluation Standards, Administrative Control Levels (Law Art.65-2, Para.1)
	Harmful Substances Whose Names Are to be Indicated on the Label (Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,
	Attached Table No.9) Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2 Item 1, Item 2, Attached Table No.9)
	Methanol (Ordinance number : 560) Dangerous Substances - Flammable Substance (Enforcement Order
	Attached Table 1 Item 4) Substances on Special medical examination, Current handling
	workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)
Japanese Poisonous and Deleterious Substances Control Law	: Not applicable
Fire Service Law	: Not applicable
Air Pollution Control Law	: Specified substances (Article 17, Paragraph 1 of the Law, Article 10
	of the Enforcement Ordinance) Volatile Organic Compounds (Law Art.2 Para.4) (MOE Official Notice to Prefectures)
Law Relating to Prevention of Marine Pollution and Maritime Disasters	: Noxious Liquid Substances - Category Y (Law Art.3(3), Enforcement Order, Art.1-2, Attached Table No.1 Item 2)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16
Ship Safety Act	: Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Waste Management on Public Cleansing Law	: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Not applicable
Labor Standards Act	: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification No.36 of 1978)
16. Other information	
Data sources	: Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd.
	 Handbook of 17425 Chemical Products, The Chemical Daily Co, Etc. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020)

2020 Emergency Response Guidebook (ERG 2020).

2

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.