
Safety Data Sheet

1. Chemical product and company identification**Product name** : Indole reagent**SDS code** : P2-10**Company/undertaking
identification** :

HAYASHI PURE CHEMICAL IND.,LTD.

Address : 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone : 06-6910-7305

E-mail : shiyaku_kikaku@hpc-j.co.jp

URL : <https://www.hpc-j.co.jp/>**Emergency number** : 06-6910-7305**Recommended use** : For research and experimental use only.**Restrictions on use** : Do not use on a human body or for animal medicines, foods, household products, cosmetics, etc.**2. Hazards identification****GHS classification**

Physical hazards	Explosives	classification not possible
	Flammable gases	No classification
	Aerosol	classification not possible
	Oxidizing gases	No classification
	Gases under pressure	No classification
	Flammable liquids	Category 3
	Flammable solids	No classification
	Self-reactive substances and mixtures	classification not possible
	Pyrophoric liquids	classification not possible
	Pyrophoric solids	No classification
	Self-heating substances and mixtures	classification not possible
	Substances and mixtures which in contact with water emit flammable gases	classification not possible
	Oxidizing liquids	classification not possible
	Oxidizing solids	No classification
	Organic peroxides	classification not possible
	Corrosive to metals	Category 1
	Desensitized explosives	classification not possible
Health hazards	Acute toxicity (oral)	Category 4
	Acute toxicity (dermal)	classification not possible
	Acute toxicity (inhalation:gas)	Category 4
	Acute toxicity (inhalation:vapors)	classification not possible
	Acute toxicity (inhalation:dust/mist)	Category 2
	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Respiratory sensitization	Category 1
	Skin sensitization	classification not possible
	Germ cell mutagenicity	classification not possible
	Carcinogenicity	classification not possible
	Reproductive toxicity	classification not possible
	Specific target organ toxicity (single exposure)	Category 1 (respiratory system)

Environmental hazards	Specific target organ toxicity (single exposure)	Category 2 (central nervous system)
	Specific target organ toxicity (single exposure)	Category 3 (Respiratory tract irritation.)
	Specific target organ toxicity (repeated exposure)	Category 1 (tooth, respiratory system)
	Aspiration hazard	classification not possible
	Hazardous to the aquatic environment, short-term (acute)	Category 2
	Hazardous to the aquatic environment, long-term (chronic)	classification not possible
Hazard pictograms (GHS JP)	Hazardous to the ozone layer	classification not possible
		GHS02
		GHS05
		GHS06
Signal word (GHS JP)		GHS08
	Signal word (GHS JP)	: Danger
	Hazard statements (GHS JP)	: Flammable liquid and vapor (H226) May be corrosive to metals (H290) Harmful if swallowed or if inhaled (H302+H332) Causes severe skin burns and eye damage (H314) Fatal if inhaled (H330) May cause allergy or asthma symptoms or breathing difficulties if inhaled. (H334) May cause respiratory irritation (H335) Causes damage to organs (respiratory system) (H370) May cause damage to organs (central nervous system) (H371) Causes damage to organs (tooth, respiratory system) through prolonged or repeated exposure (H372) Toxic to aquatic life (H401)
	Precautionary statements (GHS JP)	
Prevention	Prevention	: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210) Keep only in original container. (P234) Ground and bond container and receiving equipment. (P240) Use explosion-proof electrical/ventilating/lighting equipment. (P241) Use only non-sparking tools. (P242) Take action to prevent static discharges. (P243) Do not breathe dust/fume/gas/mist/vapors/spray. (P260) Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270) Use only outdoors or in a well-ventilated area. (P271) Avoid release to the environment. (P273) Wear protective gloves/protective clothing/eye protection/face protection. (P280) [In case of inadequate ventilation] wear respiratory protection. (P284)
	Response	: IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell. (P301+P312) IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. (P301+P330+P331) IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water. (P303+P361+P353) IF INHALED: Remove person to fresh air and keep comfortable for breathing (P304+P340) IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. (P305+P351+P338) IF exposed or concerned: Call a POISON CENTER or doctor. (P308+P311) Immediately call a POISON CENTER or doctor. (P310) Get medical advice/attention if you feel unwell. (P314) If experiencing respiratory symptoms: Call a POISON CENTER or doctor. (P342+P311) Wash contaminated clothing before reuse. (P363)

- In case of fire: Use specify appropriate media to extinguish. (P370+P378)
Absorb spillage to prevent material-damage. (P390)
- Storage : Store in a well-ventilated place. Keep container tightly closed. (P403+P233)
Store in a well-ventilated place. Keep cool. (P403+P235)
Store locked up. (P405)
Store in corrosive resistant container with a resistant inner liner. (P406)
- Disposal : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture : Mixture

Name	Concentration or Concentration range	Formula	Kanpo number		CAS RN
			CSCL no	ISHL no	
p-Dimethylaminobenzaldehyde	About 5.2%	C ₉ H ₁₁ NO	(3)-2917,(9)-681	Existing Chemical Substance	100-10-7
1-Pentanol	About 63.8%	C ₅ H ₁₂ O	(2)-217	Existing Chemical Substance	71-41-0
Hydrogen chloride	About 11.2%	HCl	(1)-215	Existing Chemical Substance	7647-01-0
Water	About 19.8%	H ₂ O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

- First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing.
Get immediate medical advice/attention.
- First-aid measures after skin contact : Remove/Take off immediately all contaminated clothing.
Gently wash with plenty of soap and water.
Get immediate medical advice/attention.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Get immediate medical advice/attention.
- First-aid measures after ingestion : Do NOT induce vomiting.
Rinse mouth.
Get immediate medical advice/attention.

5. Fire fighting measures

- Suitable extinguishing media : Water spray, Alcohol-resistant foam, Dry powder, Carbon dioxide, Sand.
- Unsuitable extinguishing media : Do not use a heavy water stream.
- Fire hazard : Highly flammable liquid and vapor.
- Explosion hazard : Danger of the steam explosion in indoor, outdoor, sewer.
May induce explosion of containers by heating.
- Hazardous decomposition products in case of fire : In case of fire, product may produce irritative or toxic fumes/gases.
- Firefighting instructions : If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.
In the case of peripheral fire, quickly remove movable containers to safe places.
If unable to be moved containers, sprinkle water to containers and surrounding equipment, etc. to cool.
Even after extinguishing fire, thoroughly cool containers by using plenty of water.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.
Do not let unauthorized persons come close to the area.
Immediately place the leakage area in isolation, with taking proper distances for all directions.
Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Avoid release to the environment.
Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up : Clean up any spills as soon as possible, using an absorbent material to collect it.
Collect leaking and spilled liquid in sealable containers as far as possible.
Wash out the spilled area with large amounts of water.
If possible, neutralize with slaked lime, soda ash, etc. before washing out.

7. Handling and storage

Handling

Technical measures : Work with appropriate personal protective equipment to prevent inhalation or contact to eyes, skin, and clothing.
Handle with care to prevent leakage, overflowing, or scattering, minimize generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling : Do not eat, drink or smoke when using this product.
Thoroughly wash your hands and gargle after handling.
Ensure good ventilation of the work station.
Do not contact, breathe or swallow.
Take precautionary measures against static discharge.
Use explosion-proof equipment.

Prevents handling of incompatible substances or mixtures : Avoid prolonged or repeated exposure.

Storage

Storage conditions : Store locked up.
Store in a well-ventilated place, away from direct sunlight. Keep container tightly closed and keep away from fire and heat sources.
Store in corrosive resistant container with a resistant inner liner.

Material used in packaging/containers : Light shielding airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Refrigerate

8. Exposure controls / Personal protection equipment

Component name	Administration level (MHLW)	Exposure limits (JSOH)	
		Standard Value	JSOH OEL C
Hydrogen chloride	-	-	3 mg/m ³ 2 ppm

Component name	Concentration standard value (MHLW)		
	OEL TWA	OEL STEL	OEL C
1-Pentanol	100 ppm	-	-

Appropriate engineering controls : Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask for acid gases, Gas mask for organic gases
 Hand protection : Impervious protective gloves
 Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
 Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
 Appearance : Liquid
 Color : pale yellow
 Odor : characteristic odor
 pH : ≤ 1 (25°C)
 Melting point : No data available
 Freezing point : No data available
 Boiling point : No data available
 Flash point : No data available
 Auto-ignition temperature : No data available
 Decomposition temperature : No data available
 Flammability : No data available
 Vapor pressure : No data available
 Relative density : No data available
 Density : 0.92 g/cm³ (20°C)
 Relative gas density : No data available
 Solubility : No data available
 Partition coefficient n-octanol/water (Log Pow) : No data available
 Explosive limits (Vol-%) : No data available
 Viscosity, kinematic : No data available
 Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available
 Chemical stability : Stable under normal handling conditions.
 Possibility of hazardous reactions : When heated, evolving toxic hydrogen chloride gas. Be a strong acid, reacts with bases. Hydrogen chloride reacts with oxidizing agents, evolving toxic chlorine gas. 1-Pentanol reacts violently with oxidizing agents, making a risk of fire. Reacts with metals, alkali metals and alkaline earth metals, evolving flammable/explosive hydrogen gas.
 Conditions to avoid : Sunlight, heat. Ignition sources such as sparks, flames and static electricity. Contact with bases, oxidizing agents, organic peroxides and metals.
 Incompatible materials : Bases, Oxidizing agents, Organic peroxides, Metals
 Hazardous decomposition products : Chlorine and its compounds, Hydrogen

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	Category 4
Acute toxicity (dermal)	classification not possible
Acute toxicity (inhalation)	vapors:classification not possible Gases:Category 4 dust, mist:Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1

As a product	
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1 Category 2 Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
p-Dimethylaminobenzaldehyde	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	classification not possible
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	classification not possible
Serious eye damage/irritation	classification not possible
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	classification not possible
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
1-Pentanol	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 2A
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	classification not possible
Carcinogenicity	classification not possible
Reproductive toxicity	classification not possible
STOT-single exposure	Category 2 Category 3 (Respiratory tract irritation.)
STOT-repeated exposure	classification not possible
Aspiration hazard	classification not possible
Hydrogen chloride	
Acute toxicity (oral)	Category 3
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	Category 3
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	Category 2
Skin corrosion/irritation	Category 1
Serious eye damage/irritation	Category 1
Respiratory sensitization	Category 1
Skin sensitization	No classification
Germ cell mutagenicity	classification not possible
Carcinogenicity	No classification
Reproductive toxicity	classification not possible
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	No classification

Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Hazardous to the aquatic environment, short-term (acute)	Category 2
Hazardous to the aquatic environment, long-term (chronic)	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible
p-Dimethylaminobenzaldehyde	
Hazardous to Aquatic Environment - Acute Hazard	classification not possible
Hazardous to Aquatic Environment - Chronic Hazard	classification not possible
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible
1-Pentanol	
Hazardous to Aquatic Environment - Acute Hazard	Category 3
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	No data available
Hydrogen chloride	
Hazardous to Aquatic Environment - Acute Hazard	Category 1
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

Water	
Hazardous to Aquatic Environment - Acute Hazard	No classification
Hazardous to Aquatic Environment - Chronic Hazard	No classification
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Hazardous to the ozone layer	classification not possible

13. Disposal considerations

- Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a waste disposer authorized by a Prefectural Governor.
- Contaminated container and packaging : Empty the packaging completely prior to disposal.
Empty containers should be taken for recycle, recovery or waste in accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

- UN-No. (IMDG) : 2924
- Proper Shipping Name (IMDG) : FLAMMABLE LIQUID, CORROSIVE, N.O.S.
- Packing group (IMDG) : III
- Transport hazard class(es) (IMDG) : 3 (8)
- Hazard labels (IMDG) : 3,8
- Class (IMDG) : 3
- Subsidiary hazard (IMDG) : 8
- Special provision (IMDG) : 223, 274
- Limited quantities (IMDG) : 5 L
- Excepted quantities (IMDG) : E1
- Packing instructions (IMDG) : P001
- IBC packing instructions (IMDG) : IBC03
- Tank instructions (IMDG) : T7
- Tank special provisions (IMDG) : TP1, TP28
- Stowage category (IMDG) : A
- Properties and observations (IMDG) : Causes burns to skin, eyes and mucous membranes.
- MFAG-No : 132

Air transport(IATA)

- UN-No. (IATA) : 2924
- Proper Shipping Name (IATA) : Flammable liquid, corrosive, n.o.s.
- Packing group (IATA) : III
- Transport hazard class(es) (IATA) : 3 (8)
- Hazard labels (IATA) : 3, 8
- Class (IATA) : 3
- Subsidiary hazards (IATA) : 8
- PCA Excepted quantities (IATA) : E1
- PCA Limited quantities (IATA) : Y342
- PCA limited quantity max net quantity (IATA) : 1L
- PCA packing instructions (IATA) : 354
- PCA max net quantity (IATA) : 5L
- CAO packing instructions (IATA) : 365
- CAO max net quantity (IATA) : 60L
- Special provision (IATA) : A3, A803
- ERG code (IATA) : 3C

- Marine pollutant** : Not applicable

Regulations in Japan

- Regulatory information by sea : Conform to the provisions of the Ship Safety Law.
- Regulatory information by air : Conform to the provisions of the Civil Aeronautics Law.
- MFAG-No : 132

- Special transport precautions** : When transporting, load containers so that they do not tip over, damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law	: Group 3 Specified Chemical Substance, (Ordinance on Prevention of Hazards Due to Specified Chemical Substances Art.2 Para.1, Item 6) Dangerous or Harmful Substances for Labeling of Chemical Name etc. (Act Art.57 Para.1, Enforcement Order, Art.18) Dangerous or Harmful Substances for Notification of Chemical Name etc. on SDS (Act, Art.57-2 Para.1, Enforcement Order, Art.18-2) 1-Pentanol Hydrogen chloride Dangerous Substances - Flammable Substance (Enforcement Order Attached Table 1 Item 4) Corrosive Liquids (Ordinance on Industrial Safety and Health Law Art. 326) Substances on dental health checkup (Act, Art.66, Para.3, Enforcement Order, Art.22 Item 3) Substances that must be used in impermeable protective equipment based on special regulations (List of substances applicable to No. 0704 Item 1, 5 based on July 4, 2023) 【Date of enforcement: October 1, 2026】 Concentration standard value setting substances (Ordinance on Industrial Safety and Health, Article 577-2, Para.2, Public Notice No. 177 of April 27, 2023, Public Notice No. 24 of April 27, 2023)
Japanese Poisonous and Deleterious Substances Control Law	: Deleterious Substances (Designated Order Art.2) Preparations containing hydrogen chloride (except for preparations which contain 10% or less of hydrogen chloride)
Water Pollution Prevention Law	: Designated Chemical Substances (Law Article 2, Paragraph 4, Enforcement Order Article 3-3)
Narcotics and Psychotropics Control Act	: Raw Materials (Law Art.2 (7), Attached Table Art.4 (9), Designating Order Art. 4)
Fire Service Law	: Group 4, Flammable Liquids, Class 2 petroleums, Water-insoluble liquids (Act, Art.2, Para.7, Appended Table 1, Group 4)
Air Pollution Control Law	: Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law, Article 1 of the Enforcement Ordinance) Specified substances (Article 17, Paragraph 1 of the Law, Article 10 of the Enforcement Ordinance)
Foreign Exchange and Foreign Trade Control Act	: Export Trade Control Ordinance appendix 1-16 Export-approved goods, narcotic and psychotropic drug raw materials (Article 48, Paragraph 3 of the Act, Article 2, Appendix 2, Item 21-3 of the Export Order, Ministry of Health and Welfare Ordinance No. 38 of June 19, 1992, Article 1)
Ship Safety Act	: Flammable liquids (Dangerous Goods Notification Schedule first second and third Article Dangerous Goods Regulations)
Civil Aeronautics Law	: Flammable liquids (Hazardous materials notice Appended Table 1 Article 194 of the Enforcement Regulations)
Port Regulation Law	: Flammable liquids (Article 21, Paragraph 2 of Law, Article 12 rule, notice attached table that defines the type of dangerous goods)
Road Act	: Restriction for Vehicle Traffic (Enforcement Order Art.19-13, Publication of Japan Highway Public Corp.)
Waste Management on Public Cleansing Law	: Specially Controlled Industrial Wastes (Act Art.2, para 5, Enforcement Order Art.2-4)
Japanese Pollutant Release and Transfer Register Law (PRTR Law)	: Not applicable
Labor Standards Act	: Chemical Substances Causing Occupational Illnesses (Act Art.75, Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Notification No.36 of 1978)

16. Other information

Data sources	: Handbook of 17726 Chemical Products, The Chemical Daily Co, Ltd. International Chemical Safety Cards. National Institute of Technology and Evaluation (NITE). 2024 Emergency Response Guidebook (ERG 2024).
--------------	--

Other information

: The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.