

0.05mol/L(N/10) Lead(II) nitrate solution

Hayashi Pure Chemical Ind.,Ltd.

Date of issue: 3/4/2013 Revision date: 9/12/2023 SDS code: Q3-09 Version: 06

Safety Data Sheet

1. Chemical product and company identification

0.05mol/L(N/10) Lead(II) nitrate solution **Product name**

SDS code Q3-09

Company/undertaking

identification

HAYASHI PURE CHEMICAL IND.,LTD.

Address: 3-2-12 Uchihiranomachi, Chuo-ku, Osaka, Osaka, Japan

Telephone: 06-6910-7305

E-mail: shiyaku_kikaku@hpc-j.co.jp URL: https://www.hpc-j.co.jp/

Emergency number 06-6910-7305

Recommended use For research and experimental use only.

Do not use on a human body or for animal medicines, foods, household Restrictions on use

products, cosmetics, etc.

2. Hazards identification

GHS classification

Health hazards

Physical hazards **Explosives** classification not possible

> Flammable gases No classification

Aerosol classification not possible

Oxidizing gases No classification Gases under pressure No classification

Flammable liquids classification not possible

Flammable solids No classification

Self-reactive substances and

mixtures

classification not possible classification not possible

Pyrophoric solids No classification

Self-heating substances and classification not possible

Pyrophoric liquids

mixtures

classification not possible

Substances and mixtures which in contact with water emit flammable

gases

Oxidizing liquids classification not possible

Oxidizing solids No classification

Organic peroxides classification not possible Corrosive to metals classification not possible Desensitized explosives classification not possible Acute toxicity (oral) classification not possible Acute toxicity (dermal) classification not possible

Acute toxicity (inhalation:gas) No classification

Acute toxicity (inhalation:vapors) classification not possible Acute toxicity (inhalation:dust/mist) classification not possible

Skin corrosion/irritation No classification Serious eye damage/eye irritation No classification

Respiratory sensitization classification not possible Skin sensitization classification not possible

Germ cell mutagenicity Category 2 Carcinogenicity Category 2 Reproductive toxicity Category 1A

Specific target organ toxicity (single Category 2 (blood system, kidneys, nervous system)

exposure)

Revision date: 9/12/2023 SDS code: Q3-09

Specific target organ toxicity Category 2 (blood system, kidneys, nervous system)

(repeated exposure)

Aspiration hazard classification not possible

Environmental hazards

Hazardous to the aquatic environment, short-term (acute)

Hazardous to the aquatic environment, long-term (chronic)

Category 3

Hazardous to the ozone layer classification not possible

Hazard pictograms (GHS JP)



Signal word (GHS JP) Danger

Hazard statements (GHS JP) Suspected of causing genetic defects (H341)

Suspected of causing cancer (H351)

May damage fertility or the unborn child (H360)

Category 3

May cause damage to organs (blood system, kidneys, nervous system)

(H371)

May cause damage to organs (blood system, kidneys, nervous system)

through prolonged or repeated exposure (H373) Harmful to aquatic life with long lasting effects (H412)

Precautionary statements (GHS JP)

Prevention Obtain special instructions before use. (P201)

Do not handle until all safety precautions have been read and understood.

(P202)

Do not breathe dust/fume/gas/mist/vapors/spray. (P260)

Wash hands, forearms and face thoroughly after handling. (P264) Do not eat, drink or smoke when using this product. (P270)

Avoid release to the environment. (P273)

Wear protective gloves/protective clothing/eye protection/face protection.

(P280)

IF exposed or concerned: Call a POISON CENTER or doctor. Response

(P308+P311)

Get medical advice/attention if you feel unwell. (P314)

Storage Store locked up. (P405)

Dispose of contents/container to hazardous or special waste collection Disposal

point, in accordance with local, regional, national and/or international

regulation. (P501)

3. Composition/information on ingredients

Distinction of substance or mixture

Name	Concentration or	Formula	Kanpo number		CAS RN
Name	Concentration range		CSCL no	ISHL no	CAS KN
Lead(II) nitrate	About 1.65%	Pb(NO3)2	(1)-488	Existing Chemical Substance	10099-74-8
Water	About 98.35%	H2O	-	-	7732-18-5

The above concentration or concentration range are not product specification.

All percentages listed in the above concentration or concentration range are wt%, unless otherwise specified.

4. First aid measures

First aid measures

First-aid measures after inhalation Remove person to fresh air and keep comfortable for breathing.

Get immediate medical advice/attention.

First-aid measures after skin

contact

Remove/Take off immediately all contaminated clothing.

Gently wash with plenty of soap and water. Get immediate medical advice/attention.

Revision date: 9/12/2023 SDS code: Q3-09 Version: 06

First-aid measures after eye

contact

IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

First-aid measures after ingestion : Rinse mouth.

Get immediate medical advice/attention.

5. Fire fighting measures

Suitable extinguishing media

Use proper extinguishing media depending on peripheral fire.

Unsuitable extinguishing media

Hazardous decomposition products

in case of fire

Firefighting instructions

In case of fire, product may produce irritative or toxic fumes/gases.

If ignited, for the initial fire-fighting, cut off combustion sources, extinguish fire at a stroke using appropriate fire-extinguishers.

In the case of peripheral fire, quickly remove movable containers to safe

places.

If unable to be moved containers, sprinkle water to containers and

surrounding equipment, etc. to cool.

Do not use a heavy water stream.

Protection during firefighting : Wear appropriate fire-resistant clothing including self contained-

compressed air breathing apparatus.

6. Accidental release measures

Personal Precautions, Protective Equipment and Emergency Procedures

General measures : Before entering, ventilate the area.

Do not let unauthorized persons come close to the area.

Immediately place the leakage area in isolation, with taking proper

distances for all directions.

Wear appropriate personal protective devices to prevent inhalation and contact with eye, skin, and clothing, and never attempt to work on the lee.

Environmental precautions

Environmental precautions : Av

Avoid release to the environment.

Prevent entry to sewers and public waters.

Methods and Equipment for Containment and Cleaning up

Methods for cleaning up

Clean up any spills as soon as possible, using an absorbent material to

collect it.

Collect leaking and spilled liquid in sealable containers as far as possible.

Wash out the spilled area with large amounts of water.

7. Handling and storage

Handling

Technical measures

Work with appropriate personal protective equipment to prevent inhalation

or contact to eyes, skin, and clothing.

Handle with care to prevent leakage, overflowing, or scattering, minimize

generation of mist or vapor, and thoroughly ventilate.

Precautions for safe handling

Do not eat, drink or smoke when using this product.

Thoroughly wash your hands and gargle after handling.

Ensure good ventilation of the work station.

Do not contact, breathe or swallow.

Prevents handling of incompatible

substances or mixtures

Avoid prolonged or repeated exposure.

Storage

Storage conditions

Store locked up.

Store in a well-ventilated place, away from direct sunlight. Keep container

tightly closed and keep away from fire and heat sources.

Material used in packaging/containers

Airtight container.

Technical measures : Comply with applicable regulations.

Storage temperature : Cool and dark place

Revision date: 9/12/2023 SDS code: Q3-09 Version: 06

8. Exposure controls / Personal protection equipment

Exposure limit values	
Lead(II) nitrate	
Japan administration level	0.05mg/m3(as Pb)
Exposure limits (JSOH)	0.03mg/m3(as Pb, except Alkyllead compounds)
Exposure limits (ACGIH)	TWA 0.05 mg/m3,STEL - (as Pb)

Appropriate engineering controls

: Cover up tightly the generation source at the handling place or install local exhaust equipment or overall ventilation equipment. Install safety showers and eye-fountains near a handling place. Clearly indicate the location.

Protective equipment

Respiratory protection : Gas mask

Hand protection : Impervious protective gloves

Eye protection : Protective glasses (general glasses, glasses with side-shields, goggles)
Skin and body protection : Impervious aprons, Impervious work clothing, Impervious long boots

9. Physical and chemical properties

Physical state : Liquid
Appearance : Liquid

Color : colorless transparent
Odor : No data available

pH : 4.4 (25°C)

Melting point No data available Freezing point No data available **Boiling point** No data available Flash point No data available Auto-ignition temperature No data available Decomposition temperature No data available Flammability (solid, gas) No data available Vapor pressure No data available Relative density No data available Density 1.01 g/cm³ (20°C) Relative gas density No data available Solubility No data available Partition coefficient n-No data available

octanol/water (Log Pow)

Explosive limits (vol %) : No data available Viscosity, kinematic : No data available Particle characteristics : No data available

10. Stability and reactivity

Reactivity : No data available

Chemical stability : Stable under normal handling conditions.

Possibility of hazardous reactions : May react with combustible substances, reducing agents, ammonium

thiocyanate, red heat carbon and lead hypophosphate.

Conditions to avoid : Sunlight, heat. Contact with combustible substances, reducing agents,

ammonium thiocyanate, red heat carbon and lead hypophosphate.

Incompatible materials : Combustible substances, Reducing agents, Ammonium thiocyanate, Red

heat carbon, Lead hypophosphate

Hazardous decomposition : Nitrogen oxides, Lead oxides

products

11. Toxicological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible

0.05mol/L(N/10) Lead(II) nitrate solution ie: 9/12/2023 SDS code: Q3-09 Version: 06 Revision date: 9/12/2023

As a product	
Acute toxicity (inhalation)	vapors:classification not possible
, ,	Gases:No classification
	dust, mist:classification not possible
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity Carcinogenicity	Category 2 Category 2
Reproductive toxicity	Category 1A
STOT-single exposure	Category 2
STOT-repeated exposure	Category 2
Aspiration hazard	classification not possible
Lead(II) nitrate	
Acute toxicity (oral)	classification not possible
Acute toxicity (dermal)	classification not possible
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	classification not possible
Acute toxicity (inhalation:dust/mist)	classification not possible
Skin corrosion/irritation	Category 2
Serious eye damage/irritation	Category 2A
Respiratory sensitization	classification not possible
Skin sensitization	classification not possible
Germ cell mutagenicity	Category 2
Carcinogenicity	Category 2
Reproductive toxicity	Category 1A
STOT-single exposure	Category 1
STOT-repeated exposure	Category 1
Aspiration hazard	classification not possible
Water	
Acute toxicity (oral)	No classification
Acute toxicity (dermal)	No classification
Acute toxicity (gas)	No classification
Acute toxicity (vapour)	No classification
Acute toxicity (inhalation:dust/mist)	No classification
Skin corrosion/irritation	No classification
Serious eye damage/irritation	No classification
Respiratory sensitization	No classification
Skin sensitization	No classification
Germ cell mutagenicity	No classification
Carcinogenicity	No classification
Reproductive toxicity	No classification
STOT-single exposure	No classification
STOT-repeated exposure	No classification
Aspiration hazard	No classification
/ topiration nazara	140 oldoonidation

12. Ecological information

The information in this section is based on the "GHS Classification Results" by NITE.

As a product	
Hazardous to the aquatic environment, short-term (acute)	Category 3
Hazardous to the aquatic environment, long-term (chronic)	Category 3
Persistence and degradability	No data available
Bioaccumulative potential	No data available
Mobility in soil	No data available
Ozone	classification not possible

Revision date: 9/12/2023

Lead(II) nitrate		
Hazardous to Aquatic Environment - Acute Hazard	Category 1	
Hazardous to Aquatic Environment - Chronic Hazard	Category 1	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	
Hazardous to the ozone layer	No data available	
Water		
Hazardous to Aquatic Environment - Acute Hazard	No classification	
Hazardous to Aquatic Environment - Chronic Hazard	No classification	
Persistence and degradability	No data available	
Bioaccumulative potential	No data available	
Mobility in soil	No data available	

13. Disposal considerations

Ecology - waste materials : With the detail information of the waste, subcontract its disposal to a

classification not possible

waste disposer authorized by a Prefectural Governor.

Contaminated container and

Hazardous to the ozone layer

packaging

Empty the packaging completely prior to disposal.

Empty containers should be taken for recycle, recovery or waste in

accordance with local regulation.

14. Transport information

International Regulations

Transport by sea(IMDG)

UN-No. (IMDG) : Not applicable Proper Shipping Name (IMDG) : Not applicable Packing group (IMDG) : Not applicable Transport hazard class(es) (IMDG) : Not applicable

Air transport(IATA)

UN-No. (IATA) : Not applicable
Proper Shipping Name (IATA) : Not applicable
Packing group (IATA) : Not applicable
Transport hazard class(es) (IATA) : Not applicable

Marine pollutant : Not applicable

Regulations in Japan

Regulatory information by sea : Not applicable Regulatory information by air : Not applicable

Special transport precautions : When transporting, load containers so that they do not tip over,

damage, drop or collapse. Make sure there is no leak in containers.

15. Regulatory information

National law

Industrial Safety and Health Law : Working Environment Evaluation Standards, Administrative Control

Levels (Law Art.65-2, Para.1)

Harmful Substances Whose Names Are to be Indicated on the Label

(Law Art.57, Para.1, Enforcement Order Art.18 Item 1, Item 2,

Attached Table No.9)

Notifiable Substances (Law Art.57-2, Enforcement Order Art.18-2

Item 1, Item 2, Attached Table No.9)

Lead and its inorganic compounds (Ordinance number : 411) Lead compounds (Enforcement Order, Art., Appended Table No.4, Ordinance on Prevention of Lead Poisoning, Art.1, Item 4, MHLW

Notification No.91 of 1972)

Substances on Special medical examination, Current handling workers (Act, Art.66, Para.2, Enforcement Order, Art.22 Item 1)

Revision date: 9/12/2023 SDS code: Q3-09 Version: 06

Japanese Poisonous and

Deleterious Substances Control Law

Not applicable

Water Pollution Prevention Law

Hazardous Substances (Act, Art.2, Enforcement Order Art.2, Ministerial Ordinance to Provide for Effluent Standards, Art.1)

Fire Service Law

Not applicable

Air Pollution Control Law

Hazardous substances (Article 2, Paragraph 1, Item 3 of the Law,

Article 1 of the Enforcement Ordinance)

Foreign Exchange and Foreign

Trade Control Act

Export Trade Control Ordinance appendix 1-16

Waste Management on Public

Cleansing Law

Specially Controlled Industrial Wastes (Act Art.2, para 5, Enfothment

Order Art.2-4)

Waterworks Law

Hazardous Substances (Act Article 4 paragraph 2), Standard for Water Quality (Ministry Order No.101 of 2003)

Sewerage Law Substances for Water Quality Standard (Act Art.12-2 Para.2,

Enforcement Order Art.9-4)

Japanese Pollutant Release and Transfer Register Law (PRTR Law) Class 1 Designated Chemical Substances, Specified Class 1 Designated Chemical Substances (Act Art.2 para.2, Enforcement Order Art.1 Appended Table No.1, Enforcement Order Art.4)

Lead and its compounds as lead(1.0%)

Labor Standards Act Chemical Substances Causing Occupational Illnesses (Act Art.75,

Para.2, Ordinance Attached Table 1-2, Item 4-1, MHLW Nortification

No.36 of 1978)

Soil Contamination Countermeasures Law Designated Hazardous Substances (Act Art.2 Para.3, Enforcement

Order Art.1)

16. Other information

Handbook of 17423 Chemical Products, The Chemical Daily Co, Ltd. Data sources

International Chemical Safety Cards.

National Institute of Technology and Evaluation (NITE). 2020 Emergency Response Guidebook (ERG 2020).

Other information

The SDS is copyrighted material of Hayashi Pure Chemical Ind, Ltd. This Safety Data Sheet is intended to be provided for business operators who handle chemical substance products of the relevant product and is not intended to assure safety in any way. The Safety Data Sheet does not verify all the information on the applicable chemical substance in the present time. With the recognition in that unknown danger constantly exists in the relevant chemical substance, the product shall be used in the principle of self-responsibility of the user with the highest priority to safety from transport and unpacking to disposal. When the relevant chemical substance is used, the user him/herself shall collect safety information and shall investigate laws and regulations at the place, organizations, countries, etc. where the substance is actually used and give the highest priority to them. The Company shall take no responsibility for investigating state and local regulations and the user shall handle this problem on his/her own responsibility. In the event that SDS in Japanese and SDS translated into other languages exist, the document described in Japanese is prior to all other documents whether or not there is any difference in contents, and documents in other languages shall be references.